TABLE 2C. 2000 MANAGEMENT - ON-SITE BERMUDAGRASS TEST AT MOBILE, AL (COUNTRY CLUB OF MOBILE)

ESTABLISHMENT

Planting date	18-Jun-98
Problems during	None
	1 lb. N/M, amend soil with Ca as needed. Topdress & roll until smooth surface was attained

FACTORS OF PLAY

Date opened for play	
Date closed for play	NA
Type of spikes allowed	softspikes
Uses of green	putting, chipping,

MOWING

Initial height	0.155"
Current height	0.140"
Frequency	7 days/week
Type of mower	walking
Rollers used	weekly in June - October
Groomers used	

CULTIVATION

Aerfication - dates	5/15 and 8/14
Aerification - type	5/8" Hollow Tines
Verticutting	Verticut lightly every other Monday in June-Oct. & topdressed lightly on the opposite Mondays. Topdressing monthly in November to May.
Dates of topdressing	

FERTILIZATION

Date(s)	Product	Rate (lbs./M)
June - October		1 lb. N & 2 lbs. K
November - May		1/2 lb. N & 1 lb. K

75% slow release (Nutralene) Nitrogen
Typical blend 12-2-24
Foliar nutrients as needed (<2 lbs./year)

FUNGICIDES

Date(s)	Product	Rate (oz./M)
July-September	Delta Guard for armyworms	
Fall, Spring	Banol, Heritage, Terrazole for Pythium	

Chipco, chlorothalonil for patch disease

NOTES/COMMENTS

Lots of disease fall of 2000. Tifgreen almost gone - taken over by adjacent plots. High nematode populations on Floradwarf.

HERBICIDES

Date(s)	Product	Rate (oz./M)
None		

INSECTICIDES

Date(s)	Product	Rate (oz./M)
None		

OTHER PRODUCTS

Date(s)	Product	Rate (oz./M)
	Aquafer	4 oz./K every 30 days
	Wetting agent	

Other cultural practices

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners