## TABLE 2D.2001 MANAGEMENT - ON-SITE BENTGRASS TEST AT GREEN VALLEY, AZ (COUNTRY CLUB OF GREEN VALLEY)

ESTABLISHMENT	FERTILIZATION			INSECTICIDES			
Seeding date Problems during	October 1997 one plot washed	Date(s)	Product	Rate (lbs./M)	Date(s)	Product	Rate (oz./M)
6	out-replanted	Feb	15-15-15	0.25 lb. N			
		March	15-15-15	0.4 lb. N			
FACTORS OF PLAY		April	20-10-6	1.25 lb. N			
		May	20-10-6	0.75 lb. N			
Date opened for play	Open all year	June	Methylene urea	0.25 lb. N			
Date closed for play		Oct	15-5-8	0.25 lb. N			
Type of spikes allowed	soft spikes only	Nov	Lesco slo	0.50 lb. N			
Uses of green	Practice putting	Feromec applied 5 times at 3 oz./M					
MOWING							
Initial height	5/32"				OTHER PRODUCTS		
Current height	5/32"	FUNGICIDES					
Frequency	6X/week				Date(s)	Product	Rate (oz./M)
Type of mower	22" walker	Date(s)	Product	Rate (oz./M)			
Rollers used	Wiehle roller				Florantine Root enhancer a	applied six time	es year at 1x rate.
Groomers used	None	None					
CULTIVATION							
Aerfication - dates	solide tines - May, Oct., Nov.						
Aerification - type	Core April 1/2" 2x 4 spacing	HERBICIDES			NOTES/COMMENTS		
Verticutting	Medium - March, lite - May, June, October	Date(s)	Product	Rate (oz./M)			
Dates of topdressing	May, Oct, Nov and April; plus , light topdressing after each verticutting.						
Other cultural practices	Brushed after topdressings. Hand broom or cocco-mat.						

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners