TABLE 11C. 2000 MANAGEMENT - ON-SITE BENTGRASS TEST AT DALLAS, TX (BENT TREE COUNTRY CLUB)

ESTABLISHMENT		FERTILIZATION			FUNGICIDES		
Seeding date Problems during	10-Sep-97 None	Date(s)	Product	Rate (lbs./M)	Date(s)	Product	Rate (oz./M)
8		Gra	nular Fertilizer Application	ns			
					Take-all Prevention		
FACTORS OF PLAY		February	Par Ex 16-0-24	0.5 lb. N			
		March	Par Ex 16-0-24	0.5 lb. N			
Date opened for play	open every day except	May	Polyon 0-0-46	1 lb. K	HERBICIDES		
Date closed for play	Monday when club closed	June	Polyon 0-0-46	1 lb. K			
Type of spikes allowed	Softspikes	July	Polyon 0-0-46	1 lb. K	Date(s)	Product	Rate (oz./M)
Uses of green	Chipping and Putting	September	Polyon 0-0-46	1 lb. K			
		September	Scotts 13-2-26	0.5 lb. N			
		October	Polyon 0-0-46	1 lb. K			
		November	Scotts 15-0-29	0.5 lb. N			
MOWING		November	Polyon 0-0-46	0.5 lb. K			
		December	Scotts 15-0-29	0.5 lb. N	INSECTICIDES		
Initial height		December	Polyon 0-0-32	0.5 lb. K			
Current height	0.125"				Date(s)	Product	Rate (oz./M)
Frequency	6 days/week	Total - Granular app.	2.5 lbs. N, 0.10 lbs	. P, 10.4 lbs. K			
Type of mower	Toro 1000 walking unit				Sprayed cutworms in May	June and July w	ith Battle GC.
Rollers used	Brush attachments used in						
Groomers used	growing season	Fo	liar Fertilizer Applications				
		Eventuative	was les these vols out was (2	4.4 ~~~			
CULTIVATION	Every two weeks throughout year (24 Apps)				OTHER PRODUCTS		
CULTIVATION		Each Floratine app. consisted of:					
Aerfication - dates	Solid tine (1/4") in May, Sept.	Each Fiorathle ap	p. consisted of.		Date(s)	Product	Rate (oz./M)
Aerification - type	Hydroject monthly in June,	Total - Foliar app.	1.3 lbs. N, 0.7 lbs	D 211ba V	Date(s)	rioduct	Kate (02./WI)
Verticutting	Verticut biweekly April-June.	rotai - romai app.	1.5 108. 19, 0.7 108	i. F, 2.1 108. K			
verticutting	Verticut biweekly April-Jule. Verticut monthly July-Sept						
	Verticut hiohthly July-Sept Verticut biweekly OctNov.						
Dates of topdressing	Topdressed biweekly during						
Dates of topulessing	growing season - March	Total Fertilizer app.	3.8 lbs. N, 0.8 lbs.	D 12.5 lbc V			
	through November at light	rotai reitilizei app.	5.6 IUS. IN, U.6 IUS.	r, 12.3 108. K	NOTES/COMMENTS		
	rates with Turfco spinner				NOTES/COMMENTS		
	unit.Heavy application						
	follwing solid tine						
	aerification.						
	aerification.						
Other cultural practices	Rolled before special events.						
omer cultural practices	6 times in April-June. Rolled						
	7 times/week in Winter when						
	nor necessary to mow.						
	nor necessary to mow.						

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners