

NATIONAL TURFGRASS EVALUATION PROGRAM

The National Turfgrass Evaluation Program (NTEP) is designed to develop and coordinate uniform evaluation trials of turfgrass varieties and promising selections in the United States and Canada. Test results can be used by national companies and plant breeders to determine the broad picture of the adaptation of a cultivar. Results can also be used to determine if a cultivar is well adapted to a local area or level of turf maintenance.

Briefly, the NTEP is a self-supporting, non-profit program, sponsored by the Beltsville Agricultural Research Center and the National Turfgrass Federation, Inc. Program policy is made by a policy committee consisting of one member from each of the four (4) Regional Turfgrass Research Committees in the United States, one member from the Lawn Seed Division of the American Seed Trade Association, one member from the United States Golf Association (USGA) Green Section, one member from the Golf Course Superintendents Assoc. of America (GCSAA), one member for the Turfgrass Producers International (TPI), one member from the Turfgrass Breeders Association and an executive director. The program does not make variety recommendations. However, the data from tests can be used by extension specialists and others for making recommendations.

The policy committee is responsible for determining program policy including, (1) requirements for submission of entries, (2) scheduling tests, (3) evaluation methods, (4) selecting standard or control test entries, (5) setting entry fees, (6) coordinating tests in their respective regions, (7) establishing guidelines for publication and data distribution and (8) scheduling committee meetings.

Executive Director - Kevin N. Morris, National Turfgrass Evaluation Program, Inc.

CURRENT POLICY COMMITTEE MEMBERS:

Dr. Steve Johnson, Peak Plant Genetics LLC
Mr. Steve Tubbs, Turf Merchants, Inc.
Dr. Jeff Nus, USGA Green Section
Dr. Michael Richardson, University of Arkansas
Dr. Bernd Leinauer, New Mexico State University
Mr. Warren Bell, Biograss Sod Farms
Dr. Clark Throssell, Golf Course Superintendents Assoc. of America
Dr. Brian Horgan, University of Minnesota
Mr. Duane Klundt, Scotts Turf-Seed, Inc.

FOR ADDITIONAL REPORTS OR INFORMATION CONTACT:

Kevin Morris, Executive Director
National Turfgrass Evaluation Program
Beltsville Agricultural Research Center-West
Building 003, Room 218
Beltsville, Maryland 20705
kmorris@ntep.org
www.ntep.org

CONTENTS

2005 National Kentucky Bluegrass Test - 2007 data

LOCATIONS SUBMITTING DATA FOR 2007.....1

NATIONAL KENTUCKY BLUEGRASS TEST, 2005 Entries and Sponsors.....2

Table A - 2007 Locations, Site Descriptions and Management Practices in
the 2005 National Kentucky Bluegrass Test.....3

Table B - Locations and Data Collected in 2007.....4

Table 1 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass Cultivars
Grown at Three Locations in the U.S. Maintained using "Schedule A"....7

Table 2 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass Cultivars
Grown at Fifteen Locations in the U.S. Maintained using "Schedule B"..9

Table 3 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass Cultivars
Grown at Three Locations in the U.S. Maintained using "Schedule C"...12

Table 4 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass
Cultivars Grown at Four Locations in the Northeast Region.....14

Table 5 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass
Cultivars Grown at Six Locations in the Transition Region.....17

Table 6 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass
Cultivars Grown at Seven Locations in the North Central Region.....20

Table 7 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass Cultivars
Grown at Three Locations in the Upper West/Mountain Region.....23

Table 8 - Mean Turfgrass Quality Ratings of Kentucky Bluegrass Cultivars
Grown at Las Cruces, NM (Southwest Region).....25

Table 9 - Mean Turfgrass Quality and Other Ratings of Kentucky Bluegrass
Cultivars Grown under Field Drought Stress at Fargo, ND.....28

Table 10- Percent Turfgrass Canopy Fullness and Other Ratings
of Kentucky Bluegrass Cultivars Grown
under Traffic Stress at North Brunswick, NJ.....31

Table 11- Mean Turfgrass Quality and Other Ratings of Kentucky Bluegrass
Cultivars Grown under Traffic Stress at Madison, WI.....34

Table 12- Percent Living Ground Cover Ratings of Kentucky Bluegrass
Cultivars Grown under Traffic Stress at East Lansing, MI.....36

Table 13- Genetic Color Ratings of Kentucky Bluegrass Cultivars.....39

Table 14- Spring Greenup Ratings of Kentucky Bluegrass Cultivars.....42

Table 15- Leaf Texture Ratings of Kentucky Bluegrass Cultivars.....45

CONTENTS (continued)

Table 16-	Spring Density Ratings of Kentucky Bluegrass Cultivars.....	48
Table 17-	Summer Density Ratings of Kentucky Bluegrass Cultivars.....	50
Table 18-	Fall Density Ratings of Kentucky Bluegrass Cultivars.....	52
Table 19-	Percent Living Ground Cover (Spring) Ratings of Kentucky Bluegrass Cultivars.....	54
Table 20-	Percent Living Ground Cover (Summer) Ratings of Kentucky Bluegrass Cultivars.....	57
Table 21-	Percent Living Ground Cover (Fall) Ratings of Kentucky Bluegrass Cultivars.....	59
Table 22-	Winter Color Ratings of Kentucky Bluegrass Cultivars.....	62
Table 23-	Drought Tolerance (Dormancy) of Kentucky Bluegrass Cultivars.....	64
Table 24-	Leaf Spot Ratings of Kentucky Bluegrass Cultivars.....	66
Table 25-	Stem Rust Ratings of Kentucky Bluegrass Cultivars.....	68
Table 26-	Dollar Spot Ratings of Kentucky Bluegrass Cultivars.....	70
Table 27-	Summer Patch Ratings of Kentucky Bluegrass Cultivars.....	73
Table 28-	Pink Snow Mold Ratings of Kentucky Bluegrass Cultivars.....	75
Table 29-	Billbug Ratings of Kentucky Bluegrass Cultivars.....	77
Table 30-	Seedhead Ratings of Kentucky Bluegrass Cultivars.....	79
Table 31-	Percent Summer Patch Ratings of Kentucky Bluegrass Cultivars.....	81
Table 32-	Dollar Spot Ratings of Kentucky Bluegrass Cultivars at Raleigh, NC...	83
Appendix Table -	Summary of Turfgrass Quality Ratings of Kentucky Bluegrass Cultivars.....	85

A Guide to NTEP Turfgrass Ratings

Introduction

The quality and scientific merit of NTEP data is extremely important. However, the evaluation of turfgrass species and cultivars is a difficult and complex issue. Furthermore, turfgrass evaluation is generally a subjective process based on visual estimates of factors, like genetic color, stand density, leaf texture, uniformity and quality. These factors can not be measured in the same way as other agricultural crops. Turfgrass quality is not a measure of yield or nutritive value. Turfgrass quality is a measure of aesthetics (i.e. density, uniformity, texture, smoothness, growth habit and color), and functional use. The most common way of assessing turfgrass quality is a visual rating system that is based on the turfgrass evaluator's judgement.

General Considerations

Most visual ratings collected on NTEP trials are based on a 1 to 9 rating scale. One is the poorest or lowest and 9 is the best or highest rating. However, a few characteristics, such as winter kill or percent living ground cover, are rated on a percentage basis, again by using the evaluator's judgement. Most disease ratings found in NTEP reports will use the 1-9 scale, 9=no disease except where the evaluator made a judgement of the percentage of disease in each plot. Percent disease data will be found in separate tables and will normally not be included with disease data using the 1-9 scale.

Turfgrass Quality

Turfgrass Quality is based on 9 being outstanding or ideal turf and 1 being poorest or dead. A rating of 6 or above is generally considered acceptable. A quality rating value of 9 is reserved for a perfect or ideal grass, but it also can reflect an absolutely outstanding treatment plot. The NTEP requires quality ratings on a monthly basis. Quality ratings take into account the aesthetic and functional aspects of the turf. Quality ratings are not based on color alone, but on a combination of color, density, uniformity, texture, and disease or environmental stress.

Turfgrass quality ratings are grouped and presented by region, management level, a particular stress (shade, traffic, etc.) and in some cases, by individual location (starting with 2001 data, data from each location will be posted separately as well on the NTEP web site, <http://www.ntep.org>). Also available now is a summary table (Appendix) in the back of this report. This summary table includes various statistical measures not previously compiled for NTEP reports. For an explanation of this table and these changes, please go to the NTEP web site at <http://www.ntep.org/pdf/grandmean.mem.pdf>.

Other Ratings

More detailed information on the ratings of specific characteristics can be found on the NTEP web site at <http://www.ntep.org/reports/ratings.htm>.

2005 NATIONAL KENTUCKY BLUEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2007

<u>State</u>	<u>Location</u>	<u>Code</u>
Illinois	Urbana	IL1
Indiana	West Lafayette	IN1
Iowa	Ames	IA1
Kentucky	Lexington	KY1
Maryland	College Park	MD1
Massachusetts	Amherst	MA1
Michigan	East Lansing	MI1
Michigan	East Lansing (Traffic)	MI2
Minnesota	St. Paul	MN1
Nebraska	Mead	NE1
New Jersey	North Brunswick (Traffic Study)	NJ4
New Jersey	Adelphia	NJ2
New Mexico	Las Cruces	NM1
New York	Ithaca	NY1
North Carolina	Raleigh	NC1
North Dakota	Fargo (Drought Study)	ND1
Oklahoma	Stillwater	OK1
Pennsylvania	University Park	PA1
Tennessee	Knoxville	TN1
Utah	Logan	UT1
Virginia	Blacksburg	VA1
Washington	Pullman	WA1
Wisconsin	Madison	WI1
Wisconsin	Madison (Traffic Study)	WI2
Wyoming	Sheridan	WY1

2005 NATIONAL KENTUCKY BLUEGRASS TEST Entries and Sponsors

Entry No.	Name	Sponsor	Entry No.	Name	Sponsor	Entry No.	Name	Sponsor
1	SW AG 514	Burlingham Seeds, LLC	41	J-3429	Jacklin Seed by Simplot	*81	STR 2485	Seed Research of Oregon
*2	Shamrock	Standard Entry	*42	Everglade	Jacklin Seed by Simplot	82	1QG-38	Columbia River Seed
*3	Wild Horse (A97-890)	Blue Mt. Seed, Inc.	*43	Everest	Jacklin Seed by Simplot	83	PST-109-752	The Scotts Company
*4	Midnight	Standard Entry	*44	Rugby II	Jacklin Seed by Simplot	*84	Moonlight SLT (PST-101-390)	Scotts Turf-Seed
5	A98-689	Columbia River Seed	*45	Nu Destiny	Standard Entry	85	PST-101-73	Pure-Seed Testing, Inc.
*6	Arrowhead (NA-3261)	Columbia River Seed	*46	Award	Jacklin Seed by Simplot	*86	Emblem (PST-Y2K-169)	Seed Research Of Oregon
*7	Kenblue	Standard Entry	*47	NuGlade	Jacklin Seed by Simplot	*87	Prosperity	Turf-Seed, Inc.
*8	Corsair (NA-3249)	Columbia River Seed	*48	Impact	Jacklin Seed by Simplot	88	PST-1A1-899	Pure-Seed Testing, Inc.
*9	Yankee (NA-3271)	Columbia River Seed	*49	Beyond	Jacklin Seed by Simplot	89	NA-3248	Columbia River Seed
10	Bd 98-2108	The Scotts Company	50	A00-1400	Pennington Seed, Inc.	*90	Aviator (NA-3259)	Columbia River Seed
*11	Juliet (Bd 95-1930)	The Scotts Company	*51	Excursion	LESCO, Inc.	91	H98-701	Grassland Oregon
*12	Gaelic (Bd 98-1358)	The Scotts Company	52	NA-3257	LESCO, Inc.	*92	Zinfandel (LTP 2949)	Lebanon Seaboard Corp.
13	Bd 03-84	The Scotts Company	*53	Glenmont	LESCO, Inc.	93	PSG 711	Pickseed
14	Bd 99-2103	The Scotts Company	54	A00-247	LESCO, Inc.	*94	America	Standard Entry
*15	Hampton (Bd 03-159)	The Scotts Company	*55	Blue Note (A01-349)	Mountain View Seed, Ltd.	*95	Barrister	Barenbrug USA
16	MSP 3722	University of Minnesota	56	A00-1254	Mountain View Seed, Ltd.	*96	Bariris	Barenbrug USA
17	MSP 3723	University of Minnesota	*57	Bluestone	Mountain View Seed, Ltd.	*97	Baron	Standard Entry
18	MSP 3724	University of Minnesota	*58	Volt (A98-999)	Mountain View Seed, Ltd.	98	BAR VV 9634	Barenbrug USA
*19	Blueberry	Turf Merchants, Inc.	59	A95-410	Seeds, Inc.	99	BAR VV 9630	Barenbrug USA
*20	Bewitched	Turf Merchants, Inc.	60	RAD-343	Seeds, Inc.	100	BAR VV 0665	Barenbrug USA
*21	Julia	Standard Entry	61	RAD-762	Seeds, Inc.	101	BAR VV 8536	Barenbrug USA
22	CPP 817	DLF International Seeds	*62	Washington	Seeds, Inc.	102	BAR VV 0709	Barenbrug USA
23	CPP 822	Cebeco Seeds	63	RAD-0AN64	Seeds, Inc.	103	BAR VK 0710	Barenbrug USA
24	CPP 821	Cebeco Seeds	64	A99-3119	DLF International Seeds	*104	Shiraz (LTP-73)	Lebanon Seaboard Corp.
25	DP 76-9066	DLF Trifolium A/S	65	A99-2559	DLF International Seeds	*105	Pinot (LTP-149)	Lebanon Seaboard Corp.
26	DP 76-9081	DLF Trifolium A/S	*66	Harmonie	DLF International Seeds	106	H94-305	ProSeeds Marketing, Inc.
27	DLF 76-9075	DLF International Seeds	67	A97-1287	DLF International Seeds	*107	Mystere	ProSeeds Marketing, Inc.
28	CP 76-9068	DLF Trifolium A/S	*68	Rhythm	DLF International Seeds	108	AKB449	ProSeeds Marketing, Inc.
29	Aries (A98-948)	Pennington Seed, Inc.	*69	Dynamo	Burlingham Seeds, LLC	*109	Diva	ProSeeds Marketing, Inc.
*30	Argos	Seed Research of Oregon	*70	Avid	Burlingham Seeds, LLC	110	POPR 04594	Euro Grass Breeding
31	PSG 366	Pickseed	71	Empire (A01-299)	Burlingham Seeds, LLC			
*32	Granite (J-1326)	Pickseed/SRO	*72	Reveille	Standard Entry			
*33	J-1334	Jacklin Seed by Simplot	*73	Belissimo	Turf Merchants, Inc.			
34	Nuchicago (J-1466)	Jacklin Seed by Simplot	*74	Skye	Grassland Oregon			
35	J-2024	Jacklin Seed by Simplot	75	RAD-504	Columbia River Seed			
*36	Solar Eclipse (J-2399)	Jacklin Seed by Simplot	*76	Bandera (SPTR 2LM95)	Seed Research/Pickseed			
*37	Alexa II (J-2404)	Jacklin Seed by Simplot	77	STR 2553	Seed Research of Oregon			
38	J-2502	Jacklin Seed by Simplot	*78	Starburst (STR 2703)	Seed Research of Oregon			
*39	4-Season (J-2791)	Jacklin Seed by Simplot	*79	Touche (STR 23180)	Seed Research of Oregon			
*40	Sudden Impact (J-2870)	Jacklin Seed by Simplot	80	SPTR 2959	Seed Research/Pickseed			

* COMMERCIALY AVAILABLE IN THE USA IN 2008.

TABLE A.

2007 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN
THE 2005 NATIONAL KENTUCKY BLUEGRASS TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
IA1	SILTY CLAY LOAM	6.6-7.0	0-60	0-150	3.1-4.0	FULL SUN	2.6-3.0	TO PREVENT STRESS
IL1	SILT LOAM AND SILT	6.1-6.5	0-60	376-500	3.1-4.0	FULL SUN	1.6-2.0	ONLY DURING SEVERE STRESS
IN1	SILT LOAM AND SILT	7.1-7.5	151-270	376-500	1.1-2.0	FULL SUN	2.1-2.5	NO IRRIGATION
KY1	SILT LOAM AND SILT	6.1-6.5	61-150	241-375	2.1-3.0	FULL SUN	2.1-2.5	TO PREVENT STRESS
MA1	LOAM	5.6-6.0	0-60	241-375	1.1-2.0	FULL SUN	2.1-2.5	NO IRRIGATION
MD1	SILT LOAM AND SILT	5.6-6.0	61-150	0-150	3.1-4.0	FULL SUN	2.1-2.5	TO PREVENT STRESS
MI1	SANDY LOAM	7.1-7.5	61-150	151-240	4.1-5.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
MI2	SANDY LOAM	7.1-7.5	61-150	151-240	4.1-5.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
MN1	SILTY CLAY LOAM	7.1-7.5	61-150	151-240	3.1-4.0	FULL SUN	1.1-1.5	ONLY DURING SEVERE STRESS
NC1	SILTY CLAY AND CLAY	6.1-6.5	61-150	0-150	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT STRESS
ND1	SILTY CLAY AND CLAY	7.6-8.5	0-60	0-150	2.1-3.0	FULL SUN	3.1-3.5	NO IRRIGATION
NE1	SILTY CLAY AND CLAY	7.1-7.5	61-150	241-375	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
NJ4	SANDY LOAM	5.6-6.0	271-450	151-240	3.1-4.0	FULL SUN	1.1-1.5	TO PREVENT STRESS
NJ2	SANDY LOAM	5.6-6.0	-	-	2.1-3.0	FULL SUN	1.1-1.5	TO PREVENT STRESS
NM1	SAND	7.1-7.5	0-60	0-150	5.1-6.0	FULL SUN	1.6-2.0	TO PREVENT STRESS
NY1	SANDY LOAM	6.1-6.5	151-270	241-375	4.1-5.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
OK1	LOAM	7.1-7.5	61-150	501+	2.1-3.0	FULL SUN	2.1-2.5	TO PREVENT STRESS
PA1	SILT LOAM AND SILT	6.6-7.0	151-270	0-150	2.1-3.0	FULL SUN	1.6-2.0	TO PREVENT STRESS
TN1	SILT LOAM AND SILT	6.1-6.5	0-60	0-150	3.1-4.0	FULL SUN	1.1-1.5	TO PREVENT STRESS
UT1	SILT LOAM AND SILT	7.6-8.5	61-150	151-240	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT DORMANCY
VA1	SILTY CLAY LOAM	5.6-6.0	0-60	0-150	3.1-4.0	FULL SUN	1.6-2.0	TO PREVENT DORMANCY
WA1	SILT LOAM AND SILT	5.6-6.0	271-450	501+	1.1-2.0	FULL SUN	1.1-1.5	TO PREVENT DORMANCY
WI1	SILT LOAM AND SILT	6.6-7.0	61-150	241-375	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
WI2	SILT LOAM AND SILT	6.6-7.0	61-150	241-375	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
WY1	SILTY CLAY LOAM	7.6-8.5	0-60	0-150	3.1-4.0	FULL SUN	1.6-2.0	TO PREVENT DORMANCY

TABLE B.

LOCATIONS AND DATA COLLECTED IN 2007

LOCATION	JANUARY QUALITY RATING	FEBRUARY QUALITY RATING	MARCH QUALITY RATING	APRIL QUALITY RATING	MAY QUALITY RATING	JUNE QUALITY RATING	JULY QUALITY RATING	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE
IA1				X	X	X	X	X	X	X			X	X	X
IL1				X	X	X	X	X	X					X	
IN1				X	X	X	X	X	X	X			X	X	
KY1			X	X	X	X	X	X	X	X			X	X	X
MA1				X	X	X	X	X	X	X			X	X	X
MD1				X	X	X	X	X	X				X	X	
MI1				X	X	X			X	X	X		X	X	X
MI2															
MN1					X	X	X	X	X	X			X	X	X
NC1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ND1					X	X	X	X	X	X				X	
NE1				X	X	X	X	X	X	X			X	X	
NJ4					X	X	X	X	X					X	
NJ2				X	X	X	X	X	X	X			X	X	X
NM1			X	X	X	X	X	X	X	X	X	X	X		
NY1				X	X	X	X	X	X	X				X	
OK1				X	X	X	X	X	X		X			X	
PA1					X	X	X	X	X	X			X	X	X
TN1	X	X	X	X	X	X	X	X	X	X	X	X	X		X
UT1				X	X	X	X	X	X	X	X		X	X	X
VA1		X	X	X	X	X	X	X	X	X			X		X
WA1				X	X	X	X	X	X				X	X	X
WI1					X	X	X	X	X	X			X	X	X
WI2					X	X	X	X	X	X				X	X
WY1					X	X	X	X	X	X	X		X	X	X

TABLE B. (CONT'D)

LOCATIONS AND DATA COLLECTED IN 2007

LOCATION	SPRING DENSITY	SUMMER DENSITY	FALL DENSITY	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	WINTER COLOR	DROUGHT TOLERANCE WILTING	DROUGHT TOLERANCE DORMANCY	LEAF SPOT	STEM RUST	DOLLAR SPOT	SUMMER PATCH
IA1													
IL1													
IN1						X			X				
KY1													
MA1						X				X		X	
MD1											X	X	
MI1	X		X	X		X							
MI2					X	X							
MN1		X				X			X				
NC1	X		X										X
ND1	X	X	X	X	X	X							
NE1	X	X	X										
NJ4								X		X			
NJ2						X	X			X			
NM1											X		
NY1													
OK1				X	X	X	X				X	X	X
PA1										X		X	
TN1				X	X	X	X						
UT1						X							
VA1						X	X					X	
WA1													
WI1				X	X	X						X	
WI2				X	X	X						X	
WY1													

TABLE B. (CONT'D)

LOCATIONS AND DATA COLLECTED IN 2007

LOCATION	PINK SNOW MOLD	BILLBUG RATINGS	FALL COLOR NOVEMBER	SEEDHEAD RATINGS	PERCENT SUMMER PATCH	DOLLAR JULY	SPOT OCTOBER	RATINGS
IA1								
IL1								
IN1				X				
KY1								
MA1	X							
MD1								
MI1								
MI2								
MN1				X				
NC1						X		X
ND1			X					
NE1								
* NJ4								
NJ2								
NM1								
NY1								
OK1								
PA1								
TN1					X			
UT1								
VA1								
WA1								
WI1								
WI2								
WY1								

* ADDITIONAL DATA FOR NJ4 CAN BE FOUND IN TABLE 10.

TABLE 1.

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT THREE LOCATIONS IN THE U.S. 1/
 MAINTAINED USING "SCHEDULE A" **
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	MI1	NE1	WI1	MEAN	NAME	MI1	NE1	WI1	MEAN
DP 76-9066	.	7.3	7.0	7.2	A95-410	5.6	7.0	6.1	6.2
BD 03-84	6.3	6.9	7.6	6.9	CPP 817	5.0	6.3	7.3	6.2
* TOUCHE (STR 23180)	6.2	6.4	7.9	6.8	AURA (A99-2559)	5.9	6.3	6.4	6.2
* WASHINGTON	6.5	6.2	7.7	6.8	* RHYTHM	4.9	7.7	5.9	6.2
* BEYOND	5.9	7.8	6.6	6.8	* SKYE	4.7	7.0	6.8	6.2
* RHAPSODY (A97-1287)	5.8	7.0	7.4	6.7	* WILD HORSE (A97-890)	6.1	6.0	6.5	6.2
* MIDNIGHT	5.9	7.7	6.7	6.7	* BARRISTER	4.9	7.1	6.6	6.2
POPR 04594	6.3	6.1	7.8	6.7	ARIES (A98-948)	5.8	6.1	6.6	6.2
* NU DESTINY	6.1	7.6	6.5	6.7	* J-1334	4.6	7.3	6.6	6.2
NA-3257	5.6	7.4	7.1	6.7	* DIVA	4.7	6.2	7.5	6.1
* AVID	5.5	7.4	7.1	6.7	* BLUESTONE	4.5	7.5	6.3	6.1
* ALEXA II (J-2404)	5.8	7.2	6.9	6.7	A00-1400	4.7	7.4	6.2	6.1
* ZINFANDEL (LTP 2949)	5.7	7.1	7.1	6.6	DLF 76-9075	5.4	6.7	6.2	6.1
* HAMPTON (BD 03-159)	5.4	7.2	7.2	6.6	* BELISSIMO	5.4	6.3	6.6	6.1
* EVEREST	5.7	7.6	6.6	6.6	* RUGBY II	5.2	6.6	6.3	6.0
NUCHICAGO (J-1466)	5.8	7.4	6.7	6.6	* GAELIC (BD 98-1358)	5.4	6.0	6.7	6.0
BD 99-2103	5.4	7.2	7.1	6.6	* ARGOS	4.5	6.8	6.5	5.9
BD 98-2108	6.0	6.6	7.1	6.6	* ARROWHEAD (NA-3261)	4.6	6.7	6.6	5.9
BAR VV 0709	6.2	.	6.9	6.6	RAD-OAN64	4.2	6.4	7.2	5.9
* SUDDEN IMPACT (J-2870)	5.6	7.4	6.7	6.6	* AMERICA	4.4	6.5	6.8	5.9
* EXCURSION	5.1	7.7	6.8	6.5	* SHAMROCK	5.6	5.8	6.4	5.9
RAD-343	6.3	6.0	7.3	6.5	PST-109-752	5.2	6.6	5.9	5.9
* AWARD	5.1	7.7	6.7	6.5	STR 2553	4.4	6.5	6.6	5.9
* BEWITCHED	4.8	7.4	7.3	6.5	H98-701	5.4	6.2	5.9	5.8
* NUGLADE	4.8	7.8	6.9	6.5	* 4-SEASON (J-2791)	3.6	7.6	6.4	5.8
* JULIET (BD 95-1930)	5.8	6.4	7.3	6.5	SPTR 2959	5.2	5.8	6.5	5.8
RAD-762	5.8	6.2	7.4	6.5	FUTURITY (A99-3119)	4.6	6.4	6.4	5.8
* IMPACT	4.8	7.8	6.9	6.5	MSP 3723	4.2	6.2	6.9	5.8
* EVERGLADE	5.2	7.8	6.4	6.5	* GLENMONT	5.0	6.7	5.7	5.8
* SOLAR ECLIPSE (J-2399)	5.3	7.3	6.7	6.4	CP 76-9068	4.5	6.7	6.1	5.8
J-2024	5.3	7.3	6.7	6.4	* BLUEBERRY	3.5	7.8	6.1	5.8
* YANKEE (NA-3271)	5.6	7.3	6.3	6.4	1QG-38	4.9	6.4	6.0	5.8
* MYSTERE	5.9	6.8	6.4	6.4	MSP 3722	4.5	6.1	6.7	5.8
* BLUE NOTE (A01-349)	5.8	6.2	7.2	6.4	* PROSPERITY	3.6	7.2	6.6	5.8
SW AG 514	5.4	7.0	6.7	6.4	RAD-504	4.7	6.7	5.9	5.8
AKB449	6.1	6.6	6.4	6.4	* VOLT (A98-999)	5.4	5.8	6.0	5.7
PSG 366	5.5	6.5	7.0	6.3	* HARMONIE	3.9	6.3	6.9	5.7
NA-3248	5.7	6.7	6.6	6.3	BAR VV 9630	5.2	6.0	5.9	5.7
J-2502	5.3	7.1	6.5	6.3	H94-305	5.6	6.1	5.4	5.7
* SHIRAZ (LTP-73)	5.0	6.7	7.1	6.3	PSG 711	4.9	6.2	6.0	5.7
* STR 2485	5.6	5.9	7.3	6.2	* DYNAMO	3.4	6.8	6.8	5.7
EMPIRE (A01-299)	5.7	6.9	6.2	6.2	J-3429	4.3	7.2	5.6	5.7
* GRANITE (J-1326)	4.9	7.6	6.2	6.2	A00-247	4.6	6.1	6.2	5.7
* STARBURST (STR 2703)	5.3	6.6	6.8	6.2	CPP 822	4.0	6.4	6.4	5.6
					MSP 3724	3.9	6.3	6.6	5.6

TABLE 1. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT THREE LOCATIONS IN THE U.S. 1/
 MAINTAINED USING "SCHEDULE A" **
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	MI1	NE1	WI1	MEAN
PST-1A1-899	3.7	.	7.4	5.6
* PINOT (LTP-149)	3.2	7.6	5.9	5.6
* JULIA	4.4	6.4	5.9	5.6
PST-101-73	4.3	6.2	6.2	5.6
* AVIATOR (NA-3259)	4.3	6.5	5.8	5.5
* EMBLEM (PST-Y2K-169)	3.2	8.1	5.2	5.5
* BARON	4.2	6.3	5.9	5.5
* BANDERA (SPTR 2LM95)	4.4	5.9	6.1	5.5
* MOONLIGHT SLT (PST-101-390)	3.1	6.9	6.2	5.4
BAR VV 9634	5.3	5.6	5.2	5.4
* BARIRIS	3.7	6.4	6.1	5.4
BAR VV 0665	4.6	6.1	5.2	5.3
CPP 821	3.3	6.1	6.4	5.3
* CORSAIR (NA-3249)	4.2	7.2	4.4	5.3
BAR VV 8536	4.5	5.8	5.4	5.2
A98-689	3.4	5.8	6.2	5.1
A00-1254	3.3	6.2	5.6	5.0
BAR VK 0710	3.7	5.6	5.4	4.9
* KENBLUE	4.5	4.9	4.7	4.7
DP 76-9081	3.9	5.6	4.5	4.7
* REVEILLE	1.6	4.4	2.9	3.0
C.V. (%)	15.2	5.3	9.7	9.9
LSD VALUE	1.2	0.6	1.0	0.6

* COMMERCIALY AVAILABLE IN THE USA IN 2008.

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

**/ SCHEDULE A 0.4-0.6 INCH MOWING HEIGHT
 3-4 lbs. N/1000 FT²/YEAR
 IRRIGATION TO PREVENT STRESS
 FUNGICIDES APPLIED ONLY TO PREVENT SEVERE STAND LOSS
 INSECTICIDES APPLIED ONLY TO PREVENT STAND LOSS
 WEED CONTROL APPLIED AS NEEDED TO PREVENT STAND LOSS

TABLE 2.

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT FIFTEEN LOCATIONS IN THE U.S. 1/
 MAINTAINED USING "SCHEDULE B" **
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	KY1	MD1	MN1	NC1	NJ2	NM1	NY1	OK1	PA1	TN1	VA1	WA1	WY1	MEAN
BD 03-84	7.0	6.4	7.4	6.3	6.8	7.2	6.4	4.9	4.7	3.9	6.9	7.4	5.4	5.8	7.2	6.3
BEWITCHED	7.0	6.3	7.3	6.2	5.9	7.9	5.5	4.0	4.6	3.5	7.8	7.4	5.6	5.8	7.0	6.1
SHIRAZ (LTP-73)	7.4	6.6	7.3	5.1	6.2	6.9	6.2	5.1	5.3	3.8	6.9	7.2	4.8	5.7	6.8	6.1
ALEXA II (J-2404)	6.6	5.3	7.1	6.1	5.9	8.0	5.6	5.5	3.9	4.0	7.3	7.5	5.4	5.7	7.1	6.1
EMBLEM (PST-Y2K-169)	7.0	6.2	7.8	5.7	5.4	8.0	5.8	4.8	3.5	3.6	7.3	7.0	5.7	5.5	7.3	6.0
SOLAR ECLIPSE (J-2399)	7.3	5.2	7.6	5.7	5.7	7.3	6.1	4.9	3.9	3.8	7.1	7.4	5.4	5.6	7.3	6.0
BLUE NOTE (A01-349)	7.3	5.6	7.3	5.3	6.1	6.2	6.0	3.8	5.7	4.3	7.6	7.6	5.6	5.2	6.9	6.0
ZINFANDEL (LTP 2949)	6.6	6.1	7.8	6.1	5.0	5.9	5.7	4.9	4.2	4.3	6.9	7.7	5.9	5.9	7.2	6.0
NUCHICAGO (J-1466)	7.0	5.1	7.6	5.9	5.4	7.0	5.9	4.0	5.1	4.4	6.8	7.5	5.5	5.6	6.9	6.0
EVEREST	6.8	5.2	7.1	5.4	5.7	6.1	5.8	6.1	5.0	4.3	6.8	7.3	5.0	6.1	7.0	6.0
J-1334	6.5	4.8	7.6	6.0	5.2	7.6	5.7	4.8	4.8	4.1	7.1	7.4	5.3	5.2	7.4	6.0
IMPACT	6.4	5.1	7.4	5.7	6.1	7.6	5.9	4.2	4.8	4.0	7.1	7.6	5.6	4.9	7.1	6.0
RHYTHM	6.7	5.4	7.1	6.0	5.3	8.0	5.4	4.0	5.7	4.3	6.3	7.7	4.9	5.7	7.1	6.0
AWARD	7.1	4.8	7.2	5.8	6.0	6.9	6.1	5.3	4.1	4.0	6.2	7.6	5.5	5.3	7.3	6.0
MIDNIGHT	6.7	4.8	7.6	5.6	5.1	7.8	5.6	5.5	3.6	4.3	6.6	7.7	5.7	5.7	7.3	6.0
EVERGLADE	7.1	5.4	7.3	5.1	5.2	7.4	5.8	5.6	3.7	4.5	6.8	7.6	5.3	5.3	7.1	6.0
SKYE	7.2	5.3	7.0	5.3	5.2	7.2	6.0	5.9	4.0	4.4	6.5	7.4	5.9	5.0	6.8	5.9
GRANITE (J-1326)	7.4	5.2	7.7	5.5	5.5	7.1	5.3	5.0	4.8	3.8	6.7	7.4	5.2	5.1	7.2	5.9
EXCURSION	6.8	5.2	7.6	5.2	6.2	6.7	5.5	4.6	4.7	4.1	6.5	7.6	4.9	5.3	7.7	5.9
RHAPSODY (A97-1287)	7.0	5.0	7.2	5.3	5.2	7.6	5.5	4.0	4.4	5.3	7.0	7.1	5.6	5.2	7.0	5.9
A00-1400	7.9	5.7	7.5	5.6	6.1	5.9	6.0	4.2	4.0	4.1	6.7	7.5	4.6	5.6	7.3	5.9
AURA (A99-2559)	7.1	5.6	7.0	5.0	5.2	6.9	5.7	4.7	4.4	5.2	6.1	7.0	5.7	5.6	7.0	5.9
YANKEE (NA-3271)	7.4	5.8	7.2	5.3	5.2	6.3	5.7	5.2	4.7	4.4	5.7	7.3	5.7	5.1	6.9	5.9
MYSTERE	7.0	5.2	6.4	4.8	5.2	6.7	5.6	5.8	4.5	4.8	6.7	7.2	5.9	5.2	7.0	5.9
J-3429	7.1	5.8	7.8	5.4	4.7	7.1	5.7	4.2	4.5	3.8	6.5	7.5	5.3	5.3	7.3	5.9
J-2024	6.9	5.0	7.2	6.4	5.5	7.0	5.3	4.4	4.0	3.6	6.7	7.7	5.2	5.7	7.1	5.8
FUTURITY (A99-3119)	6.9	5.5	6.8	5.2	4.6	5.9	5.4	6.1	4.3	4.7	7.1	7.3	5.2	5.6	7.0	5.8
BARRISTER	6.0	4.6	7.2	6.1	5.7	7.1	5.2	4.1	5.2	3.6	7.1	7.4	4.9	5.7	7.2	5.8
BD 99-2103	7.2	5.1	7.0	6.0	5.2	6.3	5.2	4.5	4.4	4.1	6.7	7.3	5.1	5.3	7.5	5.8
AVID	6.9	5.9	6.8	5.4	5.3	6.5	5.6	3.9	5.1	3.7	6.7	7.5	4.9	5.9	6.6	5.8
EMPIRE (A01-299)	7.0	5.6	7.4	5.1	5.0	7.4	4.3	5.0	4.4	4.0	6.9	7.4	4.7	5.3	7.1	5.8
PROSPERITY	6.9	4.9	7.7	6.2	4.7	7.3	6.9	3.8	4.3	3.5	7.0	6.9	4.6	4.8	7.0	5.8
ARGOS	6.8	6.1	7.0	5.6	4.8	6.3	5.9	4.8	4.0	4.0	6.4	7.4	4.8	5.5	7.0	5.8
1QG-38	6.6	6.1	7.0	5.7	5.5	6.4	5.1	4.4	4.9	3.7	6.4	6.9	5.2	5.4	6.8	5.7
NUGLADE	6.5	4.5	7.3	5.4	5.5	7.4	5.5	4.1	3.5	4.0	7.3	7.5	5.2	5.3	7.0	5.7
BEYOND	6.6	4.9	7.2	6.1	4.9	7.4	5.4	4.0	5.0	4.0	6.1	7.4	5.1	4.7	7.0	5.7
SUDDEN IMPACT (J-2870)	7.0	5.1	7.5	4.9	4.7	6.9	5.4	4.1	4.7	3.9	6.5	7.2	5.4	5.3	7.3	5.7
BLUESTONE	6.3	4.4	7.0	5.4	5.7	6.4	5.2	5.4	3.8	3.7	7.1	7.5	5.0	5.8	7.2	5.7
J-2502	6.4	4.9	7.7	5.7	4.9	7.2	5.2	3.8	4.6	3.4	6.8	7.4	5.5	5.1	7.2	5.7
BLUEBERRY	6.5	5.1	6.8	5.8	4.7	7.0	6.4	4.4	5.4	3.6	6.8	7.1	3.9	5.2	6.9	5.7
H98-701	6.7	5.5	6.5	5.4	5.2	4.9	5.0	5.6	4.7	4.6	6.3	7.3	5.1	5.6	6.9	5.7
NU DESTINY	7.0	4.8	7.1	5.4	5.2	6.7	5.1	4.6	4.0	4.0	6.4	7.5	5.0	4.9	7.3	5.7
STARBURST (STR 2703)	7.1	6.2	6.3	5.0	5.1	6.1	5.5	4.8	5.8	4.5	5.7	6.8	4.9	4.7	6.8	5.7
4-SEASON (J-2791)	6.7	5.4	6.9	5.7	5.0	7.4	5.6	3.9	5.2	3.3	5.8	7.2	5.2	4.7	7.0	5.7

TABLE 2. (CONT'D)

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN AT FIFTEEN LOCATIONS IN THE U.S. 1/
MAINTAINED USING "SCHEDULE B" **
2007 DATA
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	KY1	MD1	MN1	NC1	NJ2	NM1	NY1	OK1	PA1	TN1	VA1	WA1	WY1	MEAN
DIVA	6.4	5.1	7.0	5.9	4.7	5.6	5.5	4.6	4.0	4.0	6.8	7.2	5.4	5.4	7.2	5.7
PSG 366	6.6	6.2	6.8	5.2	4.6	6.5	5.3	4.4	4.5	3.6	6.9	7.5	4.9	5.0	7.0	5.7
GLENMONT	7.1	5.1	6.8	4.8	5.2	5.2	5.4	5.5	5.4	3.9	6.9	7.0	4.7	5.0	7.1	5.7
HAMPTON (BD 03-159)	7.4	5.3	7.6	5.3	5.0	6.1	5.8	4.7	3.6	3.8	6.0	7.6	4.1	5.3	7.3	5.7
BD 98-2108	6.3	5.4	7.1	4.8	5.4	6.3	5.7	3.6	4.1	4.0	7.0	7.3	4.9	5.7	6.9	5.6
NA-3257	6.5	5.5	7.8	5.2	5.5	6.0	5.2	4.0	5.1	3.7	5.6	7.5	4.5	5.1	7.3	5.6
DP 76-9066	6.1	4.8	7.1	5.4	5.7	7.1	4.7	3.9	5.9	3.3	6.6	7.0	4.3	5.5	7.1	5.6
AMERICA	6.8	5.4	6.6	5.7	5.1	5.9	5.0	5.3	4.7	4.1	5.9	7.4	5.0	5.1	6.5	5.6
STR 2485	5.9	5.7	6.8	5.4	5.1	6.7	5.8	5.2	4.5	3.6	5.8	7.0	5.3	4.7	6.9	5.6
RAD-762	6.4	5.6	6.8	4.9	5.4	5.9	5.4	5.2	5.0	3.4	6.1	7.2	5.3	4.9	6.8	5.6
BELISSIMO	5.9	5.6	6.5	5.3	5.2	5.1	5.0	4.9	3.9	4.1	7.0	7.2	5.8	6.0	6.9	5.6
TOUCHE (STR 23180)	6.0	5.6	7.0	4.7	5.1	6.2	5.5	5.0	5.3	3.8	5.4	6.9	6.1	4.9	6.6	5.6
MSP 3723	6.4	5.4	6.8	5.6	5.5	5.5	5.6	5.1	3.9	3.5	7.2	7.0	4.7	4.9	6.9	5.6
WASHINGTON	6.2	5.8	7.0	4.8	5.7	5.7	5.6	4.9	4.0	3.7	5.6	7.0	5.8	5.1	6.9	5.6
MSP 3722	6.6	5.3	6.6	4.7	5.3	6.7	4.6	4.4	4.6	3.3	7.1	7.2	5.3	4.9	7.2	5.6
AKB449	7.1	5.0	6.8	4.7	4.9	6.3	4.7	4.9	4.2	3.7	6.6	7.3	4.8	5.5	7.2	5.6
A00-247	6.3	5.4	7.1	4.9	5.1	5.1	5.7	5.3	4.3	3.9	6.3	7.3	4.8	5.2	6.8	5.6
ARIES (A98-948)	6.4	5.8	6.8	5.6	4.7	6.9	5.1	4.0	3.9	3.7	6.1	7.5	5.2	4.9	6.7	5.6
A98-689	6.3	4.9	6.5	5.2	4.9	6.8	4.4	4.6	5.3	4.0	5.9	7.3	5.7	4.6	6.7	5.5
MSP 3724	6.8	5.4	6.4	5.7	4.6	5.1	5.1	4.5	4.8	4.2	6.8	7.1	4.7	5.2	6.7	5.5
JULIET (BD 95-1930)	6.2	5.2	6.5	5.1	5.0	6.1	5.3	4.2	5.2	3.7	6.2	6.8	5.9	4.6	7.0	5.5
ARROWHEAD (NA-3261)	7.0	5.2	7.5	4.8	5.5	6.8	4.2	3.5	4.4	3.9	5.8	7.3	5.2	4.8	7.0	5.5
PINOT (LTP-149)	6.9	6.1	6.9	4.9	3.8	6.2	4.7	3.9	4.5	4.0	7.0	7.1	4.8	4.8	7.4	5.5
PSG 711	7.0	4.8	7.0	5.6	4.6	5.0	5.2	4.7	4.8	4.1	6.1	7.1	4.7	5.2	6.9	5.5
PST-1A1-899	6.8	5.4	6.2	5.6	5.0	5.9	5.3	4.4	4.7	3.8	6.3	7.1	3.7	5.6	6.9	5.5
RAD-343	6.5	5.7	6.7	5.3	5.7	5.4	5.7	4.7	3.8	3.3	5.6	6.8	5.5	4.9	6.9	5.5
STR 2553	6.4	5.2	7.0	6.0	5.2	4.8	5.0	4.5	3.9	3.9	6.2	7.1	5.2	4.8	7.0	5.5
RUGBY II	6.3	5.0	6.7	4.7	4.6	6.7	4.5	4.4	5.2	3.9	5.8	7.4	5.0	4.9	7.0	5.5
WILD HORSE (A97-890)	6.8	5.3	6.1	5.7	4.3	6.0	5.0	4.2	5.0	3.3	6.0	7.4	5.1	4.9	6.8	5.5
DYNAMO	6.9	4.4	6.5	4.4	5.2	6.8	4.6	5.6	4.5	3.5	6.1	7.0	4.1	5.1	7.1	5.5
SHAMROCK	6.7	5.4	6.8	5.1	4.6	6.4	4.6	3.8	5.2	3.5	6.0	7.1	4.7	4.9	6.9	5.4
MOONLIGHT SLT (PST-101-390)	6.6	4.6	6.6	4.5	5.7	6.8	5.3	5.4	4.9	2.9	6.1	6.6	3.4	5.2	7.0	5.4
PST-109-752	6.7	4.8	6.4	4.4	4.9	6.7	6.0	4.4	4.5	4.4	5.2	7.0	4.6	4.9	6.7	5.4
SPTR 2959	6.6	5.4	6.3	5.3	4.0	6.7	4.4	4.9	4.3	3.5	6.3	7.2	5.1	4.8	6.8	5.4
POPR 04594	6.2	5.3	6.5	5.1	4.8	6.5	5.9	3.9	4.0	3.8	5.8	6.9	5.4	4.5	6.8	5.4
RAD-0AN64	6.5	4.7	6.3	5.1	4.7	6.3	5.2	4.8	4.8	3.6	5.9	6.9	3.9	5.4	7.0	5.4
GAELIC (BD 98-1358)	6.5	6.3	6.7	5.0	4.8	6.0	4.8	4.2	4.2	3.8	5.6	7.1	5.0	4.3	6.9	5.4
PST-101-73	6.7	4.9	6.6	5.5	4.3	6.1	5.1	4.1	4.0	4.1	6.2	7.1	5.3	4.3	6.9	5.4
SW AG 514	6.2	5.2	6.3	5.6	5.7	6.7	5.3	4.4	4.1	3.2	5.2	6.4	4.4	5.1	6.8	5.4
VOLT (A98-999)	6.9	5.3	6.7	4.3	3.4	6.6	4.2	4.9	4.8	3.2	6.2	7.4	4.7	4.7	6.8	5.3
A00-1254	6.6	4.9	5.6	4.2	4.4	5.6	5.0	5.0	4.6	4.5	5.6	7.0	5.2	5.1	6.7	5.3
CP 76-9068	6.0	5.3	6.2	5.4	4.9	7.1	5.0	4.5	3.5	3.5	6.1	6.8	4.2	4.4	6.7	5.3
NA-3248	6.7	4.7	6.9	4.6	4.8	4.9	4.9	4.2	4.8	3.6	5.9	7.3	4.9	4.8	6.6	5.3
CPP 822	6.4	5.3	5.9	5.3	4.9	6.8	4.6	3.8	3.6	3.5	6.2	7.0	4.8	4.6	6.7	5.3
AVIATOR (NA-3259)	6.5	4.2	6.5	5.0	4.4	4.6	3.7	5.0	4.1	4.6	5.8	7.4	4.6	5.8	7.1	5.3

TABLE 2. (CONT'D)

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN AT FIFTEEN LOCATIONS IN THE U.S. 1/
MAINTAINED USING "SCHEDULE B" **
2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	KY1	MD1	MN1	NC1	NJ2	NM1	NY1	OK1	PA1	TN1	VA1	WA1	WY1	MEAN
BANDERA (SPTR 2LM95)	6.2	5.1	5.6	5.3	4.4	5.8	5.0	5.2	4.0	3.5	5.9	6.8	4.5	4.9	7.0	5.3
JULIA	6.8	5.2	6.5	4.6	5.3	4.7	5.0	5.6	4.1	4.0	5.3	7.3	3.0	5.1	6.8	5.3
H94-305	6.8	5.3	5.9	5.1	3.6	5.4	4.2	5.1	4.5	4.8	5.5	6.9	5.0	4.7	6.5	5.3
RAD-504	6.8	4.9	6.0	5.3	4.5	5.3	4.6	5.2	3.3	4.1	5.4	7.2	4.3	4.9	7.0	5.3
BAR VV 0709	6.3	5.3	6.0	4.6	3.7	6.1	4.4	5.4	3.8	4.8	5.4	6.8	5.4	4.6	6.4	5.3
CORSAIR (NA-3249)	7.0	4.8	7.5	4.1	4.6	6.2	3.5	3.1	4.8	3.8	5.8	7.0	4.1	5.4	7.1	5.3
HARMONIE	5.9	5.2	6.3	4.9	4.7	7.0	4.5	4.7	3.8	3.3	6.1	7.1	4.4	4.3	6.5	5.2
A95-410	6.5	5.3	6.4	4.4	5.1	5.7	4.3	3.4	4.1	3.6	5.8	6.8	4.6	5.4	7.2	5.2
BAR VV 8536	6.6	5.4	5.5	5.3	3.6	6.4	4.1	5.5	4.1	3.5	5.1	6.9	4.6	4.6	6.9	5.2
BARIRIS	6.1	4.9	6.5	4.3	5.3	5.6	4.6	5.2	4.9	3.9	5.4	7.2	3.2	4.6	6.6	5.2
BAR VV 9634	6.7	4.8	6.3	4.9	4.2	4.8	4.2	5.1	3.8	4.0	5.4	7.0	5.1	4.8	6.8	5.2
BARON	6.5	4.5	5.9	5.3	4.4	5.8	4.9	3.7	3.5	3.4	5.8	7.3	5.0	5.1	6.6	5.2
BAR VV 9630	6.4	5.1	6.0	4.9	4.6	4.8	4.3	4.5	4.2	4.0	5.5	7.0	4.8	4.6	6.9	5.2
CPP 817	6.4	5.3	6.0	4.6	5.3	4.7	4.4	4.7	3.8	3.8	5.8	7.0	3.6	5.3	6.7	5.1
DLF 76-9075	6.3	5.1	5.5	4.4	3.7	4.4	4.7	4.9	4.6	4.1	5.2	7.0	5.8	4.6	6.5	5.1
CPP 821	6.0	4.6	5.7	4.7	4.7	5.7	5.0	3.8	5.0	3.3	5.8	6.6	4.3	4.5	6.8	5.1
BAR VK 0710	6.1	5.1	6.0	3.9	3.9	4.5	4.3	4.3	5.5	3.2	5.1	6.6	5.0	4.3	6.6	5.0
DP 76-9081	6.7	5.0	4.8	4.0	3.4	5.1	3.8	5.4	4.6	3.7	4.9	6.7	4.8	4.8	6.0	4.9
BAR VV 0665	6.6	4.6	5.5	4.2	3.7	5.9	3.2	3.5	4.4	3.5	4.7	6.6	4.1	5.0	6.7	4.8
KENBLUE	5.7	4.3	4.5	3.2	2.6	4.1	3.4	5.0	4.2	4.0	4.4	6.4	4.6	4.1	6.0	4.4
REVEILLE	5.7	3.3	3.9	3.1	1.3	4.9	2.7	5.5	5.2	4.0	4.3	6.6	3.1	3.7	5.8	4.2
LSD VALUE	0.7	1.2	0.7	1.1	0.9	1.7	0.9	1.7	1.4	0.7	1.0	0.5	0.8	0.9	0.5	0.3
C.V. (%)	6.7	13.9	6.3	13.4	11.3	16.7	10.5	22.2	18.9	11.6	10.4	4.2	10.4	11.0	4.5	11.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

**/ SCHEDULE B 1-2 INCH MOWING HEIGHT
3-4 lbs. N/1000 FT²/YEAR
IRRIGATION TO PREVENT DORMANCY
FUNGICIDES APPLIED ONLY TO PREVENT SEVERE STAND LOSS
INSECTICIDES APPLIED ONLY TO PREVENT STAND LOSS
WEED CONTROL APPLIED AS NEEDED TO PREVENT STAND LOSS

TABLE 3.

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT THREE LOCATIONS IN THE U.S. 1/
 MAINTAINED USING "SCHEDULE C" **
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IN1	MA1	UT1	MEAN	NAME	IN1	MA1	UT1	MEAN
A00-1400	6.0	6.0	6.6	6.2	CPP 817	4.9	5.1	5.8	5.3
RHAPSODY (A97-1287)	5.9	6.0	5.7	5.9	PST-101-73	4.9	5.4	5.4	5.3
SKYE	6.2	5.5	5.7	5.8	CORSAIR (NA-3249)	5.3	5.0	5.5	5.2
BD 03-84	6.1	5.2	6.0	5.8	RAD-0AN64	5.1	5.4	5.2	5.2
IMPACT	5.0	5.7	6.4	5.7	1QG-38	5.4	5.6	4.7	5.2
EVERGLADE	5.5	5.9	5.6	5.7	NUCHICAGO (J-1466)	5.5	5.5	4.7	5.2
AMERICA	5.9	5.9	5.2	5.7	HAMPTON (BD 03-159)	5.4	5.3	4.9	5.2
BLUE NOTE (A01-349)	5.9	5.8	5.3	5.7	STR 2553	5.1	5.8	4.7	5.2
MYSTERE	5.5	5.5	6.0	5.7	A00-1254	5.1	4.8	5.7	5.2
MSP 3723	5.0	5.9	6.0	5.6	AVID	4.7	6.0	4.8	5.2
RHYTHM	5.6	5.5	5.8	5.6	MSP 3724	4.9	5.6	5.0	5.2
ARGOS	5.4	6.0	5.5	5.6	AVIATOR (NA-3259)	4.9	4.9	5.7	5.2
J-2502	5.7	5.6	5.5	5.6	CPP 821	5.5	4.6	5.4	5.2
NA-3248	5.5	5.3	5.9	5.6	J-3429	6.1	5.5	3.8	5.2
BELISSIMO	5.6	5.8	5.3	5.6	NUGLADE	5.2	5.7	4.5	5.1
ZINFANDEL (LTP 2949)	5.7	6.0	5.0	5.5	A00-247	5.9	5.0	4.5	5.1
BEWITCHED	6.1	6.0	4.4	5.5	STR 2485	5.1	5.3	4.9	5.1
BEYOND	6.2	5.4	4.9	5.5	WASHINGTON	4.9	5.0	5.4	5.1
SUDDEN IMPACT (J-2870)	5.6	5.8	5.0	5.5	EVEREST	4.7	5.8	4.9	5.1
ARROWHEAD (NA-3261)	6.0	5.7	4.6	5.5	PSG 366	4.8	5.3	5.3	5.1
FUTURITY (A99-3119)	5.0	5.8	5.6	5.4	STARBURST (STR 2703)	5.1	5.3	4.9	5.1
PSG 711	5.3	5.7	5.3	5.4	SOLAR ECLIPSE (J-2399)	5.1	5.3	4.8	5.1
AKB449	5.3	5.3	5.7	5.4	PROSPERITY	5.6	5.3	4.4	5.1
NA-3257	5.5	5.0	5.8	5.4	VOLT (A98-999)	4.5	5.2	5.5	5.1
GRANITE (J-1326)	5.8	5.1	5.3	5.4	CPP 822	5.9	4.6	4.7	5.1
BLUEBERRY	5.3	5.7	5.2	5.4	H94-305	4.7	5.1	5.4	5.1
DIVA	5.7	6.2	4.3	5.4	JULIA	5.1	4.7	5.4	5.1
DP 76-9066	5.8	5.3	5.0	5.4	ARIES (A98-948)	4.9	5.5	4.8	5.1
ALEXA II (J-2404)	5.2	5.4	5.5	5.4	BAR VK 0710	4.8	5.1	5.3	5.0
MSP 3722	5.2	5.7	5.3	5.4	4-SEASON (J-2791)	5.8	5.2	4.2	5.0
BD 99-2103	5.0	6.2	4.8	5.4	HARMONIE	5.8	4.6	4.7	5.0
J-2024	5.3	5.7	5.0	5.3	RAD-343	4.5	5.2	5.4	5.0
EXCURSION	5.5	5.4	5.0	5.3	BD 98-2108	5.0	5.3	4.8	5.0
AWARD	5.0	5.6	5.4	5.3	POPR 04594	4.8	5.0	5.2	5.0
PST-1A1-899	5.7	5.2	5.1	5.3	BLUESTONE	4.8	5.3	5.0	5.0
SHIRAZ (LTP-73)	5.3	5.4	5.2	5.3	PST-109-752	5.7	4.9	4.3	5.0
BARIRIS	5.9	4.6	5.4	5.3	MIDNIGHT	4.8	5.4	4.8	5.0
H98-701	4.7	5.8	5.4	5.3	BARON	4.8	5.2	4.9	5.0
GLENMONT	5.9	5.4	4.5	5.3	SW AG 514	5.2	5.0	4.7	5.0
RUGBY II	4.6	5.4	5.9	5.3	AURA (A99-2559)	5.0	5.2	4.6	4.9
PINOT (LTP-149)	5.8	5.4	4.7	5.3	CP 76-9068	5.8	4.7	4.3	4.9
YANKEE (NA-3271)	6.0	4.9	5.0	5.3	BAR VV 8536	4.6	5.1	5.0	4.9
J-1334	5.5	5.2	5.1	5.3	EMBLEM (PST-Y2K-169)	5.4	5.0	4.4	4.9
BARRISTER	5.5	5.3	5.0	5.3	JULIET (BD 95-1930)	4.4	5.1	5.2	4.9
					NU DESTINY	5.4	5.2	4.0	4.9

TABLE 3. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT THREE LOCATIONS IN THE U.S. 1/
 MAINTAINED USING "SCHEDULE C" **
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IN1	MA1	UT1	MEAN
A98-689	4.8	5.1	4.8	4.9
BAR VV 9630	4.0	4.9	5.6	4.8
EMPIRE (A01-299)	5.2	5.8	3.5	4.8
A95-410	4.7	5.6	4.2	4.8
WILD HORSE (A97-890)	4.4	5.3	4.7	4.8
GAELIC (BD 98-1358)	4.6	5.4	4.4	4.8
RAD-762	4.1	5.2	5.1	4.8
SPTR 2959	5.0	5.2	4.1	4.8
DYNAMO	4.7	5.0	4.7	4.8
SHAMROCK	4.5	5.3	4.5	4.8
TOUCHE (STR 23180)	5.0	5.0	4.2	4.8
BAR VV 9634	4.7	4.9	4.6	4.7
BANDERA (SPTR 2LM95)	4.6	4.9	4.7	4.7
MOONLIGHT SLT (PST-101-390)	5.2	4.9	3.9	4.7
DLF 76-9075	4.0	4.7	5.3	4.6
DP 76-9081	4.3	4.3	5.2	4.6
RAD-504	4.2	4.6	4.5	4.5
BAR VV 0709	4.3	4.3	4.3	4.3
BAR VV 0665	3.6	4.1	4.7	4.1
REVEILLE	3.8	2.7	4.7	3.7
KENBLUE	3.2	3.2	4.4	3.6
LSD VALUE	0.8	0.5	1.6	0.6
C.V. (%)	9.5	6.4	19.5	12.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

**/ SCHEDULE C 2.5-3.5 INCH MOWING HEIGHT
 0-2 lbs. N/1000 FT²/YEAR
 NO IRRIGATION AFTER ESTABLISHMENT OR PREVENT SIGNIFICANT STAND LOSS
 NO FUNGICIDES APPLIED
 NO INSECTICIDES APPLIED
 WEED CONTROL APPLIED AS NEEDED TO PREVENT STAND LOSS

TABLE 4. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT FOUR LOCATIONS 1/
 IN THE NORTHEAST REGION
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	MA1	NJ2	NY1	PA1	MEAN
BLUE NOTE (A01-349)	5.8	6.0	5.7	7.6	6.2
BLUEBERRY	5.7	6.4	5.4	6.8	6.1
BEWITCHED	6.0	5.5	4.6	7.8	6.0
SHIRAZ (LTP-73)	5.4	6.2	5.3	6.9	6.0
PROSPERITY	5.3	6.9	4.3	7.0	5.9
AVID	6.0	5.6	5.1	6.7	5.9
IMPACT	5.7	5.9	4.8	7.1	5.9
BD 03-84	5.2	6.4	4.7	6.9	5.8
NUCHICAGO (J-1466)	5.5	5.9	5.1	6.8	5.8
EVEREST	5.8	5.8	5.0	6.8	5.8
GLENMONT	5.4	5.4	5.4	6.9	5.8
RHAPSODY (A97-1287)	6.0	5.5	4.4	7.0	5.7
RHYTHM	5.5	5.4	5.7	6.3	5.7
BARRISTER	5.3	5.2	5.2	7.1	5.7
ZINFANDEL (LTP 2949)	6.0	5.7	4.2	6.9	5.7
A00-1400	6.0	6.0	4.0	6.7	5.7
J-1334	5.2	5.7	4.8	7.1	5.7
FUTURITY (A99-3119)	5.8	5.4	4.3	7.1	5.7
MSP 3723	5.9	5.6	3.9	7.2	5.6
DIVA	6.2	5.5	4.0	6.8	5.6
BD 99-2103	6.2	5.2	4.4	6.7	5.6
SUDDEN IMPACT (J-2870)	5.8	5.4	4.7	6.5	5.6
DP 76-9066	5.3	4.7	5.9	6.6	5.6
SOLAR ECLIPSE (J-2399)	5.3	6.1	3.9	7.1	5.6
ARGOS	6.0	5.9	4.0	6.4	5.6
STARBURST (STR 2703)	5.3	5.5	5.8	5.7	5.6
EVERGLADE	5.9	5.8	3.7	6.8	5.6
MYSTERE	5.5	5.6	4.5	6.7	5.6
J-3429	5.5	5.7	4.5	6.5	5.6
MSP 3724	5.6	5.1	4.8	6.8	5.6
J-2502	5.6	5.2	4.6	6.8	5.5
ALEXA II (J-2404)	5.4	5.6	3.9	7.3	5.5
EXCURSION	5.4	5.5	4.7	6.5	5.5
BD 98-2108	5.3	5.7	4.1	7.0	5.5
AWARD	5.6	6.1	4.1	6.2	5.5
PSG 366	5.3	5.3	4.5	6.9	5.5
BEYOND	5.4	5.4	5.0	6.1	5.5
1QG-38	5.6	5.1	4.9	6.4	5.5
NUGLADE	5.7	5.5	3.5	7.3	5.5
MSP 3722	5.7	4.6	4.6	7.1	5.5
SKYE	5.5	6.0	4.0	6.5	5.5
4-SEASON (J-2791)	5.2	5.6	5.2	5.8	5.5
GRANITE (J-1326)	5.1	5.3	4.8	6.7	5.5
JULIET (BD 95-1930)	5.1	5.3	5.2	6.2	5.4

TABLE 4. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT FOUR LOCATIONS 1/
 IN THE NORTHEAST REGION
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	MA1	NJ2	NY1	PA1	MEAN
PSG 711	5.7	5.2	4.8	6.1	5.4
RAD-762	5.2	5.4	5.0	6.1	5.4
H98-701	5.8	5.0	4.7	6.3	5.4
J-2024	5.7	5.3	4.0	6.7	5.4
BELISSIMO	5.8	5.0	3.9	7.0	5.4
AMERICA	5.9	5.0	4.7	5.9	5.4
EMBLEM (PST-Y2K-169)	5.0	5.8	3.5	7.3	5.4
PINOT (LTP-149)	5.4	4.7	4.5	7.0	5.4
PST-1A1-899	5.2	5.3	4.7	6.3	5.4
STR 2485	5.3	5.8	4.5	5.8	5.4
BLUESTONE	5.3	5.2	3.8	7.1	5.4
EMPIRE (A01-299)	5.8	4.3	4.4	6.9	5.3
AURA (A99-2559)	5.2	5.7	4.4	6.1	5.3
RAD-0AN64	5.4	5.2	4.8	5.9	5.3
TOUCHE (STR 23180)	5.0	5.5	5.3	5.4	5.3
A00-247	5.0	5.7	4.3	6.3	5.3
WILD HORSE (A97-890)	5.3	5.0	5.0	6.0	5.3
MIDNIGHT	5.4	5.6	3.6	6.6	5.3
MOONLIGHT SLT (PST-101-390)	4.9	5.3	4.9	6.1	5.3
SHAMROCK	5.3	4.6	5.2	6.0	5.3
RUGBY II	5.4	4.5	5.2	5.8	5.3
YANKEE (NA-3271)	4.9	5.7	4.7	5.7	5.3
NA-3257	5.0	5.2	5.1	5.6	5.2
STR 2553	5.8	5.0	3.9	6.2	5.2
AKB449	5.3	4.7	4.2	6.6	5.2
NA-3248	5.3	4.9	4.8	5.9	5.2
NU DESTINY	5.2	5.1	4.0	6.4	5.2
HAMPTON (BD 03-159)	5.3	5.8	3.6	6.0	5.2
A98-689	5.1	4.4	5.3	5.9	5.2
PST-101-73	5.4	5.1	4.0	6.2	5.2
POPR 04594	5.0	5.9	4.0	5.8	5.2
ARIES (A98-948)	5.5	5.1	3.9	6.1	5.2
PST-109-752	4.9	6.0	4.5	5.2	5.2
VOLT (A98-999)	5.2	4.2	4.8	6.2	5.1
CPP 821	4.6	5.0	5.0	5.8	5.1
RAD-343	5.2	5.7	3.8	5.6	5.1
SPTR 2959	5.2	4.4	4.3	6.3	5.1
WASHINGTON	5.0	5.6	4.0	5.6	5.1
ARROWHEAD (NA-3261)	5.7	4.2	4.4	5.8	5.0
DYNAMO	5.0	4.6	4.5	6.1	5.0
BAR VK 0710	5.1	4.3	5.5	5.1	5.0
GAELIC (BD 98-1358)	5.4	4.8	4.2	5.6	5.0
A00-1254	4.8	5.0	4.6	5.6	5.0
BANDERA (SPTR 2LM95)	4.9	5.0	4.0	5.9	5.0
A95-410	5.6	4.3	4.1	5.8	4.9

TABLE 4. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
(CONT'D) GROWN AT FOUR LOCATIONS 1/
IN THE NORTHEAST REGION
2007 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/				MEAN
	MA1	NJ2	NY1	PA1	
SW AG 514	5.0	5.3	4.1	5.2	4.9
BARON	5.2	4.9	3.5	5.8	4.9
BARIRIS	4.6	4.6	4.9	5.4	4.9
H94-305	5.1	4.2	4.5	5.5	4.8
CP 76-9068	4.7	5.0	3.5	6.1	4.8
DLF 76-9075	4.7	4.7	4.6	5.2	4.8
CORSAIR (NA-3249)	5.0	3.5	4.8	5.8	4.8
JULIA	4.7	5.0	4.1	5.3	4.8
CPP 822	4.6	4.6	3.6	6.2	4.8
CPP 817	5.1	4.4	3.8	5.8	4.8
HARMONIE	4.6	4.5	3.8	6.1	4.8
BAR VV 9630	4.9	4.3	4.2	5.5	4.7
AVIATOR (NA-3259)	4.9	3.7	4.1	5.8	4.6
BAR VV 8536	5.1	4.1	4.1	5.1	4.6
BAR VV 9634	4.9	4.2	3.8	5.4	4.6
RAD-504	4.6	4.6	3.3	5.4	4.5
BAR VV 0709	4.3	4.4	3.8	5.4	4.5
DP 76-9081	4.3	3.8	4.6	4.9	4.4
BAR VV 0665	4.1	3.2	4.4	4.7	4.1
KENBLUE	3.2	3.4	4.2	4.4	3.8
REVEILLE	2.7	2.7	5.2	4.3	3.7
LSD VALUE	0.5	0.9	1.4	1.0	0.5
C.V. (%)	6.4	10.5	18.9	10.4	11.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT SIX LOCATIONS 1/
 IN THE TRANSITION REGION
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	MD1	NC1	OK1	TN1	VA1	MEAN
MIDNIGHT	7.6	5.6	7.8	4.3	7.7	5.7	6.4
ALEXA II (J-2404)	7.1	6.1	8.0	4.0	7.5	5.4	6.4
RHAPSODY (A97-1287)	7.2	5.3	7.6	5.3	7.1	5.6	6.4
J-1334	7.6	6.0	7.6	4.1	7.4	5.3	6.3
NUCHICAGO (J-1466)	7.6	5.9	7.0	4.4	7.5	5.5	6.3
BEWITCHED	7.3	6.2	7.9	3.5	7.4	5.6	6.3
RHYTHM	7.1	6.0	8.0	4.3	7.7	4.9	6.3
IMPACT	7.4	5.7	7.6	4.0	7.6	5.6	6.3
EMBLEM (PST-Y2K-169)	7.8	5.7	8.0	3.6	7.0	5.7	6.3
BD 03-84	7.4	6.3	7.2	3.9	7.4	5.4	6.3
ZINFANDEL (LTP 2949)	7.8	6.1	5.9	4.3	7.7	5.9	6.3
BEYOND	7.2	6.1	7.4	4.0	7.4	5.1	6.2
SKYE	7.0	5.3	7.2	4.4	7.4	5.9	6.2
SOLAR ECLIPSE (J-2399)	7.6	5.7	7.3	3.8	7.4	5.4	6.2
J-2024	7.2	6.4	7.0	3.6	7.7	5.2	6.2
EVERGLADE	7.3	5.1	7.4	4.5	7.6	5.3	6.2
AWARD	7.2	5.8	6.9	4.0	7.6	5.5	6.2
NUGLADE	7.3	5.4	7.4	4.0	7.5	5.2	6.2
J-2502	7.7	5.7	7.2	3.4	7.4	5.5	6.1
AURA (A99-2559)	7.0	5.0	6.9	5.2	7.0	5.7	6.1
J-3429	7.8	5.4	7.1	3.8	7.5	5.3	6.1
GRANITE (J-1326)	7.7	5.5	7.1	3.8	7.4	5.2	6.1
BLUE NOTE (A01-349)	7.3	5.3	6.2	4.3	7.6	5.6	6.1
BARRISTER	7.2	6.1	7.1	3.6	7.4	4.9	6.0
EXCURSION	7.6	5.2	6.7	4.1	7.6	4.9	6.0
YANKEE (NA-3271)	7.2	5.3	6.3	4.4	7.3	5.7	6.0
PROSPERITY	7.7	6.2	7.3	3.5	6.9	4.6	6.0
EMPIRE (A01-299)	7.4	5.1	7.4	4.0	7.4	4.7	6.0
MYSTERE	6.4	4.8	6.7	4.8	7.2	5.9	6.0
BD 99-2103	7.0	6.0	6.3	4.1	7.3	5.1	6.0
SUDDEN IMPACT (J-2870)	7.5	4.9	6.9	3.9	7.2	5.4	6.0
ARIES (A98-948)	6.8	5.6	6.9	3.7	7.5	5.2	6.0
4-SEASON (J-2791)	6.9	5.7	7.4	3.3	7.2	5.2	6.0
NU DESTINY	7.1	5.4	6.7	4.0	7.5	5.0	6.0
A98-689	6.5	5.2	6.8	4.0	7.3	5.7	5.9
ARROWHEAD (NA-3261)	7.5	4.8	6.8	3.9	7.3	5.2	5.9
EVEREST	7.1	5.4	6.1	4.3	7.3	5.0	5.9
DIVA	7.0	5.9	5.6	4.0	7.2	5.4	5.9
SHIRAZ (LTP-73)	7.3	5.1	6.9	3.8	7.2	4.8	5.9
FUTURITY (A99-3119)	6.8	5.2	5.9	4.7	7.3	5.2	5.8
A00-1400	7.5	5.6	5.9	4.1	7.5	4.6	5.8
ARGOS	7.0	5.6	6.3	4.0	7.4	4.8	5.8
BLUESTONE	7.0	5.4	6.4	3.7	7.5	5.0	5.8
1QG-38	7.0	5.7	6.4	3.7	6.9	5.2	5.8

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT SIX LOCATIONS 1/
 IN THE TRANSITION REGION
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	MD1	NC1	OK1	TN1	VA1	MEAN
AVID	6.8	5.4	6.5	3.7	7.5	4.9	5.8
NA-3257	7.8	5.2	6.0	3.7	7.5	4.5	5.8
STR 2485	6.8	5.4	6.7	3.6	7.0	5.3	5.8
TOUCHE (STR 23180)	7.0	4.7	6.2	3.8	6.9	6.1	5.8
PST-101-73	6.6	5.5	6.1	4.1	7.1	5.3	5.8
AMERICA	6.6	5.7	5.9	4.1	7.4	5.0	5.8
PSG 366	6.8	5.2	6.5	3.6	7.5	4.9	5.7
BD 98-2108	7.1	4.8	6.3	4.0	7.3	4.9	5.7
HAMPTON (BD 03-159)	7.6	5.3	6.1	3.8	7.6	4.1	5.7
BLUEBERRY	6.8	5.8	7.0	3.6	7.1	3.9	5.7
RUGBY II	6.7	4.7	6.7	3.9	7.4	5.0	5.7
DP 76-9066	7.1	5.4	7.1	3.3	7.0	4.3	5.7
JULIET (BD 95-1930)	6.5	5.1	6.1	3.7	6.8	5.9	5.7
POPR 04594	6.5	5.1	6.5	3.8	6.9	5.4	5.7
SPTR 2959	6.3	5.3	6.7	3.5	7.2	5.1	5.7
BELISSIMO	6.5	5.3	5.1	4.1	7.2	5.8	5.7
WASHINGTON	7.0	4.8	5.7	3.7	7.0	5.8	5.7
STR 2553	7.0	6.0	4.8	3.9	7.1	5.2	5.7
H98-701	6.5	5.4	4.9	4.6	7.3	5.1	5.7
PINOT (LTP-149)	6.9	4.9	6.2	4.0	7.1	4.8	5.6
MSP 3722	6.6	4.7	6.7	3.3	7.2	5.3	5.6
WILD HORSE (A97-890)	6.1	5.7	6.0	3.3	7.4	5.1	5.6
SHAMROCK	6.8	5.1	6.4	3.5	7.1	4.7	5.6
GAELIC (BD 98-1358)	6.7	5.0	6.0	3.8	7.1	5.0	5.6
PSG 711	7.0	5.6	5.0	4.1	7.1	4.7	5.6
BAR VV 0709	6.0	4.6	6.1	4.8	6.8	5.4	5.6
PST-109-752	6.4	4.4	6.7	4.4	7.0	4.6	5.6
AKB449	6.8	4.7	6.3	3.7	7.3	4.8	5.6
STARBURST (STR 2703)	6.3	5.0	6.1	4.5	6.8	4.9	5.6
RAD-762	6.8	4.9	5.9	3.4	7.2	5.3	5.6
CPP 822	5.9	5.3	6.8	3.5	7.0	4.8	5.5
CP 76-9068	6.2	5.4	7.1	3.5	6.8	4.2	5.5
MSP 3724	6.4	5.7	5.1	4.2	7.1	4.7	5.5
A00-247	7.1	4.9	5.1	3.9	7.3	4.8	5.5
HARMONIE	6.3	4.9	7.0	3.3	7.1	4.4	5.5
MSP 3723	6.8	5.6	5.5	3.5	7.0	4.7	5.5
RAD-343	6.7	5.3	5.4	3.3	6.8	5.5	5.5
H94-305	5.9	5.1	5.4	4.8	6.9	5.0	5.5
VOLT (A98-999)	6.7	4.3	6.6	3.2	7.4	4.7	5.5
AVIATOR (NA-3259)	6.5	5.0	4.6	4.6	7.4	4.6	5.5
CORSAIR (NA-3249)	7.5	4.1	6.2	3.8	7.0	4.1	5.4
BARON	5.9	5.3	5.8	3.4	7.3	5.0	5.4
SW AG 514	6.3	5.6	6.7	3.2	6.4	4.4	5.4
GLENMONT	6.8	4.8	5.2	3.9	7.0	4.7	5.4
DYNAMO	6.5	4.4	6.8	3.5	7.0	4.1	5.4

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
(CONT'D) GROWN AT SIX LOCATIONS 1/
IN THE TRANSITION REGION
2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	KY1	MD1	NC1	OK1	TN1	VA1	MEAN
PST-1A1-899	6.2	5.6	5.9	3.8	7.1	3.7	5.4
BAR VV 8536	5.5	5.3	6.4	3.5	6.9	4.6	5.4
RAD-504	6.0	5.3	5.3	4.1	7.2	4.3	5.4
BAR VV 9634	6.3	4.9	4.8	4.0	7.0	5.1	5.4
NA-3248	6.9	4.6	4.9	3.6	7.3	4.9	5.4
A00-1254	5.6	4.2	5.6	4.5	7.0	5.2	5.3
RAD-0AN64	6.3	5.1	6.3	3.6	6.9	3.9	5.3
BANDERA (SPTR 2LM95)	5.6	5.3	5.8	3.5	6.8	4.5	5.3
A95-410	6.4	4.4	5.7	3.6	6.8	4.6	5.2
BAR VV 9630	6.0	4.9	4.8	4.0	7.0	4.8	5.2
DLF 76-9075	5.5	4.4	4.4	4.1	7.0	5.8	5.2
MOONLIGHT SLT (PST-101-390)	6.6	4.5	6.8	2.9	6.6	3.4	5.1
BARIRIS	6.5	4.3	5.6	3.9	7.2	3.2	5.1
CPP 821	5.7	4.7	5.7	3.3	6.6	4.3	5.1
JULIA	6.5	4.6	4.7	4.0	7.3	3.0	5.0
BAR VV 0665	5.5	4.2	5.9	3.5	6.6	4.1	5.0
CPP 817	6.0	4.6	4.7	3.8	7.0	3.6	4.9
BAR VK 0710	6.0	3.9	4.5	3.2	6.6	5.0	4.9
DP 76-9081	4.8	4.0	5.1	3.7	6.7	4.8	4.9
KENBLUE	4.5	3.2	4.1	4.0	6.4	4.6	4.5
REVEILLE	3.9	3.1	4.9	4.0	6.6	3.1	4.3
LSD VALUE	0.7	1.1	1.7	0.7	0.5	0.8	0.4
C.V. (%)	6.3	13.4	16.7	11.6	4.2	10.4	10.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN AT SEVEN LOCATIONS 1/
 IN THE NORTH CENTRAL REGION
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	IN1	MI1	MN1	NE1	WI1	MEAN
BD 03-84	7.0	6.4	6.1	6.3	6.8	6.9	7.6	6.7
BEWITCHED	7.0	6.3	6.1	4.8	5.9	7.4	7.3	6.4
SHIRAZ (LTP-73)	7.4	6.6	5.3	5.0	6.2	6.7	7.1	6.3
BLUE NOTE (A01-349)	7.3	5.6	5.9	5.8	6.1	6.2	7.2	6.3
A00-1400	7.9	5.7	6.0	4.7	6.1	7.4	6.2	6.3
YANKEE (NA-3271)	7.4	5.8	6.0	5.6	5.2	7.3	6.3	6.2
RHAPSODY (A97-1287)	7.0	5.0	5.9	5.8	5.2	7.0	7.4	6.2
EXCURSION	6.8	5.2	5.5	5.1	6.2	7.7	6.8	6.2
ZINFANDEL (LTP 2949)	6.6	6.1	5.7	5.7	5.0	7.1	7.1	6.2
ALEXA II (J-2404)	6.6	5.3	5.2	5.8	5.9	7.2	6.9	6.1
NA-3257	6.5	5.5	5.5	5.6	5.5	7.4	7.1	6.1
WASHINGTON	6.2	5.8	4.9	6.5	5.7	6.2	7.7	6.1
HAMPTON (BD 03-159)	7.4	5.3	5.4	5.4	5.0	7.2	7.2	6.1
DP 76-9066	6.1	4.8	5.8	.	5.7	7.3	7.0	6.1
BEYOND	6.6	4.9	6.2	5.9	4.9	7.8	6.6	6.1
AVID	6.9	5.9	4.7	5.5	5.3	7.4	7.1	6.1
NUCHICAGO (J-1466)	7.0	5.1	5.5	5.8	5.4	7.4	6.7	6.1
SOLAR ECLIPSE (J-2399)	7.3	5.2	5.1	5.3	5.7	7.3	6.7	6.1
EVERGLADE	7.1	5.4	5.5	5.2	5.2	7.8	6.4	6.1
NU DESTINY	7.0	4.8	5.4	6.1	5.2	7.6	6.5	6.1
GRANITE (J-1326)	7.4	5.2	5.8	4.9	5.5	7.6	6.2	6.1
SKYE	7.2	5.3	6.2	4.7	5.2	7.0	6.8	6.1
AWARD	7.1	4.8	5.0	5.1	6.0	7.7	6.7	6.1
EVEREST	6.8	5.2	4.7	5.7	5.7	7.6	6.6	6.0
BD 99-2103	7.2	5.1	5.0	5.4	5.2	7.2	7.1	6.0
TOUCHE (STR 23180)	6.0	5.6	5.0	6.2	5.1	6.4	7.9	6.0
STARBURST (STR 2703)	7.1	6.2	5.1	5.3	5.1	6.6	6.8	6.0
SUDDEN IMPACT (J-2870)	7.0	5.1	5.6	5.6	4.7	7.4	6.7	6.0
IMPACT	6.4	5.1	5.0	4.8	6.1	7.8	6.9	6.0
J-2024	6.9	5.0	5.3	5.3	5.5	7.3	6.7	6.0
MYSTERE	7.0	5.2	5.5	5.9	5.2	6.8	6.4	6.0
BD 98-2108	6.3	5.4	5.0	6.0	5.4	6.6	7.1	6.0
RAD-343	6.5	5.7	4.5	6.3	5.7	6.0	7.3	6.0
ARROWHEAD (NA-3261)	7.0	5.2	6.0	4.6	5.5	6.7	6.6	5.9
AURA (A99-2559)	7.1	5.6	5.0	5.9	5.2	6.3	6.4	5.9
EMPIRE (A01-299)	7.0	5.6	5.2	5.7	5.0	6.9	6.2	5.9
RHYTHM	6.7	5.4	5.6	4.9	5.3	7.7	5.9	5.9
MIDNIGHT	6.7	4.8	4.8	5.9	5.1	7.7	6.7	5.9
AKB449	7.1	5.0	5.3	6.1	4.9	6.6	6.4	5.9
SW AG 514	6.2	5.2	5.2	5.4	5.7	7.0	6.7	5.9
POPR 04594	6.2	5.3	4.8	6.3	4.8	6.1	7.8	5.9
NUGLADE	6.5	4.5	5.2	4.8	5.5	7.8	6.9	5.9
PSG 366	6.6	6.2	4.8	5.5	4.6	6.5	7.0	5.9
1QG-38	6.6	6.1	5.4	4.9	5.5	6.4	6.0	5.8

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT SEVEN LOCATIONS 1/
 IN THE NORTH CENTRAL REGION
 2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	IN1	MI1	MN1	NE1	WI1	MEAN
J-2502	6.4	4.9	5.7	5.3	4.9	7.1	6.5	5.8
ARGOS	6.8	6.1	5.4	4.5	4.8	6.8	6.5	5.8
RAD-762	6.4	5.6	4.1	5.8	5.4	6.2	7.4	5.8
AMERICA	6.8	5.4	5.9	4.4	5.1	6.5	6.8	5.8
NA-3248	6.7	4.7	5.5	5.7	4.8	6.7	6.6	5.8
J-3429	7.1	5.8	6.1	4.3	4.7	7.2	5.6	5.8
GLENMONT	7.1	5.1	5.9	5.0	5.2	6.7	5.7	5.8
J-1334	6.5	4.8	5.5	4.6	5.2	7.3	6.6	5.8
EMBLEM (PST-Y2K-169)	7.0	6.2	5.4	3.2	5.4	8.1	5.2	5.8
STR 2485	5.9	5.7	5.1	5.6	5.1	5.9	7.3	5.8
CPP 817	6.4	5.3	4.9	5.0	5.3	6.3	7.3	5.8
BELISSIMO	5.9	5.6	5.6	5.4	5.2	6.3	6.6	5.8
BARRISTER	6.0	4.6	5.5	4.9	5.7	7.1	6.6	5.8
4-SEASON (J-2791)	6.7	5.4	5.8	3.6	5.0	7.6	6.4	5.8
JULIET (BD 95-1930)	6.2	5.2	4.4	5.8	5.0	6.4	7.3	5.8
ARIES (A98-948)	6.4	5.8	4.9	5.8	4.7	6.1	6.6	5.8
A95-410	6.5	5.3	4.7	5.6	5.1	7.0	6.1	5.8
DIVA	6.4	5.1	5.7	4.7	4.7	6.2	7.5	5.7
GAELIC (BD 98-1358)	6.5	6.3	4.6	5.4	4.8	6.0	6.7	5.7
PST-1A1-899	6.8	5.4	5.7	3.7	5.0	.	7.4	5.7
PST-109-752	6.7	4.8	5.7	5.2	4.9	6.6	5.9	5.7
MSP 3722	6.6	5.3	5.2	4.5	5.3	6.1	6.7	5.7
MSP 3723	6.4	5.4	5.0	4.2	5.5	6.2	6.9	5.7
A00-247	6.3	5.4	5.9	4.6	5.1	6.1	6.2	5.7
STR 2553	6.4	5.2	5.1	4.4	5.2	6.5	6.6	5.7
H98-701	6.7	5.5	4.7	5.4	5.2	6.2	5.9	5.7
BLUESTONE	6.3	4.4	4.8	4.5	5.7	7.5	6.3	5.7
FUTURITY (A99-3119)	6.9	5.5	5.0	4.6	4.6	6.4	6.4	5.6
PROSPERITY	6.9	4.9	5.6	3.6	4.7	7.2	6.6	5.6
CPP 822	6.4	5.3	5.9	4.0	4.9	6.4	6.4	5.6
WILD HORSE (A97-890)	6.8	5.3	4.4	6.1	4.3	6.0	6.5	5.6
CP 76-9068	6.0	5.3	5.8	4.5	4.9	6.7	6.1	5.6
PINOT (LTP-149)	6.9	6.1	5.8	3.2	3.8	7.6	5.9	5.6
JULIA	6.8	5.2	5.1	4.4	5.3	6.4	5.9	5.6
BLUEBERRY	6.5	5.1	5.3	3.5	4.7	7.8	6.1	5.6
SHAMROCK	6.7	5.4	4.5	5.6	4.6	5.8	6.4	5.6
RAD-OAN64	6.5	4.7	5.1	4.2	4.7	6.4	7.2	5.5
PSG 711	7.0	4.8	5.3	4.9	4.6	6.2	6.0	5.5
HARMONIE	5.9	5.2	5.8	3.9	4.7	6.3	6.9	5.5
MSP 3724	6.8	5.4	4.9	3.9	4.6	6.3	6.6	5.5
RUGBY II	6.3	5.0	4.6	5.2	4.6	6.6	6.3	5.5
SPTR 2959	6.6	5.4	5.0	5.2	4.0	5.8	6.5	5.5
BAR VV 0709	6.3	5.3	4.3	6.2	3.7	.	6.9	5.5
BARIRIS	6.1	4.9	5.9	3.7	5.3	6.4	6.1	5.5
MOONLIGHT SLT (PST-101-390)	6.6	4.6	5.2	3.1	5.7	6.9	6.2	5.5

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
(CONT'D) GROWN AT SEVEN LOCATIONS 1/
IN THE NORTH CENTRAL REGION
2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	IA1	IL1	IN1	MI1	MN1	NE1	WI1	MEAN
DYNAMO	6.9	4.4	4.7	3.4	5.2	6.8	6.8	5.5
RAD-504	6.8	4.9	4.2	4.7	4.5	6.7	5.9	5.4
CORSAIR (NA-3249)	7.0	4.8	5.3	4.2	4.6	7.2	4.4	5.4
PST-101-73	6.7	4.9	4.9	4.3	4.3	6.2	6.2	5.4
H94-305	6.8	5.3	4.7	5.6	3.6	6.1	5.4	5.4
DLF 76-9075	6.3	5.1	4.0	5.4	3.7	6.7	6.2	5.3
VOLT (A98-999)	6.9	5.3	4.5	5.4	3.4	5.8	6.0	5.3
BAR VV 9630	6.4	5.1	4.0	5.2	4.6	6.0	5.9	5.3
BANDERA (SPTR 2LM95)	6.2	5.1	4.6	4.4	4.4	5.9	6.1	5.2
BARON	6.5	4.5	4.8	4.2	4.4	6.3	5.9	5.2
CPP 821	6.0	4.6	5.5	3.3	4.7	6.1	6.4	5.2
BAR VV 9634	6.7	4.8	4.7	5.3	4.2	5.6	5.2	5.2
AVIATOR (NA-3259)	6.5	4.2	4.9	4.3	4.4	6.5	5.8	5.2
A98-689	6.3	4.9	4.8	3.4	4.9	5.8	6.2	5.2
A00-1254	6.6	4.9	5.1	3.3	4.4	6.2	5.6	5.2
BAR VV 8536	6.6	5.4	4.6	4.5	3.6	5.8	5.4	5.1
BAR VK 0710	6.1	5.1	4.8	3.7	3.9	5.6	5.4	4.9
BAR VV 0665	6.6	4.6	3.6	4.6	3.7	6.1	5.2	4.9
DP 76-9081	6.7	5.0	4.3	3.9	3.4	5.6	4.5	4.8
KENBLUE	5.7	4.3	3.2	4.5	2.6	4.9	4.7	4.3
REVEILLE	5.7	3.3	3.8	1.6	1.3	4.4	2.9	3.3
LSD VALUE	0.7	1.2	0.8	1.2	0.9	0.6	1.0	0.4
C.V. (%)	6.7	13.9	9.5	15.2	11.3	5.3	9.7	10.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7.

MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN AT THREE LOCATIONS 1/
IN THE UPPER WEST/MOUNTAIN REGION
2007 DATA
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	UT1	WA1	WY1	MEAN	NAME	UT1	WA1	WY1	MEAN
A00-1400	6.6	5.6	7.3	6.5	BD 98-2108	4.8	5.7	6.9	5.8
BD 03-84	6.0	5.8	7.2	6.3	BLUE NOTE (A01-349)	5.3	5.2	6.9	5.8
AVIATOR (NA-3259)	5.7	5.8	7.1	6.2	AVID	4.8	5.9	6.6	5.8
RHYTHM	5.8	5.7	7.1	6.2	EMBLEM (PST-Y2K-169)	4.4	5.5	7.3	5.8
IMPACT	6.4	4.9	7.1	6.2	BLUEBERRY	5.2	5.2	6.9	5.7
AKB449	5.7	5.5	7.2	6.1	JULIA	5.4	5.1	6.8	5.7
MYSTERE	6.0	5.2	7.0	6.1	RAD-343	5.4	4.9	6.9	5.7
ALEXA II (J-2404)	5.5	5.7	7.1	6.1	PSG 366	5.3	5.0	7.0	5.7
BELISSIMO	5.3	6.0	6.9	6.0	BEWITCHED	4.4	5.8	7.0	5.7
FUTURITY (A99-3119)	5.6	5.6	7.0	6.0	AURA (A99-2559)	4.6	5.6	7.0	5.7
NA-3257	5.8	5.1	7.3	6.0	NUCHICAGO (J-1466)	4.7	5.6	6.9	5.7
EVERGLADE	5.6	5.3	7.1	6.0	BAR VV 9630	5.6	4.6	6.9	5.7
EXCURSION	5.0	5.3	7.7	6.0	VOLT (A98-999)	5.5	4.7	6.8	5.7
ZINFANDEL (LTP 2949)	5.0	5.9	7.2	6.0	YANKEE (NA-3271)	5.0	5.1	6.9	5.7
AWARD	5.4	5.3	7.3	6.0	1QG-38	4.7	5.4	6.8	5.7
CORSAIR (NA-3249)	5.5	5.4	7.1	6.0	DIVA	4.3	5.4	7.2	5.6
BARRISTER	5.0	5.7	7.2	6.0	DYNAMO	4.7	5.1	7.1	5.6
ARGOS	5.5	5.5	7.0	6.0	PINOT (LTP-149)	4.7	4.8	7.4	5.6
EVEREST	4.9	6.1	7.0	6.0	MSP 3724	5.0	5.2	6.7	5.6
BLUESTONE	5.0	5.8	7.2	6.0	NUGLADE	4.5	5.3	7.0	5.6
J-2502	5.5	5.1	7.2	6.0	A95-410	4.2	5.4	7.2	5.6
RHAPSODY (A97-1287)	5.7	5.2	7.0	6.0	AMERICA	5.2	5.1	6.5	5.6
H98-701	5.4	5.6	6.9	5.9	RAD-762	5.1	4.9	6.8	5.6
RUGBY II	5.9	4.9	7.0	5.9	JULIET (BD 95-1930)	5.2	4.6	7.0	5.6
J-2024	5.0	5.7	7.1	5.9	CPP 821	5.4	4.5	6.8	5.5
MSP 3723	6.0	4.9	6.9	5.9	GLENMONT	4.5	5.0	7.1	5.5
CPP 817	5.8	5.3	6.7	5.9	BARON	4.9	5.1	6.6	5.5
J-1334	5.1	5.2	7.4	5.9	BEYOND	4.9	4.7	7.0	5.5
SOLAR ECLIPSE (J-2399)	4.8	5.6	7.3	5.9	SW AG 514	4.7	5.1	6.8	5.5
MIDNIGHT	4.8	5.7	7.3	5.9	BANDERA (SPTR 2LM95)	4.7	4.9	7.0	5.5
RAD-OAN64	5.2	5.4	7.0	5.9	H94-305	5.4	4.7	6.5	5.5
SUDDEN IMPACT (J-2870)	5.0	5.3	7.3	5.9	BAR VV 8536	5.0	4.6	6.9	5.5
SHIRAZ (LTP-73)	5.2	5.7	6.8	5.9	PST-101-73	5.4	4.3	6.9	5.5
DP 76-9066	5.0	5.5	7.1	5.9	BARIRIS	5.4	4.6	6.6	5.5
BD 99-2103	4.8	5.3	7.5	5.9	A00-247	4.5	5.2	6.8	5.5
GRANITE (J-1326)	5.3	5.1	7.2	5.9	POPR 04594	5.2	4.5	6.8	5.5
PST-1A1-899	5.1	5.6	6.9	5.9	STR 2485	4.9	4.7	6.9	5.5
HAMPTON (BD 03-159)	4.9	5.3	7.3	5.8	STR 2553	4.7	4.8	7.0	5.5
PSG 711	5.3	5.2	6.9	5.8	STARBURST (STR 2703)	4.9	4.7	6.8	5.5
A00-1254	5.7	5.1	6.7	5.8	J-3429	3.8	5.3	7.3	5.5
WASHINGTON	5.4	5.1	6.9	5.8	RAD-504	4.5	4.9	7.0	5.5
SKYE	5.7	5.0	6.8	5.8	ARIES (A98-948)	4.8	4.9	6.7	5.5
MSP 3722	5.3	4.9	7.2	5.8	ARROWHEAD (NA-3261)	4.6	4.8	7.0	5.5
NA-3248	5.9	4.8	6.6	5.8	DLF 76-9075	5.3	4.6	6.5	5.4
					BAR VV 0665	4.7	5.0	6.7	5.4

TABLE 7. MEAN TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 (CONT'D) GROWN AT THREE LOCATIONS 1/
 IN THE UPPER WEST/MOUNTAIN REGION
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	UT1	WA1	WY1	MEAN
WILD HORSE (A97-890)	4.7	4.9	6.8	5.4
SHAMROCK	4.5	4.9	6.9	5.4
NU DESTINY	4.0	4.9	7.3	5.4
PROSPERITY	4.4	4.8	7.0	5.4
BAR VK 0710	5.3	4.3	6.6	5.4
BAR VV 9634	4.6	4.8	6.8	5.4
MOONLIGHT SLT (PST-101-390)	3.9	5.2	7.0	5.4
CPP 822	4.7	4.6	6.7	5.3
A98-689	4.8	4.6	6.7	5.3
DP 76-9081	5.2	4.8	6.0	5.3
EMPIRE (A01-299)	3.5	5.3	7.1	5.3
4-SEASON (J-2791)	4.2	4.7	7.0	5.3
PST-109-752	4.3	4.9	6.7	5.3
TOUCHE (STR 23180)	4.2	4.9	6.6	5.3
SPTR 2959	4.1	4.8	6.8	5.2
GAELIC (BD 98-1358)	4.4	4.3	6.9	5.2
HARMONIE	4.7	4.3	6.5	5.2
CP 76-9068	4.3	4.4	6.7	5.2
BAR VV 0709	4.3	4.6	6.4	5.1
KENBLUE	4.4	4.1	6.0	4.8
REVEILLE	4.7	3.7	5.8	4.7
LSD VALUE	1.6	0.9	0.5	0.6
C.V. (%)	19.5	11.0	4.5	11.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS FOR EACH MONTH 1/
GROWN AT LAS CRUCES, NM (SOUTHWEST REGION) IN THE U.S.
2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/											
NAME	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
EVEREST	6.0	6.3	6.3	6.0	5.0	5.0	5.7	7.0	7.0	7.0	6.1
FUTURITY (A99-3119)	5.7	6.0	6.0	6.0	4.3	4.7	4.7	7.7	7.7	8.0	6.1
SKYE	6.0	6.7	6.7	6.3	4.3	4.7	4.7	6.3	6.7	6.7	5.9
MYSTERE	6.0	6.7	6.7	6.3	4.0	4.0	4.0	6.7	6.7	6.7	5.8
DYNAMO	5.7	6.0	6.0	5.0	4.0	4.3	4.7	6.7	7.0	7.0	5.6
EVERGLADE	4.7	5.7	5.7	5.7	4.7	4.7	5.3	6.7	6.7	6.7	5.6
JULIA	6.7	6.7	6.3	6.0	3.3	3.3	3.7	6.7	6.7	7.0	5.6
H98-701	5.7	6.0	5.7	5.7	4.0	4.3	4.3	6.3	7.0	7.0	5.6
ALEXA II (J-2404)	5.7	6.0	6.0	5.3	4.3	4.3	4.3	6.3	6.3	6.7	5.5
BAR VV 8536	5.0	5.3	5.7	5.7	4.7	5.0	5.0	6.0	6.3	6.3	5.5
GLENMONT	5.3	6.3	6.0	5.3	3.3	3.7	4.0	7.0	7.0	7.0	5.5
MIDNIGHT	4.3	4.7	4.7	4.7	4.3	4.7	5.0	7.0	7.7	7.7	5.5
REVEILLE	5.3	6.3	6.0	5.7	3.7	3.7	3.7	6.7	6.7	7.0	5.5
DP 76-9081	5.7	6.3	6.0	5.7	3.7	4.0	4.0	6.0	6.3	6.7	5.4
BAR VV 0709	4.7	5.0	5.0	4.7	4.3	4.3	4.3	7.0	7.3	7.3	5.4
MOONLIGHT SLT (PST-101-390)	4.7	5.0	5.0	5.0	4.0	4.7	5.0	6.7	7.0	7.0	5.4
BLUESTONE	5.7	5.7	5.7	5.0	3.7	4.0	4.0	6.7	6.7	6.7	5.4
A00-247	4.7	5.3	5.3	5.0	3.7	4.0	4.3	6.7	7.0	7.0	5.3
AMERICA	4.7	5.3	5.7	5.3	4.0	4.0	4.0	6.7	6.7	6.7	5.3
AWARD	5.0	5.0	5.0	4.7	4.0	4.3	5.0	6.7	6.7	6.7	5.3
BANDERA (SPTR 2LM95)	5.7	6.0	6.0	5.7	3.7	3.7	3.7	6.0	6.0	6.0	5.2
RAD-504	5.0	5.3	5.3	5.3	4.3	4.3	4.3	6.0	6.0	6.0	5.2
STR 2485	6.0	6.3	6.3	5.7	3.0	3.0	3.0	6.0	6.3	6.3	5.2
YANKEE (NA-3271)	4.3	5.0	5.0	5.0	3.7	3.7	4.0	7.0	7.3	7.0	5.2
BARIRIS	5.0	5.7	5.3	5.3	3.3	3.3	3.7	6.7	6.7	6.7	5.2
RAD-762	6.7	6.7	6.3	5.7	2.7	3.0	3.0	5.7	6.0	6.0	5.2
MSP 3723	4.3	5.0	4.7	4.7	3.7	3.7	4.0	7.0	7.0	7.3	5.1
SHIRAZ (LTP-73)	5.0	5.7	5.3	5.3	3.3	3.7	4.0	6.0	6.3	6.3	5.1
BAR VV 9634	4.3	5.0	5.3	5.3	3.3	4.0	4.3	6.3	6.3	6.3	5.1
H94-305	5.0	5.3	5.3	5.3	3.0	3.3	3.3	6.7	6.7	6.7	5.1
A00-1254	5.0	5.7	5.3	5.0	3.7	3.7	3.7	6.0	6.0	6.0	5.0
EMPIRE (A01-299)	4.7	5.7	5.3	5.0	3.7	4.0	4.0	5.7	6.0	6.0	5.0
AVIATOR (NA-3259)	5.0	5.3	5.3	5.0	3.7	4.3	4.3	5.7	5.7	5.7	5.0
GRANITE (J-1326)	4.3	4.7	4.7	4.3	4.3	4.3	4.7	6.0	6.3	6.3	5.0
KENBLUE	5.0	5.3	5.0	4.7	2.7	3.0	3.0	7.0	7.0	7.0	5.0
TOUCHE (STR 23180)	5.3	6.3	6.0	5.3	3.0	3.0	3.0	5.7	6.0	6.0	5.0
AKB449	4.3	5.3	5.0	5.0	3.7	4.0	4.0	6.0	6.0	6.0	4.9
WASHINGTON	5.0	6.0	6.0	5.7	3.0	3.3	3.3	5.7	5.7	5.7	4.9
ZINFANDEL (LTP 2949)	4.3	5.0	4.7	4.7	3.7	4.0	4.0	6.3	6.3	6.3	4.9
BD 03-84	4.7	5.3	5.0	5.0	3.3	4.0	4.0	5.7	6.0	6.0	4.9
SPTR 2959	5.7	6.0	5.7	5.7	3.0	3.0	3.0	5.7	5.7	5.7	4.9
VOLT (A98-999)	5.7	6.0	6.0	5.3	3.3	3.3	3.7	5.0	5.3	5.3	4.9
BELISSIMO	4.7	5.3	5.0	5.0	3.3	3.7	3.7	6.0	6.0	6.0	4.9
DLF 76-9075	5.3	6.0	6.0	5.3	3.3	3.3	3.7	5.0	5.3	5.3	4.9

TABLE 8. TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS FOR EACH MONTH 1/
 (CONT'D) GROWN AT LAS CRUCES, NM (SOUTHWEST REGION) IN THE U.S.
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/

NAME	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
SOLAR ECLIPSE (J-2399)	5.0	5.7	5.0	4.7	3.7	3.7	4.0	5.7	5.7	5.7	4.9
EMBLEM (PST-Y2K-169)	4.7	5.3	4.7	4.7	3.7	3.7	3.7	6.0	6.0	6.0	4.8
J-1334	4.7	5.0	5.0	4.7	4.0	4.0	4.0	5.7	5.7	5.7	4.8
RAD-0AN64	5.0	5.7	5.7	5.3	3.0	3.0	3.0	5.7	6.0	6.0	4.8
STARBURST (STR 2703)	4.3	5.3	5.3	5.3	3.3	3.3	3.3	6.0	6.0	6.0	4.8
ARGOS	4.3	5.0	4.7	4.3	3.0	4.0	4.3	6.0	6.0	6.0	4.8
CPP 817	4.7	5.3	5.0	4.7	3.7	3.3	4.0	5.3	5.7	5.7	4.7
HARMONIE	5.0	5.7	5.3	5.0	3.7	3.7	4.0	5.0	5.0	5.0	4.7
RAD-343	5.7	6.0	5.0	5.0	3.0	3.0	3.0	5.7	5.7	5.3	4.7
AURA (A99-2559)	4.7	5.7	5.0	4.7	3.3	3.7	3.7	5.3	5.3	5.3	4.7
HAMPTON (BD 03-159)	5.3	5.7	5.7	5.3	3.3	3.3	3.3	5.0	5.0	4.7	4.7
PSG 711	4.7	5.0	4.7	4.3	3.0	3.0	3.0	6.3	6.3	6.3	4.7
A98-689	4.7	5.0	4.7	4.7	3.0	3.7	4.0	5.7	5.7	5.3	4.6
DIVA	4.7	5.7	5.3	5.0	3.0	3.3	3.3	5.3	5.3	5.3	4.6
NU DESTINY	5.0	5.3	4.7	4.3	4.0	4.0	4.0	5.0	5.0	5.0	4.6
EXCURSION	4.3	5.0	5.0	4.7	3.7	3.7	3.7	5.3	5.3	5.3	4.6
MSP 3724	4.3	4.7	4.7	4.3	3.0	3.0	3.3	5.7	6.0	6.3	4.5
BD 99-2103	3.7	4.3	4.0	4.0	4.0	4.0	4.0	5.7	5.7	5.7	4.5
CP 76-9068	4.0	4.3	4.0	4.0	3.3	4.0	4.3	5.7	5.7	5.7	4.5
STR 2553	4.0	4.3	4.3	4.3	3.0	3.0	3.3	6.0	6.3	6.3	4.5
BAR VV 9630	4.3	5.0	4.7	4.3	3.3	4.0	4.0	5.0	5.0	5.0	4.5
J-2024	4.7	5.0	5.0	4.7	3.3	3.3	3.3	5.0	5.0	5.0	4.4
PSG 366	4.0	4.7	4.3	4.3	3.3	3.3	3.3	5.7	5.7	5.7	4.4
1QG-38	4.0	4.3	4.0	4.0	3.0	3.0	3.0	6.0	6.3	6.3	4.4
BLUEBERRY	4.3	5.0	5.0	4.7	3.0	3.0	3.0	5.3	5.3	5.3	4.4
MSP 3722	4.3	5.0	5.0	4.7	3.3	3.3	3.3	5.0	5.0	5.0	4.4
PST-1A1-899	3.7	4.3	4.3	4.3	3.3	4.0	4.0	5.3	5.3	5.3	4.4
RUGBY II	4.0	5.0	4.7	4.7	3.3	3.3	3.3	5.3	5.3	5.0	4.4
PST-109-752	4.3	5.3	4.3	4.3	3.0	3.3	3.3	5.0	5.3	5.3	4.4
SW AG 514	4.3	5.0	4.7	4.7	3.0	3.0	3.0	4.7	5.7	5.7	4.4
BAR VK 0710	4.3	4.7	4.7	4.7	3.7	3.7	3.7	4.7	4.7	4.7	4.3
GAELIC (BD 98-1358)	4.3	5.0	4.0	4.0	3.3	3.3	3.3	5.0	5.0	5.0	4.2
IMPACT	4.0	4.3	4.0	4.0	3.7	4.0	4.0	5.0	4.7	4.7	4.2
WILD HORSE (A97-890)	4.7	5.3	5.0	4.7	2.3	3.0	3.3	4.7	4.7	4.7	4.2
J-3429	4.0	4.7	3.7	3.7	3.0	3.0	3.0	5.7	5.7	5.7	4.2
NA-3248	4.7	5.0	4.3	4.3	2.7	3.0	3.0	5.0	5.0	5.0	4.2
JULIET (BD 95-1930)	5.0	5.0	4.3	3.7	2.7	2.7	3.0	5.0	5.3	5.3	4.2
A00-1400	4.3	4.3	4.0	4.0	3.0	3.0	3.0	5.3	5.3	5.3	4.2
BARRISTER	5.0	5.3	4.0	4.0	2.7	3.0	3.0	4.7	4.7	4.7	4.1
NUGLADE	4.0	4.0	4.0	3.7	3.7	3.7	3.7	5.0	4.7	4.7	4.1
PST-101-73	4.0	4.7	3.7	3.7	3.0	3.0	3.0	5.3	5.3	5.3	4.1
SUDDEN IMPACT (J-2870)	4.0	4.3	3.7	3.7	3.0	3.0	3.0	5.3	5.3	5.3	4.1
RHAPSODY (A97-1287)	3.7	4.3	4.0	3.7	2.7	3.0	3.7	5.3	5.0	5.0	4.0
ARIES (A98-948)	3.7	4.0	4.0	3.7	3.3	3.7	3.7	4.7	4.7	4.7	4.0
BEYOND	4.0	4.3	4.3	3.7	3.7	3.7	3.7	4.0	4.3	4.3	4.0

TABLE 8. TURFGRASS QUALITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS FOR EACH MONTH 1/
 (CONT'D) GROWN AT LAS CRUCES, NM (SOUTHWEST REGION) IN THE U.S.
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF: MONTHS 2/											
NAME	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
RHYTHM	3.7	4.0	3.7	3.7	3.3	3.3	3.3	5.0	5.0	5.0	4.0
BEWITCHED	4.0	4.0	3.7	3.3	2.3	3.0	3.3	5.3	5.3	5.3	4.0
NUCHICAGO (J-1466)	3.7	4.0	4.0	4.0	3.0	3.0	3.0	5.0	5.0	5.0	4.0
NA-3257	4.0	4.7	4.3	4.0	3.0	3.3	3.3	4.3	4.3	4.3	4.0
AVID	3.7	4.3	4.3	4.0	3.0	3.7	3.7	4.0	4.3	4.3	3.9
PINOT (LTP-149)	3.7	4.0	3.7	3.7	3.0	3.3	3.3	5.0	5.0	4.7	3.9
POPR 04594	3.7	4.7	4.0	4.0	3.0	3.0	3.0	4.7	4.7	4.7	3.9
4-SEASON (J-2791)	4.0	4.3	3.7	3.7	2.7	2.7	2.7	5.0	5.0	5.0	3.9
DP 76-9066	4.0	4.3	3.7	3.7	3.3	3.3	3.3	4.3	4.3	4.3	3.9
CPP 822	4.7	4.7	3.7	3.3	3.0	3.0	3.0	4.3	4.3	4.3	3.8
J-2502	4.3	4.3	3.7	3.7	2.3	2.3	2.3	5.0	5.0	5.0	3.8
PROSPERITY	3.3	3.7	3.7	3.7	2.7	3.0	3.0	5.0	5.0	5.0	3.8
SHAMROCK	4.3	4.3	3.7	3.7	2.7	3.3	3.3	4.0	4.3	4.3	3.8
CPP 821	4.3	4.3	4.0	3.7	2.7	3.0	3.0	4.3	4.3	4.0	3.8
BLUE NOTE (A01-349)	4.0	4.3	3.7	3.7	3.0	3.0	3.0	4.3	4.3	4.3	3.8
BARON	3.3	3.7	3.3	3.3	3.0	3.0	3.0	4.7	4.7	4.7	3.7
BD 98-2108	4.0	4.3	3.7	3.7	2.7	2.7	2.7	4.3	4.3	4.0	3.6
ARROWHEAD (NA-3261)	4.0	4.3	3.7	3.7	2.3	2.7	2.7	4.0	4.0	4.0	3.5
BAR VV 0665	4.0	4.0	3.7	3.3	2.0	3.0	3.0	4.0	4.0	4.0	3.5
A95-410	3.3	3.3	3.3	3.3	3.0	3.0	3.0	4.0	4.0	4.0	3.4
CORSAIR (NA-3249)	3.7	3.7	3.3	3.3	2.0	2.7	2.7	3.3	3.3	3.3	3.1
LSD VALUE	2.2	2.4	2.6	2.3	1.2	1.2	1.2	2.0	2.1	2.2	1.7
C.V. (%)	29.3	29.3	33.5	31.0	22.6	20.5	20.8	22.1	22.8	23.7	22.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9.

MEAN TURFGRASS QUALITY AND OTHER AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN UNDER FIELD DROUGHT STRESS AT FARGO, ND 1/
 2007 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING	DENSITY	DENSITY	DENSITY	PERCENT	PERCENT	PERCENT	FALL	QUALITY RATINGS							MEAN
	GREENUP	SPRING	SUMMER	FALL	COVER	COVER	COVER	COLOR	MAY	JUN	JUL	AUG	SEP	OCT		
BEWITCHED	6.0	4.3	5.7	6.3	96.3	94.7	99.0	3.7	6.0	6.0	5.7	5.7	6.0	5.0	5.7	
RUGBY II	6.3	6.0	5.3	6.0	97.7	97.7	99.0	5.3	6.7	5.0	5.7	4.7	5.7	5.7	5.6	
BAR VV 9630	6.3	6.0	5.7	6.3	99.0	96.3	99.0	5.0	6.7	5.0	6.0	4.0	5.7	5.3	5.4	
BARIRIS	5.7	6.0	5.3	5.3	91.7	97.7	99.0	3.3	5.7	6.0	6.0	4.7	4.7	5.3	5.4	
NA-3257	5.0	5.3	5.3	6.0	94.7	93.3	99.0	3.7	6.3	5.7	5.3	4.7	5.3	5.0	5.4	
JULIET (BD 95-1930)	5.3	7.0	4.3	6.0	90.0	99.0	99.0	3.3	5.3	5.7	5.3	4.3	5.3	6.0	5.3	
H94-305	6.0	4.7	5.0	4.7	97.7	95.0	99.0	4.0	6.0	5.7	5.7	4.3	4.7	5.7	5.3	
MYSTERE	5.3	5.7	5.0	5.3	96.3	96.3	98.7	3.7	6.0	5.3	5.0	4.7	4.7	6.0	5.3	
NUGLADE	5.7	4.3	5.0	6.7	94.7	93.0	98.7	3.3	5.7	5.7	4.7	4.0	5.3	6.3	5.3	
YANKEE (NA-3271)	5.7	6.0	4.7	6.3	97.7	97.7	99.0	4.3	5.3	6.0	5.7	4.3	5.0	5.3	5.3	
AKB449	5.0	5.3	4.7	6.0	97.7	96.3	97.7	3.7	6.0	5.0	5.3	4.3	5.0	5.3	5.2	
AVID	6.3	4.3	4.7	5.7	96.3	91.7	99.0	4.7	6.0	5.3	5.0	4.3	5.0	5.7	5.2	
BD 98-2108	5.3	4.7	5.0	6.0	96.3	93.3	98.7	3.3	6.0	5.7	5.0	4.3	4.7	5.3	5.2	
CP 76-9068	6.0	6.3	4.3	5.3	97.7	96.3	99.0	3.7	6.0	5.7	4.3	4.7	5.3	5.3	5.2	
GLENMONT	5.7	5.3	4.3	6.0	96.3	93.3	97.7	4.0	5.7	6.0	5.3	4.3	4.7	5.0	5.2	
A00-247	5.3	4.3	5.3	5.3	96.3	93.3	99.0	4.0	6.0	5.3	4.3	4.0	5.3	5.3	5.1	
FUTURITY (A99-3119)	5.0	5.3	4.7	6.0	96.3	93.3	99.0	4.3	5.0	5.7	5.0	4.0	5.0	6.0	5.1	
BAR VV 0709	5.7	6.0	5.0	5.7	97.7	96.3	99.0	3.3	5.7	5.0	5.0	4.3	5.3	6.0	5.1	
HAMPTON (BD 03-159)	4.7	4.7	5.0	5.3	97.7	95.0	98.7	4.7	5.3	5.3	4.7	4.7	4.7	5.7	5.1	
H98-701	5.3	5.0	5.0	6.0	96.3	94.7	99.0	4.3	5.3	6.0	5.0	4.3	4.7	5.0	5.1	
MSP 3724	5.0	5.0	5.0	5.7	96.3	95.0	98.7	4.3	5.3	4.7	5.0	4.3	5.0	6.0	5.1	
POPR 04594	6.0	7.0	4.7	6.0	95.0	96.3	99.0	4.0	5.7	6.0	4.3	4.0	5.7	5.0	5.1	
PST-1A1-899	5.0	4.7	4.7	5.7	93.3	93.3	98.7	4.3	5.0	5.3	5.7	4.7	4.7	5.3	5.1	
RAD-0AN64	5.7	5.0	5.0	5.3	93.3	95.0	98.7	4.3	6.0	5.3	4.7	4.7	4.7	5.3	5.1	
RAD-762	5.3	5.7	4.7	5.0	94.7	95.0	97.7	2.7	5.7	5.0	5.0	4.3	5.0	5.3	5.1	
SPTR 2959	6.0	5.7	5.0	5.7	96.3	96.3	99.0	4.3	5.7	5.7	4.3	4.0	5.0	6.0	5.1	
WILD HORSE (A97-890)	5.3	5.3	5.0	6.3	94.7	96.3	98.7	4.3	5.3	5.7	4.7	4.0	4.7	6.0	5.1	
BLUE NOTE (A01-349)	5.7	5.3	5.0	5.3	94.7	93.3	99.0	4.3	5.3	5.3	5.3	4.7	4.7	4.7	5.0	
PST-101-73	6.0	5.3	5.0	6.3	97.7	94.7	98.7	3.3	5.3	5.7	4.3	4.3	5.0	5.3	5.0	
SHIRAZ (LTP-73)	5.7	5.0	5.0	6.7	94.7	93.3	98.7	3.7	5.3	5.3	4.7	4.3	5.0	5.3	5.0	
STARBURST (STR 2703)	5.7	6.0	4.0	6.0	96.3	93.3	99.0	3.7	5.3	5.3	5.0	4.0	4.7	5.7	5.0	
1QG-38	5.0	4.7	4.3	5.7	95.0	93.3	98.7	4.3	5.3	5.3	4.7	4.0	4.7	5.7	4.9	
AURA (A99-2559)	5.0	5.3	3.7	6.0	95.0	96.3	99.0	4.0	5.3	5.3	4.3	4.3	4.3	5.7	4.9	
BANDERA (SPTR 2LM95)	5.7	4.7	4.7	5.3	97.7	93.3	99.0	5.0	5.3	4.3	5.0	3.7	6.0	5.3	4.9	
BD 03-84	5.0	4.7	3.7	5.0	93.3	93.3	98.3	3.0	5.0	6.0	5.0	4.7	4.0	4.7	4.9	
DIVA	5.0	5.7	4.7	5.7	96.3	94.7	99.0	3.7	5.0	5.3	5.0	4.3	4.7	5.3	4.9	
J-2502	4.7	4.7	4.0	5.7	93.3	93.3	98.7	3.3	5.0	5.3	5.0	4.7	5.0	4.7	4.9	
NA-3248	5.7	5.3	5.3	5.7	93.0	94.7	97.7	4.7	5.3	5.3	5.0	4.7	4.0	5.3	4.9	
A95-410	5.0	5.3	4.3	5.3	94.7	91.7	98.7	3.3	5.3	5.0	4.3	4.0	5.0	5.0	4.8	
PINOT (LTP-149)	5.0	5.0	4.3	5.3	94.7	90.0	97.7	3.0	5.7	5.3	4.7	4.3	4.0	4.7	4.8	
PST-109-752	4.7	5.7	4.7	5.3	91.7	96.3	99.0	3.0	5.3	5.7	4.7	4.0	4.3	5.0	4.8	
RHYTHM	5.3	6.0	4.7	5.3	97.7	96.7	97.3	4.7	5.3	5.7	4.0	4.0	4.7	5.0	4.8	
TOUCHE (STR 23180)	5.0	6.3	4.7	4.7	95.0	99.0	98.7	2.3	5.0	5.7	4.0	4.3	4.0	5.7	4.8	
VOLT (A98-999)	5.0	5.7	5.0	5.3	91.7	97.7	99.0	4.3	5.3	5.0	4.3	4.0	4.7	5.3	4.8	
WASHINGTON	5.3	6.3	4.3	7.0	94.7	97.7	99.0	3.7	5.3	5.0	4.3	3.7	5.0	5.3	4.8	

TABLE 9. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN UNDER FIELD DROUGHT STRESS AT FARGO, ND 1/
 2007 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR NOVEMBER	MAY	JUN	QUALITY RATINGS					MEAN
											JUL	AUG	SEP	OCT		
ZINFANDEL (LTP 2949)	5.0	4.3	4.3	5.7	95.0	93.3	98.3	4.3	5.0	5.0	5.0	4.0	4.3	5.3	4.8	
A00-1400	4.3	5.7	4.0	6.3	95.0	93.3	99.0	4.0	4.3	5.0	5.3	4.3	4.0	5.0	4.7	
ARGOS	5.3	6.3	4.3	7.0	95.0	94.7	98.7	3.3	5.0	5.3	4.7	4.3	4.3	4.7	4.7	
ARROWHEAD (NA-3261)	4.7	5.3	4.3	5.7	94.7	95.0	97.7	2.7	5.3	5.3	4.7	4.0	4.3	4.7	4.7	
AWARD	4.7	4.3	4.0	6.3	94.7	93.3	97.3	3.3	4.7	5.3	4.7	4.0	4.3	5.0	4.7	
IMPACT	5.0	4.7	4.7	5.7	95.0	94.7	97.7	3.3	4.7	5.3	5.0	3.7	5.0	4.3	4.7	
4-SEASON (J-2791)	5.7	5.3	5.0	5.3	95.0	95.0	98.7	4.0	4.7	4.7	4.7	4.3	4.3	5.3	4.7	
PSG 366	5.0	5.0	4.3	5.3	96.3	94.7	99.0	3.0	5.7	5.7	4.7	3.7	3.7	4.7	4.7	
PSG 711	5.3	4.7	4.7	6.0	96.3	94.7	98.7	4.0	5.3	5.3	4.3	4.0	4.3	4.7	4.7	
RAD-343	5.7	6.0	5.0	5.7	96.3	97.7	98.7	3.7	5.7	5.0	4.3	3.7	5.3	4.3	4.7	
SHAMROCK	4.7	5.3	4.3	5.0	93.3	96.3	99.0	3.0	5.0	5.3	4.3	4.0	4.7	4.7	4.7	
SKYE	4.7	6.0	3.3	5.3	96.3	95.0	99.0	2.7	5.0	4.3	4.3	4.0	4.7	6.0	4.7	
EMPIRE (A01-299)	4.7	5.3	4.7	5.3	96.3	91.7	98.3	2.7	4.7	5.3	4.0	4.3	4.0	5.0	4.6	
BAR VV 8536	4.3	4.3	4.0	6.3	94.7	91.7	98.7	3.7	4.7	4.3	4.3	3.7	4.7	5.7	4.6	
BAR VV 9634	5.3	6.0	4.7	5.3	97.7	99.0	99.0	4.7	5.0	5.0	4.3	4.0	4.0	5.3	4.6	
CORSAIR (NA-3249)	4.3	4.7	3.3	6.0	91.3	91.7	97.7	3.0	4.7	5.0	4.7	4.0	4.3	5.0	4.6	
CPP 822	5.0	5.0	4.7	5.0	93.3	93.3	97.0	4.0	5.0	5.3	4.7	3.7	4.3	4.3	4.6	
EMBLEM (PST-Y2K-169)	4.3	5.3	4.0	5.3	91.7	91.7	98.7	4.0	5.0	4.7	5.3	3.3	4.3	5.0	4.6	
J-2024	4.7	4.7	3.7	5.7	94.7	91.7	97.7	3.0	4.3	5.3	4.7	3.7	5.0	4.7	4.6	
STR 2485	5.7	6.3	4.3	5.7	94.7	97.7	98.3	3.7	4.7	4.7	4.0	4.0	4.7	5.7	4.6	
ARIES (A98-948)	5.3	5.3	4.3	5.3	93.3	93.3	99.0	3.3	5.0	4.3	3.7	4.0	4.3	5.7	4.5	
GRANITE (J-1326)	5.0	4.7	4.3	5.0	90.0	91.7	99.0	4.3	4.7	4.3	4.7	4.3	4.7	4.3	4.5	
JULIA	5.0	6.3	4.0	4.3	93.0	96.3	98.3	2.3	5.0	4.7	4.3	3.7	4.3	5.0	4.5	
MIDNIGHT	4.3	4.3	4.0	5.7	91.7	90.0	98.7	3.0	4.3	4.7	5.0	4.0	4.7	4.3	4.5	
MSP 3723	5.0	5.0	4.0	5.0	95.0	93.3	99.0	4.0	4.3	4.7	4.3	3.7	5.0	5.0	4.5	
AMERICA	4.7	4.7	4.0	6.0	94.7	95.0	98.3	4.7	5.0	5.0	5.0	3.7	3.3	4.7	4.4	
GAELIC (BD 98-1358)	4.3	5.3	4.0	4.3	94.7	95.0	97.3	3.3	4.7	4.7	4.3	3.7	3.7	5.3	4.4	
BLUESTONE	5.3	4.3	4.0	5.7	91.3	93.3	97.7	4.3	4.7	5.7	3.7	3.7	4.7	4.0	4.4	
EXCURSION	4.0	4.7	4.0	4.0	90.0	93.3	97.7	3.7	4.3	5.0	4.7	4.0	4.0	4.7	4.4	
J-1334	5.0	4.0	5.0	5.3	95.0	91.7	98.7	4.7	4.3	5.0	4.3	3.0	4.7	5.0	4.4	
SOLAR ECLIPSE (J-2399)	4.7	4.7	4.3	5.3	95.0	88.3	98.7	3.7	4.3	4.3	4.3	3.3	4.3	5.7	4.4	
ALEXA II (J-2404)	4.7	4.3	4.0	4.7	88.3	90.0	97.0	2.7	5.7	4.7	4.3	3.0	4.0	4.7	4.4	
MOONLIGHT SLT (PST-101-390)	4.7	4.3	4.7	5.3	93.3	91.7	98.7	4.7	4.3	4.7	4.0	4.0	5.0	4.7	4.4	
RAD-504	4.7	4.7	3.7	5.0	91.3	93.3	98.7	3.3	5.0	4.7	4.0	3.3	4.7	5.0	4.4	
SW AG 514	4.7	4.0	4.0	5.7	93.0	93.3	97.3	4.0	3.7	4.7	4.3	3.7	4.7	5.3	4.4	
BARON	4.3	4.0	3.7	5.3	93.3	90.0	97.7	3.3	4.3	4.3	4.7	3.0	5.0	4.3	4.3	
BARRISTER	4.7	4.3	4.3	4.3	93.3	90.0	98.7	3.7	4.7	4.7	4.7	3.3	4.0	4.7	4.3	
BD 99-2103	5.0	5.0	3.7	6.0	93.3	96.3	97.3	3.3	4.7	4.7	4.3	3.7	4.3	4.0	4.3	
BELISSIMO	5.0	4.0	3.7	5.7	95.0	88.3	97.7	3.7	5.0	5.0	4.7	3.3	3.3	4.7	4.3	
CPP 821	5.0	4.7	4.7	5.3	97.3	93.3	98.7	3.7	5.0	4.3	4.0	4.0	4.3	4.3	4.3	
KENBLUE	5.0	4.7	3.7	4.7	94.7	93.3	98.7	2.0	4.7	4.7	4.0	3.3	4.0	5.0	4.3	
PROSPERITY	4.3	5.0	4.3	5.0	91.7	93.3	98.7	4.3	4.0	4.3	5.0	4.3	4.3	4.0	4.3	
A98-689	4.3	4.7	4.3	5.3	93.0	93.0	98.3	3.0	4.3	4.7	4.0	3.7	4.0	4.7	4.2	
DLF 76-9075	4.3	4.7	3.7	5.3	90.0	93.3	97.3	3.3	4.3	4.7	4.3	3.0	4.7	4.0	4.2	
DP 76-9066	4.7	4.7	3.7	4.7	91.7	93.3	98.3	3.0	4.7	4.3	4.7	3.7	4.0	3.7	4.2	

TABLE 9. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN UNDER FIELD DROUGHT STRESS AT FARGO, ND 1/
2007 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING GREENUP	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR NOVEMBER	MAY	JUN	QUALITY RATINGS				OCT	MEAN
											JUL	AUG	SEP			
DP 76-9081	4.7	5.0	4.0	6.3	93.3	93.3	98.7	4.3	4.3	4.7	4.7	3.3	4.3	4.0	4.2	
EVEREST	4.3	4.3	4.0	5.0	90.0	90.0	98.7	3.3	4.3	4.7	4.3	3.3	4.3	4.3	4.2	
HARMONIE	4.3	4.7	3.7	5.0	93.3	93.3	97.3	4.0	4.7	5.0	4.0	3.7	3.7	4.0	4.2	
REVEILLE	4.7	5.3	4.3	5.7	91.7	93.3	99.0	3.3	4.7	4.0	3.7	4.0	4.0	5.0	4.2	
AVIATOR (NA-3259)	4.3	4.7	3.7	5.3	94.7	90.0	98.7	3.0	4.7	4.7	3.7	3.7	4.0	4.0	4.1	
BAR VK 0710	4.3	5.7	4.0	4.7	90.0	93.3	98.3	2.3	4.3	4.3	4.0	3.3	3.7	5.0	4.1	
BLUEBERRY	4.7	5.0	4.3	4.3	93.3	93.3	98.3	3.0	4.3	4.7	4.7	3.0	3.7	4.3	4.1	
NUCHICAGO (J-1466)	4.0	4.7	3.7	5.3	91.7	91.7	99.0	4.0	4.0	4.7	3.3	3.7	4.7	4.3	4.1	
J-3429	4.7	4.7	3.3	4.7	91.7	94.7	97.3	3.0	5.0	4.7	4.3	2.7	3.7	4.3	4.1	
STR 2553	5.0	4.7	4.3	4.7	93.3	91.7	98.7	2.7	4.7	4.3	4.7	3.3	3.7	4.0	4.1	
A00-1254	4.0	4.7	4.0	4.0	95.0	91.7	97.7	3.0	4.0	4.7	4.0	3.0	3.7	4.7	4.0	
BAR VV 0665	3.7	4.0	3.7	4.0	93.3	93.3	98.3	3.3	4.0	5.0	4.3	2.7	4.0	4.0	4.0	
BEYOND	4.0	4.0	3.7	4.7	91.7	90.0	98.0	3.0	4.0	4.3	4.3	3.3	3.7	4.3	4.0	
DYNAMO	3.7	4.7	3.3	5.3	91.7	88.3	97.0	2.7	3.7	4.0	4.0	3.0	4.3	5.0	4.0	
EVERGLADE	4.3	4.7	4.0	5.0	93.3	91.7	97.0	3.3	4.7	4.7	4.0	3.3	3.3	4.0	4.0	
CPP 817	4.3	5.0	4.3	5.3	93.0	91.7	98.7	3.7	4.0	4.0	4.0	3.7	4.0	4.0	3.9	
SUDDEN IMPACT (J-2870)	4.0	4.0	3.3	4.7	95.0	88.3	97.0	2.7	4.3	4.0	4.7	3.3	3.7	3.7	3.9	
MSP 3722	4.7	4.3	4.0	5.0	91.7	91.7	98.3	4.0	3.7	4.3	4.0	3.3	4.3	4.0	3.9	
NU DESTINY	4.0	4.3	3.7	4.7	88.3	91.7	96.0	3.3	4.0	3.7	4.7	2.7	4.0	4.3	3.9	
RHAPSODY (A97-1287)	4.3	4.3	4.0	4.7	86.7	91.7	96.3	2.7	3.7	4.3	4.0	3.0	4.0	3.7	3.8	
LSD VALUE	2.6	1.3	2.2	2.9	9.4	6.0	4.5	0.8	2.5	1.6	1.9	1.8	4.2	5.7	1.7	
C.V. (%)	17.8	14.2	18.5	17.4	3.7	3.1	1.2	14.5	18.9	14.1	16.0	19.2	21.5	22.9	13.4	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10.

PERCENT TURFGRASS CANOPY FULLNESS AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS IN THE */
 GROWN UNDER TRAFFIC STRESS AT NORTH BRUNSWICK, NJ 1/ */
 2007 DATA
 BRUISING RATINGS 1-9; 9=BEST 2/

NAME	PERCENT FULLNESS RATINGS OF TURFGRASS CANOPY				PERCENT FULLNESS OF TURFGRASS CANOPY			BRUISING RATINGS	
	JULY 25 0 PASSES	JULY 25 6 PASSES	JULY 26 12 PASSES	JULY 27 18 PASSES	AUG 6 10 DAYS DAYS AFTER TRAFFIC	AUG 15 15 DAYS DAYS AFTER TRAFFIC	SEP 21 26 DAYS	AUG 6 10 DAYS DAYS AFTER TRAFFIC	AUG 16 20 DAYS DAYS AFTER TRAFFIC
NU DESTINY	84.0	82.3	80.7	78.3	73.3	76.7	82.3	6.7	8.0
EXCURSION	89.0	80.7	77.3	73.3	66.7	70.0	79.0	6.7	7.3
SUDDEN IMPACT (J-2870)	82.3	82.3	77.3	73.3	76.7	75.0	80.7	6.7	8.3
IMPACT	89.0	79.0	74.0	75.0	70.0	73.3	80.7	6.3	7.7
AWARD	87.3	80.7	74.0	73.3	63.3	65.0	70.7	6.3	6.7
J-1466	85.7	79.0	75.7	68.3	73.3	76.7	75.7	7.3	7.7
BEYOND	82.3	79.0	77.3	76.7	68.3	71.7	79.0	6.7	7.3
EVERGLADE	92.3	82.3	79.0	71.7	76.7	75.0	79.0	5.7	7.0
SOLAR ECLIPSE (J-2399)	84.0	80.7	74.0	70.0	68.3	73.3	80.7	7.0	7.7
BD 03-84	87.3	79.0	69.0	61.7	58.3	68.3	69.0	4.7	6.7
MIDNIGHT	84.0	75.7	72.3	63.3	66.7	63.3	77.3	6.3	6.3
NA-3248	90.7	80.7	77.3	71.7	61.7	63.3	85.7	5.0	5.7
EVEREST	85.7	79.0	75.7	68.3	70.0	68.3	77.3	5.3	6.7
J-2024	84.0	79.0	74.0	71.7	68.3	66.7	75.7	6.3	7.0
PROSPERITY	82.3	75.7	70.7	71.7	73.3	75.0	84.0	6.3	7.3
BARRISTER	84.0	80.7	74.0	71.7	68.3	71.7	79.0	6.7	7.0
GRANITE (J-1326)	84.0	77.3	72.3	68.3	68.3	68.3	74.0	6.3	6.3
ALEXA II (J-2404)	85.7	77.3	74.0	66.7	66.7	68.3	74.0	6.0	7.0
SKYE	87.3	79.0	72.3	66.7	63.3	65.0	77.3	4.7	5.7
NUCHICAGO (J-1334)	79.0	79.0	72.3	71.7	68.3	65.0	74.0	7.0	7.7
NUGLADE	85.7	79.0	74.0	71.7	71.7	73.3	80.7	6.0	6.7
EMBLEM (PST-Y2K-169)	85.7	82.3	75.7	71.7	68.3	68.3	87.3	5.3	7.3
RUGBY II	82.3	75.7	67.3	58.3	61.7	65.0	75.7	5.7	6.0
BLUEBERRY	75.7	72.3	64.0	53.3	53.3	61.7	74.0	5.3	7.0
DIVA	80.7	74.0	62.3	51.7	53.3	60.0	70.7	4.3	6.7
J-2502	77.3	74.0	65.7	63.3	58.3	60.0	75.7	5.7	6.3
MSP 3723	77.3	74.0	59.0	51.7	58.3	61.7	74.0	6.0	7.3
PST-1A1-899	84.0	79.0	70.7	66.7	61.7	60.0	85.7	3.7	5.0
RHYTHM	79.0	74.0	65.7	65.0	58.3	60.0	79.0	6.0	6.7
BLUESTONE	74.0	72.3	60.7	60.0	55.0	51.7	67.3	4.7	5.0
J-3429	87.3	79.0	79.0	68.3	70.0	70.0	80.7	4.0	6.3
NA-3257	87.3	79.0	80.7	85.0	78.3	76.7	79.0	5.0	6.7
POPR 04594	84.0	77.3	72.3	65.0	65.0	71.7	84.0	5.0	7.0
STARBURST (STR 2703)	85.7	75.7	70.7	66.7	70.0	76.7	77.3	6.3	8.0
AURA (A99-2559)	82.3	74.0	62.3	55.0	66.7	66.7	77.3	6.0	7.3
BD 98-2108	74.0	67.3	52.3	40.0	41.7	51.7	70.7	3.3	4.7
ARGOS	84.0	69.0	60.7	50.0	51.7	56.7	67.3	3.0	4.0
4-SEASON (J-2791)	87.3	80.7	74.0	65.0	68.3	68.3	77.3	5.7	5.7
PST-109-752	89.0	79.0	77.3	73.3	73.3	78.3	79.0	5.7	7.7
TOUCHE (STR 23180)	87.3	77.3	70.7	60.0	61.7	71.7	75.7	4.0	6.3
WASHINGTON	87.3	77.3	74.0	63.3	68.3	73.3	79.0	6.0	7.3
A00-1400	75.7	64.0	49.0	38.3	46.7	53.3	64.0	4.0	5.7
BARIRIS	89.0	85.7	85.7	85.0	86.7	81.7	89.0	5.0	5.7
JULIET (BD 95-1930)	84.0	74.0	64.0	45.0	51.7	61.7	67.3	4.3	6.0
JULIA	92.3	89.0	87.3	88.3	90.0	85.0	97.3	6.3	6.3

TABLE 10. (CONT'D)

PERCENT TURFGRASS CANOPY FULLNESS AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS IN THE */
 GROWN UNDER TRAFFIC STRESS AT NORTH BRUNSWICK, NJ 1/ */
 2007 DATA
 BRUISING RATINGS 1-9; 9=BEST 2/

NAME	PERCENT FULLNESS RATINGS OF TURFGRASS CANOPY				PERCENT FULLNESS OF TURFGRASS CANOPY			BRUISING RATINGS	
	JULY 25	JULY 25	JULY 26	JULY 27	AUG 6	AUG 15	SEP 21	AUG 6	AUG 16
	0 PASSES	6 PASSES	12 PASSES	18 PASSES	10 DAYS	15 DAYS	26 DAYS	10 DAYS	20 DAYS
					DAYS AFTER TRAFFIC			DAYS AFTER TRAFFIC	
YANKEE (NA-3271)	85.7	79.0	74.0	70.0	66.7	65.0	74.0	4.3	6.7
H94-305	80.7	67.3	60.7	55.0	53.3	66.7	72.3	4.7	7.0
MSP 3724	72.3	74.0	60.7	48.3	51.7	55.0	70.7	4.3	6.0
SPTR 2959	85.7	74.0	65.7	50.0	46.7	55.0	65.7	3.0	3.7
RHAPSODY (A97-1287)	70.7	64.0	52.3	43.3	43.3	48.3	69.0	4.3	5.0
ARROWHEAD (NA-3261)	80.7	69.0	60.7	46.7	55.0	56.7	64.0	4.0	6.0
BD 99-2103	65.7	62.3	47.3	40.0	43.3	48.3	64.0	4.0	5.7
BELISSIMO	72.3	64.0	52.3	40.0	43.3	48.3	72.3	5.3	6.3
RAD-343	85.7	79.0	74.0	70.0	63.3	66.7	75.7	4.3	6.3
SHIRAZ (LTP-73)	82.3	70.7	64.0	55.0	40.0	50.0	64.0	3.0	4.7
STR 2553	74.0	62.3	50.7	31.7	40.0	46.7	64.0	4.3	5.7
SW AG 514	94.0	85.7	84.0	78.3	86.7	78.3	85.7	6.0	4.3
DP 76-9066	90.7	80.7	77.3	75.0	58.3	61.7	77.3	2.0	3.3
A95-410	75.7	70.7	54.0	35.0	41.7	48.3	65.7	2.7	4.3
BAR VV 0709	92.3	82.3	77.3	78.3	78.3	78.3	94.0	5.7	8.3
BLUE NOTE (A01-349)	80.7	72.3	59.0	53.3	48.3	50.0	69.0	3.3	5.0
CPP 821	95.7	92.3	90.7	91.7	86.7	81.7	90.7	4.3	4.0
MOONLIGHT SLT (PST-101-390)	85.7	80.7	74.0	73.3	66.7	68.3	82.3	5.0	6.0
RAD-504	79.0	69.0	59.0	55.0	58.3	55.0	70.7	3.7	5.0
1QG-38	70.7	67.3	50.7	35.0	40.0	45.0	65.7	5.0	6.0
BEWITCHED	77.3	75.7	69.0	60.0	61.7	68.3	75.7	6.0	6.7
RAD-762	84.0	74.0	69.0	55.0	51.7	60.0	67.3	4.7	5.7
A00-1254	75.7	70.7	60.7	56.7	56.7	53.3	70.7	5.0	6.3
BAR VV 0665	89.0	77.3	69.0	66.7	58.3	63.3	79.0	3.7	5.0
CPP 822	94.0	92.3	94.0	91.7	90.0	81.7	85.7	3.7	3.7
MYSTERE	77.3	70.7	62.3	58.3	53.3	55.0	65.7	4.3	6.0
PSG 711	77.3	70.7	59.0	51.7	51.7	58.3	69.0	5.3	5.7
STR 2485	87.3	75.7	62.3	55.0	55.0	61.7	69.0	4.0	5.3
AKB449	84.0	74.0	65.7	66.7	38.3	43.3	65.7	2.0	3.3
HAMPTON (BD 03-159)	69.0	67.3	64.0	55.0	48.3	53.3	67.3	4.3	6.3
MSP 3722	65.7	62.3	50.7	38.3	43.3	48.3	59.0	4.7	5.7
RAD-0AN64	74.0	67.3	64.0	53.3	51.7	58.3	62.3	4.3	4.7
SHAMROCK	82.3	70.7	64.0	56.7	48.3	53.3	67.3	3.0	3.7
A00-247	75.7	62.3	54.0	36.7	40.0	46.7	69.0	4.3	5.0
CP 76-9068	97.3	94.0	95.7	93.3	91.7	83.3	92.3	4.3	4.0
CPP 817	82.3	79.0	69.0	55.0	40.0	36.7	59.0	2.0	2.0
A98-948	85.7	72.3	65.7	53.3	51.7	56.7	67.3	3.7	4.7
FUTURITY (A99-3119)	74.0	67.3	52.3	36.7	45.0	51.7	67.3	5.0	5.0
AMERICA	67.3	67.3	50.7	28.3	33.3	43.3	59.0	4.0	4.3
BANDERA (SPTR 2LM95)	84.0	75.7	69.0	65.0	65.0	66.7	75.7	4.0	5.7
GAELIC (BD 98-1358)	82.3	75.7	62.3	56.7	38.3	41.7	67.3	2.0	3.7
DYNAMO	87.3	80.7	72.3	70.0	66.7	71.7	80.7	4.3	5.3
HARMONIE	97.3	95.7	94.0	95.0	91.7	73.3	87.3	4.0	1.3
WILD HORSE (A97-890)	85.7	69.0	60.7	45.0	46.7	48.3	65.7	2.7	3.3
AVID	69.0	65.7	57.3	43.3	48.3	56.7	70.7	5.7	6.0

TABLE 10. (CONT'D)

PERCENT TURFGRASS CANOPY FULLNESS AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS IN THE */
GROWN UNDER TRAFFIC STRESS AT NORTH BRUNSWICK, NJ 1/ */
2007 DATA

BRUISING RATINGS 1-9; 9=BEST 2/

NAME	PERCENT FULLNESS RATINGS OF TURFGRASS CANOPY				PERCENT FULLNESS OF TURFGRASS CANOPY			BRUISING RATINGS	
	JULY 25	JULY 25	JULY 26	JULY 27	AUG 6	AUG 15	SEP 21	AUG 6	AUG 16
	0 PASSES	6 PASSES	12 PASSES	18 PASSES	10 DAYS	15 DAYS	26 DAYS	10 DAYS	20 DAYS
					DAYS AFTER TRAFFIC			DAYS AFTER TRAFFIC	
PINOT (LTP-149)	70.7	65.7	57.3	55.0	53.3	58.3	70.7	4.0	6.0
A98-689	89.0	75.7	72.3	63.3	68.3	68.3	72.3	4.3	5.7
GLENMONT	72.3	59.0	50.7	40.0	38.3	43.3	62.3	2.3	4.7
PSG 366	62.3	55.7	42.3	31.7	33.3	36.7	57.3	2.3	2.7
PST-101-73	69.0	64.0	52.3	40.0	40.0	51.7	67.3	5.0	5.3
AVIATOR (NA-3259)	79.0	64.0	52.3	38.3	40.0	46.7	60.7	2.7	3.7
DP 76-9081	84.0	70.7	64.0	53.3	51.7	61.7	77.3	5.0	5.3
H98-701	67.3	60.7	47.3	31.7	36.7	41.7	57.3	4.7	5.3
REVEILLE	77.3	70.7	64.0	58.3	56.7	63.3	67.3	4.7	7.0
VOLT (A98-999)	75.7	67.3	47.3	38.3	35.0	40.0	59.0	2.0	3.3
BAR VK 0710	74.0	65.7	52.3	45.0	46.7	61.7	67.3	5.3	6.0
BAR VV 9634	77.3	70.7	57.3	50.0	50.0	55.0	60.7	4.3	4.7
BAR VV 8536	84.0	69.0	59.0	55.0	50.0	56.7	65.7	3.7	5.3
BARON	82.3	72.3	64.0	58.3	55.0	60.0	69.0	3.7	4.3
A01-299	57.3	50.7	37.3	25.0	33.3	45.0	59.0	4.3	5.0
CORSAIR (NA-3249)	74.0	72.3	64.0	53.3	43.3	46.7	59.0	3.3	4.0
BAR VV 9630	72.3	62.3	55.7	41.7	43.3	41.7	60.7	3.7	4.0
ZINFANDEL (LTP 2949)	55.7	50.7	39.0	23.3	26.7	33.3	47.3	3.0	3.7
DLF 76-9075	72.3	62.3	49.0	36.7	36.7	51.7	64.0	3.7	3.7
KENBLUE	80.7	70.7	64.0	50.0	51.7	58.3	64.0	4.0	6.3
LSD VALUE	10.8	7.7	10.0	12.7	12.2	12.3	12.3	1.4	1.7
C.V. (%)	8.2	6.9	10.1	14.6	14.2	13.1	10.4	19.8	18.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

*/ WEAR APPLIED WITH A MODIFIED SWEEPSTER EQUIPPED WITH RUBBER PADDLES (4.5-FT WIDE). NO COMPACTION IS APPLIED - THIS IS AN EVALUATION OF WEAR TOLERANCE ONLY. WEAR APPLICATIONS STARTED IN OCTOBER 2006 WITH APPROXIMATELY 20 PASSES PER WEEK FOR 3 CONSECUTIVE WEEKS.

TABLE 11.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN UNDER TRAFFIC STRESS AT MADISON, WI 1/ */
 2007 DATA
 TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS							MEAN
				MAY	JUN	JUL	AUG	SEP	OCT	NOV	
EXCURSION	7.3	6.0	5.7	6.3	7.7	7.7	8.0	8.3	8.3	7.3	7.7
BD 99-2103	7.7	6.0	5.7	6.3	7.7	7.3	8.0	8.0	8.0	7.0	7.5
J-1334	7.7	5.7	5.7	6.0	7.3	8.0	7.7	8.3	7.7	6.7	7.4
PINOT (LTP-149)	7.3	7.0	6.0	6.3	7.7	8.0	8.0	7.7	7.7	6.3	7.4
A00-1400	7.7	6.0	6.0	6.0	7.3	7.7	8.0	7.3	8.0	7.0	7.3
AWARD	7.7	6.3	6.3	6.3	7.7	7.7	7.7	8.0	7.3	6.7	7.3
HAMPTON (BD 03-159)	6.7	7.0	5.3	7.0	6.3	7.3	7.0	8.3	7.7	7.3	7.3
EMBLEM (PST-Y2K-169)	7.7	5.3	5.3	5.7	7.7	8.0	8.0	8.0	6.7	7.3	7.3
SOLAR ECLIPSE (J-2399)	7.3	6.0	6.7	6.0	7.3	8.0	8.0	8.0	7.3	6.7	7.3
SUDDEN IMPACT (J-2870)	7.0	6.0	5.7	6.0	7.0	8.0	7.3	8.3	7.7	7.0	7.3
J-3429	7.7	5.7	6.0	6.0	7.3	7.3	8.0	8.3	7.0	7.3	7.3
MIDNIGHT	7.7	6.3	5.7	6.0	7.3	7.3	7.7	8.0	7.7	7.0	7.3
NA-3257	6.3	7.3	5.7	6.3	7.0	7.7	7.7	8.0	7.7	6.7	7.3
NU DESTINY	7.7	6.3	5.7	5.7	8.0	7.3	7.7	8.0	7.7	7.0	7.3
A95-410	7.0	6.0	5.3	5.7	7.3	8.0	7.3	7.7	7.7	6.7	7.2
AKB449	7.0	5.7	5.7	5.3	7.3	7.7	8.3	8.0	7.7	6.3	7.2
BARRISTER	7.0	5.3	5.0	6.0	7.3	8.0	7.0	8.0	7.7	6.7	7.2
BD 03-84	6.7	6.3	6.0	6.7	6.7	7.3	7.3	7.7	8.0	6.7	7.2
BLUESTONE	7.7	6.7	6.0	6.3	7.0	8.0	7.7	7.3	7.7	6.3	7.2
DIVA	6.7	6.7	6.0	6.0	7.0	7.3	7.7	7.7	8.0	6.7	7.2
GRANITE (J-1326)	7.3	6.0	5.7	6.0	7.3	7.3	8.0	7.3	8.0	6.3	7.2
J-2502	8.0	5.7	5.7	6.0	8.0	7.7	7.7	7.3	7.3	6.7	7.2
MSP 3722	6.7	6.7	6.3	6.7	7.0	7.7	6.7	8.0	7.7	6.7	7.2
ZINFANDEL (LTP 2949)	7.7	5.7	5.3	5.7	7.3	8.0	7.7	7.0	7.3	7.3	7.2
EMPIRE (A01-299)	7.0	6.7	5.7	6.7	7.0	8.0	7.0	7.3	7.3	6.7	7.1
AVIATOR (NA-3259)	7.7	5.7	6.7	5.7	7.3	7.7	8.0	7.3	7.3	6.3	7.1
CORSAIR (NA-3249)	7.3	5.7	6.3	5.7	7.3	8.0	7.3	7.0	7.7	7.0	7.1
DP 76-9066	6.3	6.0	5.3	5.7	6.7	7.7	8.0	7.7	7.3	6.7	7.1
DYNAMO	7.3	5.0	5.7	5.0	7.3	8.0	8.3	8.0	7.0	6.3	7.1
EVERGLADE	7.3	5.7	5.7	6.0	7.3	6.7	8.0	7.7	7.0	7.0	7.1
GLENMONT	7.0	6.3	5.7	6.3	7.0	7.3	7.3	7.3	7.7	6.7	7.1
IMPACT	6.7	6.3	6.3	5.7	7.0	8.0	7.7	7.0	7.7	6.7	7.1
J-2024	7.7	5.7	6.0	5.7	7.7	8.0	6.3	8.0	8.0	6.3	7.1
ALEXA II (J-2404)	7.3	6.3	6.0	6.3	6.3	7.3	6.7	8.3	8.0	7.0	7.1
RHYTHM	7.0	6.0	6.3	6.0	6.7	7.3	7.7	7.0	8.0	7.0	7.1
RHAPSODY (A97-1287)	6.0	6.7	5.3	6.7	7.0	7.0	7.3	7.0	7.7	6.3	7.0
AURA (A99-2559)	5.7	5.7	6.0	5.3	6.3	8.0	7.0	7.7	7.7	6.7	7.0
FUTURITY (A99-3119)	7.0	6.0	6.0	6.0	7.3	7.3	7.7	7.3	7.3	5.7	7.0
ARGOS	6.0	7.0	6.0	6.3	6.7	7.7	7.3	7.0	7.0	7.0	7.0
ARROWHEAD (NA-3261)	6.0	7.0	6.7	6.0	7.0	7.3	7.0	7.3	8.0	6.3	7.0
BANDERA (SPTR 2LM95)	6.0	5.3	5.3	5.3	7.0	7.7	7.7	7.3	7.7	6.0	7.0
JULIET (BD 95-1930)	6.3	7.0	6.7	6.0	7.0	6.7	7.7	7.7	7.7	6.0	7.0
BEWITCHED	7.7	5.7	5.0	6.0	7.3	7.7	6.7	7.7	7.0	7.0	7.0
BEYOND	7.7	5.7	6.0	6.0	7.0	7.7	7.7	7.3	7.3	6.3	7.0
EVEREST	7.0	5.7	5.7	5.7	6.7	7.3	7.7	7.3	7.7	6.7	7.0

TABLE 11.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN UNDER TRAFFIC STRESS AT MADISON, WI 1/ */
2007 DATA
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS							MEAN
				MAY	JUN	JUL	AUG	SEP	OCT	NOV	
4-SEASON (J-2791)	7.3	7.0	5.7	5.7	6.7	6.7	8.0	7.3	7.3	7.3	7.0
MYSTERE	5.3	6.0	5.7	5.3	6.3	7.3	7.7	8.0	8.0	6.7	7.0
NUGLADE	7.3	5.3	5.3	5.7	7.7	7.3	6.7	6.0	8.3	7.3	7.0
PROSPERITY	7.0	6.0	6.0	6.0	7.0	7.7	7.7	7.3	7.7	6.0	7.0
PSG 366	7.0	5.7	5.7	5.7	7.0	6.7	7.3	7.7	7.7	6.7	7.0
MOONLIGHT SLT (PST-101-390)	7.7	5.0	6.3	5.0	7.0	8.0	8.0	7.0	7.7	6.3	7.0
RAD-0AN64	6.0	6.3	5.3	6.0	6.7	7.0	8.0	7.7	7.3	6.3	7.0
RAD-504	6.7	5.3	5.7	5.0	7.0	8.0	8.0	7.7	7.7	5.7	7.0
RUGBY II	7.0	5.7	6.0	5.7	7.0	7.3	7.7	7.7	7.7	6.0	7.0
STR 2553	7.0	7.3	6.0	7.0	7.0	7.0	7.3	7.0	7.3	6.3	7.0
BAR VV 8536	5.7	6.3	6.0	6.0	6.7	7.0	8.0	7.3	7.0	6.3	6.9
BAR VV 9630	6.0	6.0	5.7	6.0	6.3	7.0	7.0	8.0	7.7	6.0	6.9
GAELIC (BD 98-1358)	6.3	6.7	5.7	6.3	6.7	6.7	7.3	8.0	7.3	6.0	6.9
BD 98-2108	6.7	5.7	6.0	6.0	7.0	6.7	7.0	7.0	7.7	7.0	6.9
BELISSIMO	6.0	7.3	6.0	6.3	6.3	7.0	7.3	7.3	7.3	6.3	6.9
BLUE NOTE (A01-349)	6.0	6.3	6.3	6.7	7.0	7.0	6.7	6.7	7.3	6.7	6.9
BLUEBERRY	7.3	6.0	5.7	6.3	7.3	7.0	6.0	7.0	7.7	6.7	6.9
H98-701	7.3	6.7	5.3	7.0	6.7	7.0	7.3	7.0	7.7	5.3	6.9
NUCHICAGO (J-1466)	7.7	5.7	6.0	5.7	7.0	7.3	7.7	6.7	7.7	6.0	6.9
MSP 3723	6.0	6.0	6.3	6.3	6.7	7.3	7.7	8.0	7.0	5.3	6.9
PSG 711	6.3	6.0	5.7	6.3	6.7	6.7	7.3	7.3	8.0	6.0	6.9
PST-101-73	6.7	6.0	5.3	6.0	7.0	7.7	7.0	7.7	7.0	5.7	6.9
PST-1A1-899	5.7	5.3	6.7	5.7	6.7	7.0	7.0	8.0	7.7	6.0	6.9
RAD-343	5.3	6.7	5.7	5.7	6.3	7.3	7.7	7.7	7.7	5.7	6.9
SHAMROCK	6.0	6.3	5.7	5.7	6.3	7.3	7.3	7.3	8.0	6.3	6.9
STR 2485	5.7	7.0	5.7	5.3	6.7	7.3	7.3	7.0	8.0	6.7	6.9
WASHINGTON	5.3	7.0	6.3	5.7	6.3	7.3	7.3	8.0	7.7	6.0	6.9
YANKEE (NA-3271)	6.0	5.7	5.7	6.0	6.7	7.7	6.7	7.0	7.7	6.7	6.9
1QG-38	7.3	6.7	6.3	6.3	6.7	7.3	6.7	7.3	7.3	6.0	6.8
A00-247	6.3	6.3	6.7	5.3	6.3	7.7	7.7	7.7	7.3	5.7	6.8
BAR VV 9634	5.7	6.3	5.3	6.0	7.0	7.0	6.3	7.3	7.7	6.0	6.8
CPP 821	6.0	6.7	6.7	6.3	6.7	7.3	6.3	7.7	7.7	5.3	6.8
JULIA	5.7	5.7	6.0	5.3	6.7	6.3	7.0	7.7	8.0	6.3	6.8
POPR 04594	6.0	6.7	5.7	5.7	6.7	7.3	7.7	7.0	7.3	6.0	6.8
RAD-762	5.3	5.7	5.7	5.7	6.7	6.7	7.7	6.7	8.0	6.3	6.8
SHIRAZ (LTP-73)	5.7	7.3	5.3	5.7	5.7	6.3	8.0	7.7	8.0	6.3	6.8
SKYE	5.7	5.7	5.3	5.7	6.0	7.3	7.3	7.7	7.3	6.0	6.8
SPTR 2959	5.7	7.0	5.3	5.7	6.0	7.0	7.0	7.7	8.0	6.0	6.8
STARBURST (STR 2703)	6.3	5.3	5.3	5.3	6.7	7.0	7.0	7.7	7.7	6.3	6.8
SW AG 514	7.0	5.3	5.3	5.0	7.3	8.0	6.3	7.7	7.0	6.3	6.8
VOLT (A98-999)	6.0	6.7	6.0	6.0	6.3	7.0	7.0	7.3	7.3	6.7	6.8
WILD HORSE (A97-890)	5.7	6.0	5.3	5.7	6.3	7.7	6.7	7.0	8.0	6.0	6.8
A00-1254	6.0	5.7	5.3	5.3	6.7	8.0	7.0	7.0	7.3	5.3	6.7
A98-689	5.7	5.3	5.7	5.3	6.3	7.3	7.0	7.7	7.3	5.7	6.7
ARIES (A98-948)	6.7	5.7	6.0	5.0	7.0	7.0	7.0	7.0	7.7	6.0	6.7

TABLE 11.
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
GROWN UNDER TRAFFIC STRESS AT MADISON, WI 1/ */
2007 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS							MEAN
				MAY	JUN	JUL	AUG	SEP	OCT	NOV	
BAR VV 0665	5.0	4.7	6.3	5.0	6.0	7.7	7.3	7.7	7.3	5.7	6.7
CP 76-9068	5.7	7.3	6.0	6.3	6.7	7.3	6.3	7.7	8.0	4.7	6.7
CPP 817	6.3	6.0	6.3	5.7	6.7	7.7	7.0	7.3	7.3	5.3	6.7
CPP 822	5.7	6.7	6.7	6.0	6.7	7.0	6.0	7.3	7.7	6.3	6.7
MSP 3724	6.3	6.7	6.0	6.0	6.3	6.7	7.3	7.3	7.0	6.0	6.7
PST-109-752	5.0	5.7	6.0	5.7	6.7	7.7	6.7	7.0	7.3	5.7	6.7
AVID	6.7	6.3	5.0	5.7	6.0	6.7	7.7	7.0	6.7	6.3	6.6
BAR VK 0710	5.7	5.7	5.7	5.3	6.3	7.3	6.3	7.0	8.0	6.0	6.6
BARIRIS	6.0	5.7	5.7	5.0	6.7	7.3	7.0	7.0	7.3	5.7	6.6
BARON	5.7	5.3	5.3	5.3	6.0	7.0	7.7	7.7	6.7	6.0	6.6
NA-3248	6.3	6.3	6.7	5.0	6.0	7.0	7.3	7.3	7.0	6.7	6.6
TOUCHE (STR 23180)	5.3	6.0	5.3	5.3	6.7	6.3	7.0	7.3	7.3	6.3	6.6
AMERICA	6.7	6.3	6.0	6.0	6.7	6.7	6.7	7.0	7.0	5.7	6.5
DLF 76-9075	5.7	5.7	6.3	5.0	6.3	7.0	7.0	7.7	7.0	5.3	6.5
H94-305	5.3	7.3	5.3	5.0	6.3	7.3	7.3	8.0	6.7	4.7	6.5
HARMONIE	6.0	5.7	6.3	5.7	6.7	7.0	6.0	7.3	7.7	5.3	6.5
BAR VV 0709	5.3	6.3	6.3	5.0	6.3	7.3	7.3	7.3	6.7	5.0	6.4
DP 76-9081	4.3	5.0	5.7	4.7	5.0	6.7	6.0	7.7	6.7	5.0	6.0
KENBLUE	4.3	6.0	6.7	4.3	5.3	6.3	6.3	7.3	7.7	5.0	6.0
REVEILLE	5.7	2.3	4.3	3.3	4.7	7.0	6.7	7.7	6.7	4.3	5.8
LSD VALUE	1.1	1.5	2.1	1.3	1.1	2.8	1.9	2.5	2.3	1.0	0.5
C.V. (%)	10.4	13.1	11.8	11.6	8.9	10.1	10.6	9.3	8.4	9.3	4.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

*/ THE SIMULATED TRAFFIC WAS APPLIED WITH A MODIFIED GOLF CART CONSTRUCTED TO APPROXIMATE THE WEIGHT AND PSI COMPACTION FROM ONE GOLF CART, TWO RIDERS AND THEIR GOLF CLUBS. TRAFFIC WAS APPLIED THREE TIMES WEEKLY, TWO PASSES EACH TIME, FROM MAY 1 THROUGH SEPTEMBER.

TABLE 12. PERCENT LIVING GROUND COVER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 GROWN UNDER TRAFFIC STRESS AT EAST LANSING, MI 1/ */
 2007 DATA
 PERCENT LIVING GROUND COVER IN SEASON: LOCATIONS 2/

NAME	PERCENT COVER SUMMER	PERCENT COVER FALL	NAME	PERCENT COVER SUMMER	PERCENT COVER FALL
BAR VV 0709	97.0	46.7	RUGBY II	97.0	8.3
BAR VV 9634	97.3	46.7	BEYOND	97.3	8.0
STR 2553	97.0	36.7	NA-3257	97.0	8.0
BAR VV 9630	97.3	35.0	NUGLADE	97.0	8.0
WASHINGTON	97.0	31.0	AURA (A99-2559)	97.0	7.7
POPR 04594	97.0	30.0	JULIA	97.0	7.7
RAD-504	97.3	30.0	MSP 3723	97.0	7.5
RAD-762	97.0	30.0	MOONLIGHT SLT (PST-101-390)	97.3	7.3
BELISSIMO	97.0	28.3	CPP 821	97.3	7.0
FUTURITY (A99-3119)	97.0	25.0	SOLAR ECLIPSE (J-2399)	97.0	7.0
SKYE	97.0	25.0	1QG-38	97.3	6.7
STR 2485	97.0	25.0	AVIATOR (NA-3259)	97.3	6.7
JULIET (BD 95-1930)	97.3	24.3	J-3429	97.3	6.7
BLUE NOTE (A01-349)	97.3	23.3	NU DESTINY	97.0	6.7
PSG 711	97.7	21.7	BARON	97.0	6.0
H98-701	97.3	21.0	AWARD	97.3	5.3
RAD-0AN64	97.0	20.3	BAR VV 8536	97.0	5.3
A00-247	97.3	20.0	EXCURSION	97.7	5.3
RAD-343	97.3	20.0	NUCHICAGO (J-1466)	97.3	5.3
ALEXA II (J-2404)	97.0	18.3	SUDDEN IMPACT (J-2870)	97.7	5.3
EMPIRE (A01-299)	97.3	17.7	SPTR 2959	97.0	5.3
AMERICA	97.0	17.7	SW AG 514	97.0	5.3
SHIRAZ (LTP-73)	97.0	17.0	WILD HORSE (A97-890)	97.3	5.3
TOUCHE (STR 23180)	97.0	16.7	AVID	97.0	4.7
BANDERA (SPTR 2LM95)	98.0	16.0	BARIRIS	97.0	4.7
MSP 3724	97.0	15.0	HAMPTON (BD 03-159)	97.3	4.7
BAR VK 0710	97.0	14.3	BLUESTONE	97.3	4.7
A00-1400	97.3	13.7	J-2502	97.3	4.7
DIVA	97.3	13.7	BD 03-84	97.0	4.3
PST-101-73	97.3	13.3	GAELIC (BD 98-1358)	97.3	4.3
BD 98-2108	97.3	12.7	4-SEASON (J-2791)	97.3	4.0
HARMONIE	97.0	11.7	ARGOS	97.0	3.7
YANKEE (NA-3271)	97.0	11.3	BARRISTER	97.0	3.7
RHAPSODY (A97-1287)	97.0	11.0	BD 99-2103	97.0	3.7
CPP 817	97.3	10.3	DLF 76-9075	97.7	3.7
NA-3248	97.3	10.3	GRANITE (J-1326)	97.3	3.7
ZINFANDEL (LTP 2949)	97.0	10.3	PST-1A1-899	97.0	3.7
ARIES (A98-948)	97.0	10.0	BEWITCHED	97.0	3.0
H94-305	97.0	9.3	CP 76-9068	97.0	3.0
MIDNIGHT	97.0	9.3	CPP 822	97.3	3.0
PSG 366	97.0	9.3	DP 76-9066	97.0	3.0
STARBURST (STR 2703)	97.3	9.3	DP 76-9081	97.3	3.0
MYSTERE	97.3	8.7	EVERGLADE	97.0	3.0
GLENMONT	97.0	8.3	J-2024	97.0	3.0
KENBLUE	97.3	8.3	PINOT (LTP-149)	97.0	3.0

TABLE 12. PERCENT LIVING GROUND COVER RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
(CONT'D) GROWN UNDER TRAFFIC STRESS AT EAST LANSING, MI 1/ */
2007 DATA

PERCENT LIVING GROUND COVER IN SEASON: LOCATIONS 2/

NAME	PERCENT COVER SUMMER	PERCENT COVER FALL
REVEILLE	97.0	3.0
A98-689	97.0	2.3
AKB449	97.3	2.3
BAR VV 0665	97.3	2.3
IMPACT	97.3	2.3
J-1334	97.0	2.3
PROSPERITY	97.3	2.3
PST-109-752	97.0	2.3
A95-410	97.0	2.0
ARROWHEAD (NA-3261)	97.7	2.0
A00-1254	97.0	1.7
VOLT (A98-999)	97.0	1.7
DYNAMO	97.0	1.0
MSP 3722	97.0	1.0
RHYTHM	97.3	1.0
SHAMROCK	97.0	1.0
BLUEBERRY	97.0	0.7
CORSAIR (NA-3249)	97.3	0.7
EVEREST	97.3	0.7
EMBLEM (PST-Y2K-169)	97.3	0.3
LSD VALUE	2.0	14.4
C.V. (%)	0.4	84.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

*/ TRAFFIC APPLIED WITH A BRINKMANN TRAFFIC SIMULATOR, TEN PASSES PER WEEK, STARTING 8/28/2007, ENDING 11/13/2007.

TABLE 13.

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
2007 DATA 1/

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	IA1	IN1	KY1	MA1	MD1	MI1	MN1	NC1	NE1	NJ2	NM1	PA1	TN1	UT1	VA1	WA1	WI1	WY1	MEAN
EMBLEM (PST-Y2K-169)	8.0	9.0	7.3	7.3	8.7	7.7	7.3	8.7	8.7	8.0	7.0	8.0	7.7	5.3	8.0	9.0	9.0	7.7	7.9
J-3429	8.7	8.0	7.7	7.7	9.0	7.0	7.7	9.0	7.7	8.7	6.7	9.0	6.7	4.7	7.7	9.0	8.7	7.7	7.8
BLUEBERRY	7.3	8.0	6.7	8.7	8.7	7.3	8.0	8.3	9.0	8.0	6.3	7.7	7.0	6.3	8.3	8.3	9.0	7.3	7.8
PROSPERITY	8.7	8.0	6.7	7.0	7.7	6.7	7.7	8.3	9.0	8.0	5.7	7.7	8.0	6.0	8.0	8.7	9.0	7.0	7.6
J-2502	8.3	7.0	7.3	7.3	8.7	6.3	8.0	8.3	8.3	7.0	5.0	8.7	7.3	6.7	8.0	8.7	8.3	8.0	7.6
J-2024	8.3	8.0	6.7	7.3	8.7	6.3	7.3	8.7	8.7	7.0	6.3	8.0	7.0	6.3	8.0	8.7	8.0	7.7	7.6
PINOT (LTP-149)	7.3	7.3	7.0	8.0	8.3	5.7	8.3	7.7	8.3	6.7	5.3	8.3	7.3	7.0	7.7	8.7	9.0	7.3	7.5
J-1334	8.0	7.0	7.0	7.7	9.0	6.3	6.7	8.3	8.7	6.7	7.0	7.7	6.3	7.0	8.0	8.0	8.0	7.7	7.5
RHYTHM	7.7	7.3	7.0	7.0	9.0	6.7	7.3	9.0	8.7	7.3	5.3	7.7	7.0	7.0	7.7	8.3	8.0	7.0	7.5
NU DESTINY	8.3	6.7	7.3	7.7	8.3	7.3	6.7	8.0	8.3	7.7	5.7	8.3	6.7	5.7	7.7	8.3	8.3	7.7	7.5
EVEREST	8.3	7.7	7.0	7.0	8.7	7.0	6.7	8.0	7.7	7.3	6.7	8.0	7.3	6.3	7.3	8.3	8.3	7.0	7.5
SOLAR ECLIPSE (J-2399)	8.3	7.7	7.0	7.3	8.7	7.0	6.3	8.0	8.7	7.0	6.3	7.7	7.0	6.0	8.0	8.3	7.7	7.3	7.5
GRANITE (J-1326)	8.3	7.7	7.7	6.7	8.7	6.0	7.3	8.0	8.7	6.3	6.0	7.7	6.7	6.7	7.7	8.7	7.7	7.3	7.4
MOONLIGHT SLT (PST-101-390)	8.7	7.3	6.7	7.7	9.0	7.0	6.7	8.0	7.7	6.7	6.3	7.7	6.7	5.7	7.7	8.0	8.7	7.7	7.4
IMPACT	8.0	7.7	7.0	7.0	8.7	6.7	6.7	8.0	9.0	7.0	5.7	7.7	6.7	6.7	8.0	8.3	8.3	6.7	7.4
EVERGLADE	8.0	7.0	6.7	7.3	8.7	6.7	5.0	8.0	8.7	7.7	6.3	8.3	6.7	7.0	7.7	8.3	8.0	7.3	7.4
BD 99-2103	8.0	8.0	7.3	7.7	8.0	5.7	5.7	7.7	8.3	7.7	6.0	7.7	7.0	6.7	8.0	8.3	7.7	7.7	7.4
BEWITCHED	8.3	8.0	7.3	7.3	8.0	7.7	6.7	8.3	8.7	6.0	4.7	7.0	7.0	5.7	7.7	8.7	8.3	7.7	7.4
EXCURSION	7.7	7.7	7.0	7.3	9.0	6.3	6.7	7.3	8.3	6.3	6.3	8.0	6.7	6.3	8.0	8.7	8.0	7.3	7.4
BEYOND	7.3	8.0	7.0	7.0	8.3	7.0	6.0	8.0	9.0	6.7	6.0	8.3	7.0	6.3	7.7	8.0	7.3	7.7	7.4
MIDNIGHT	7.7	7.0	6.7	6.7	8.7	5.7	6.3	8.3	8.7	6.3	6.7	8.0	6.7	6.3	8.3	8.0	9.0	7.7	7.4
SUDDEN IMPACT (J-2870)	8.3	7.7	6.3	7.0	8.3	7.0	6.3	8.7	8.0	6.3	6.7	8.0	6.3	6.7	7.7	8.3	8.0	7.0	7.4
A00-1400	8.3	7.3	7.3	7.7	9.0	6.3	5.3	7.7	8.7	6.3	6.3	7.3	6.7	5.7	7.7	8.3	8.7	7.7	7.4
NUGLADE	8.0	6.7	6.7	7.3	8.7	6.0	6.0	8.3	9.0	7.0	6.3	7.3	6.3	6.7	7.7	8.7	7.7	7.3	7.3
AWARD	8.0	7.0	6.3	7.0	9.0	6.0	7.0	8.3	9.0	7.0	5.7	7.0	6.7	6.3	7.0	8.7	7.7	7.7	7.3
NUCHICAGO (J-1466)	8.0	6.3	7.0	7.3	8.7	5.3	6.7	8.3	8.7	6.7	5.3	8.0	5.7	6.0	7.7	8.7	8.7	7.7	7.3
ALEXA II (J-2404)	8.0	7.0	6.3	7.0	8.7	6.0	5.7	8.0	8.3	6.7	6.3	8.3	6.7	6.3	7.7	8.3	7.0	7.3	7.2
BLUESTONE	7.3	7.0	6.7	7.0	8.3	5.3	5.3	8.0	8.0	6.3	6.7	7.0	6.7	6.7	8.0	8.7	8.3	7.7	7.2
BARRISTER	7.7	7.3	7.0	7.0	8.3	5.7	6.0	8.0	8.3	7.7	5.7	7.0	6.3	6.0	7.7	8.7	7.7	7.0	7.2
CORSAIR (NA-3249)	7.3	6.3	6.3	7.0	8.0	6.3	8.0	8.0	7.3	6.0	5.3	9.0	7.0	5.0	7.3	8.3	8.3	7.3	7.1
ZINFANDEL (LTP 2949)	7.3	7.0	7.0	7.3	8.3	7.0	5.7	8.0	7.7	8.0	5.7	7.0	6.7	5.3	7.3	8.3	7.0	7.7	7.1
4-SEASON (J-2791)	7.7	7.0	6.0	7.3	7.0	5.7	5.3	8.7	8.0	6.7	6.0	8.0	7.0	6.0	7.7	8.7	7.7	7.3	7.1
AKB449	8.0	6.7	6.3	7.0	8.7	5.0	5.3	7.0	7.0	6.0	6.3	8.0	7.3	6.0	8.0	8.3	8.3	7.0	7.0
AVID	7.3	8.0	6.0	7.0	8.0	6.3	4.3	7.7	9.0	4.7	6.7	7.7	6.7	6.0	8.0	8.3	7.3	6.7	7.0
HAMPTON (BD 03-159)	7.3	6.7	7.0	6.7	7.7	7.3	6.0	7.3	8.3	5.0	5.3	7.7	6.7	6.3	7.3	8.7	7.0	6.7	6.9
RAD-504	7.0	6.7	7.0	7.0	8.0	6.3	4.7	7.0	7.0	7.0	7.3	7.3	7.0	5.0	6.7	8.0	7.0	6.7	6.8
EMPIRE (A01-299)	7.3	6.7	7.3	6.3	8.0	6.7	5.0	7.0	7.3	5.3	6.0	7.0	7.0	5.3	8.0	8.0	7.3	7.0	6.8
AVIATOR (NA-3259)	7.7	5.7	7.0	7.3	7.3	6.7	5.3	7.0	6.7	6.3	6.0	7.0	6.7	4.7	7.3	8.7	7.3	7.7	6.8
YANKEE (NA-3271)	7.0	6.7	7.0	7.0	7.7	6.0	5.3	8.0	7.0	7.0	5.0	8.3	6.7	5.3	7.7	7.3	7.3	6.0	6.8
DP 76-9066	7.0	7.0	6.7	6.3	7.7	.	5.3	7.7	7.3	5.7	6.7	7.3	6.3	5.3	7.0	7.7	5.7	6.3	6.6
ARGOS	6.3	7.3	6.7	6.3	8.0	5.3	4.3	8.7	7.3	5.7	4.7	7.0	7.3	5.3	7.0	8.3	7.0	6.0	6.6
ARROWHEAD (NA-3261)	7.0	7.0	6.3	6.7	8.0	5.7	4.7	7.0	7.3	6.7	5.0	6.3	7.7	5.0	8.0	7.3	7.0	6.0	6.6
A95-410	7.0	7.3	6.7	6.3	6.7	7.0	4.7	8.3	7.3	5.0	5.0	7.0	6.0	4.7	7.3	7.7	7.0	7.0	6.6
DYNAMO	7.3	7.0	6.0	6.0	7.7	5.3	4.7	7.7	7.0	5.3	7.0	6.3	6.3	5.3	7.3	7.7	6.3	7.3	6.5
BD 03-84	7.0	6.3	6.0	6.7	8.3	6.3	4.3	7.0	7.3	6.3	6.0	5.7	6.7	6.3	7.0	7.7	5.7	6.7	6.5
PST-1A1-899	6.7	7.0	6.0	6.7	7.3	5.3	4.7	7.7	.	6.0	6.0	6.7	7.0	4.7	7.3	8.3	7.3	5.7	6.5

TABLE 13. (CONT'D)

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
2007 DATA 1/

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	IA1	IN1	KY1	MA1	MD1	MI1	MN1	NC1	NE1	NJ2	NM1	PA1	TN1	UT1	VA1	WA1	WI1	WY1	MEAN
PSG 366	6.3	6.7	7.0	6.3	8.0	5.0	4.0	7.7	7.3	6.3	5.0	6.7	6.7	5.3	6.3	7.3	6.7	7.0	6.4
SHIRAZ (LTP-73)	7.0	7.3	6.0	6.7	7.3	5.3	5.0	7.7	6.7	5.3	5.3	6.3	6.3	6.3	7.3	7.7	6.0	5.7	6.4
SKYE	7.0	6.7	6.0	6.7	8.0	4.7	4.3	7.3	6.7	5.7	7.0	7.7	6.0	4.7	7.7	6.7	6.7	5.7	6.4
NA-3257	6.0	6.3	6.3	7.3	8.7	6.7	4.0	6.3	7.0	6.7	5.3	6.7	6.3	4.7	6.7	7.3	6.3	6.3	6.4
MYSTERE	6.7	5.7	6.3	6.3	8.0	4.7	6.0	7.3	6.7	5.7	6.3	6.7	5.7	5.0	7.0	8.0	7.3	5.3	6.4
PST-109-752	7.0	6.3	6.3	6.0	6.0	6.7	5.7	7.3	7.0	5.7	6.0	6.3	6.0	5.0	7.0	7.3	8.0	5.0	6.4
RHAPSODY (A97-1287)	6.7	7.0	6.0	6.3	8.0	6.7	4.3	7.3	7.3	5.3	6.0	5.0	6.3	5.3	7.3	7.3	6.3	6.0	6.4
A00-1254	7.3	6.7	4.7	6.3	6.7	5.7	6.3	5.0	6.0	6.0	5.0	6.7	6.0	5.3	7.0	8.3	8.3	6.0	6.3
RUGBY II	6.3	5.3	6.7	6.3	7.7	6.7	4.0	6.3	7.0	5.7	6.0	5.7	6.3	5.7	7.0	7.3	6.3	7.0	6.3
GLENMONT	7.7	7.0	6.7	6.3	7.0	6.7	4.3	6.3	7.7	3.0	5.7	5.7	6.0	4.3	7.7	7.7	6.3	7.0	6.3
SW AG 514	6.3	6.7	6.7	5.7	7.7	4.3	4.3	7.7	7.7	5.3	6.7	5.0	6.7	4.7	7.0	7.3	6.3	7.0	6.3
MSP 3722	7.0	6.3	6.3	6.7	7.3	5.7	4.0	6.3	6.7	5.7	5.3	6.0	5.7	5.7	7.0	7.0	7.0	6.7	6.2
BD 98-2108	6.3	7.3	7.0	6.3	8.0	3.7	4.3	8.0	6.3	5.0	5.0	5.7	6.3	4.3	7.3	7.7	6.3	6.7	6.2
DIVA	6.7	7.7	6.0	6.3	8.0	4.3	2.7	6.3	6.7	4.7	6.0	6.7	6.7	5.0	7.0	7.7	6.0	6.7	6.2
FUTURITY (A99-3119)	6.3	6.0	6.3	5.7	7.7	5.7	4.3	6.0	7.0	4.3	6.0	4.7	6.0	5.7	6.7	8.0	6.0	7.0	6.1
JULIA	6.0	6.0	6.7	5.3	7.3	6.3	4.3	7.0	7.0	5.3	5.3	5.3	7.0	5.3	7.0	6.7	5.3	5.7	6.1
RAD-OAN64	6.7	5.3	6.0	6.7	7.0	4.7	4.7	7.0	6.0	5.7	5.3	5.7	6.0	5.7	6.7	8.0	5.7	6.0	6.0
BLUE NOTE (A01-349)	6.3	7.0	6.7	6.7	8.3	5.7	3.7	6.3	6.3	5.3	5.0	5.3	6.0	4.7	7.3	6.7	5.3	6.0	6.0
AURA (A99-2559)	6.7	7.0	6.0	5.3	7.7	4.7	4.0	7.7	5.7	5.0	6.0	5.3	5.3	5.0	6.7	7.7	7.0	5.7	6.0
BARON	7.0	6.0	5.3	5.3	7.3	6.3	3.7	6.3	6.3	4.0	5.3	5.0	7.7	5.0	7.0	7.7	6.7	5.7	6.0
AMERICA	7.0	5.7	6.0	6.0	7.3	5.0	4.7	6.3	6.0	3.3	5.7	5.3	6.0	6.3	7.0	7.7	5.7	6.7	6.0
BELISSIMO	6.7	6.3	6.0	6.0	7.0	4.3	5.7	6.7	7.0	3.3	5.7	4.0	6.0	6.0	7.3	8.0	5.7	6.0	6.0
BANDERA (SPTR 2LM95)	7.3	6.0	5.3	5.3	7.3	6.3	4.0	6.3	6.7	4.0	6.0	3.7	6.0	6.0	7.0	7.0	7.3	6.0	6.0
1QG-38	6.7	6.0	6.7	6.0	6.7	4.0	5.0	6.0	7.0	3.0	5.7	4.7	5.7	5.0	7.0	8.0	6.7	7.3	5.9
A00-247	7.0	6.7	6.0	6.0	7.0	4.0	4.3	6.3	6.7	3.7	5.3	5.0	6.0	5.7	7.3	8.0	5.7	6.3	5.9
H98-701	7.0	5.3	6.3	5.7	7.0	5.7	4.7	6.3	6.3	3.0	5.7	4.3	5.7	5.7	7.3	8.0	5.7	7.3	5.9
STR 2553	6.3	6.3	6.0	6.0	7.3	3.7	5.3	7.0	6.7	3.3	5.0	4.3	6.3	4.7	7.0	7.7	6.7	7.0	5.9
PSG 711	6.7	6.3	6.0	6.0	7.3	5.3	4.3	6.7	6.0	3.0	5.3	4.7	6.0	5.3	6.7	8.0	6.3	6.3	5.9
CPP 817	6.7	5.0	7.3	6.7	7.0	6.0	2.7	6.3	6.7	4.7	5.7	5.0	6.0	4.7	7.0	7.0	4.7	6.3	5.9
BAR VV 8536	6.7	5.0	5.3	5.3	7.0	6.0	3.3	5.3	6.0	5.0	5.7	5.3	6.7	5.7	6.7	7.3	6.0	5.7	5.8
BAR VV 0665	6.7	5.3	5.7	6.3	6.7	6.0	6.0	6.7	5.7	3.0	5.3	5.3	6.7	4.3	6.7	6.7	5.7	5.0	5.8
PST-101-73	6.7	7.0	6.0	5.7	7.0	3.7	4.3	5.7	6.7	4.0	5.0	4.7	5.7	5.7	7.0	7.0	5.3	6.7	5.8
SHAMROCK	6.0	5.7	6.7	6.3	7.7	4.7	3.0	7.0	6.0	4.7	5.3	6.3	6.7	4.0	6.7	6.0	5.0	6.0	5.8
SPTR 2959	6.3	6.3	6.3	5.7	7.3	6.3	3.0	6.0	6.0	4.7	6.3	6.0	6.0	3.7	6.7	6.3	4.7	5.7	5.7
NA-3248	6.0	6.7	6.0	5.3	8.0	4.0	3.7	6.7	6.0	4.3	6.0	6.3	6.0	4.3	6.7	6.3	4.7	6.3	5.7
STARBURST (STR 2703)	6.3	6.7	6.0	6.0	7.7	3.3	4.3	7.3	7.0	3.0	6.0	3.7	5.3	4.7	6.3	7.0	6.0	6.3	5.7
CP 76-9068	6.0	6.0	6.0	5.7	6.3	6.3	4.0	7.7	6.3	3.7	4.7	5.0	5.3	5.3	6.7	7.0	5.3	5.7	5.7
MSP 3724	7.0	5.3	5.7	5.7	7.3	4.7	4.0	5.7	6.7	2.7	4.7	5.3	6.0	5.0	7.0	7.7	5.3	6.3	5.7
BARIRIS	6.0	5.3	6.7	6.0	6.7	4.7	3.3	7.0	6.7	4.3	5.0	5.3	6.3	4.7	5.3	6.0	6.3	6.0	5.6
CPP 822	6.0	6.0	5.7	5.0	7.3	5.3	3.3	6.7	6.7	4.3	4.3	5.3	6.3	5.3	6.7	7.0	4.3	5.7	5.6
MSP 3723	7.3	5.7	5.7	5.7	7.0	3.3	3.7	5.7	6.3	3.3	5.3	4.7	5.7	5.7	7.0	8.0	5.3	6.0	5.6
VOLT (A98-999)	6.0	4.7	6.3	5.7	7.3	3.7	3.3	7.0	5.3	6.3	5.0	6.0	6.0	3.7	6.3	7.0	5.7	6.0	5.6
ARIES (A98-948)	6.0	6.3	6.3	5.7	7.7	4.3	2.7	6.3	6.3	4.3	5.0	6.0	5.7	3.7	6.0	6.3	5.3	6.7	5.6
WILD HORSE (A97-890)	6.3	6.0	6.3	5.7	7.0	4.3	3.0	6.7	6.0	4.3	5.0	5.0	6.7	4.0	6.7	6.3	5.0	5.7	5.6
CPP 821	5.7	6.3	6.0	5.3	7.0	4.3	3.7	6.7	6.3	4.0	5.0	4.7	6.0	5.3	6.0	6.7	4.3	6.0	5.5
GAELIC (BD 98-1358)	6.0	6.0	6.0	5.7	7.0	5.3	3.3	6.0	5.3	4.3	5.0	5.3	5.3	4.0	7.0	6.0	5.0	6.3	5.5
HARMONIE	6.0	5.0	6.3	4.7	6.7	5.0	3.3	7.0	6.0	4.0	5.0	5.0	6.0	4.7	5.0	6.3	5.3	6.0	5.4

TABLE 13. (CONT'D)

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
2007 DATA 1/

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	IA1	IN1	KY1	MA1	MD1	MI1	MN1	NC1	NE1	NJ2	NM1	PA1	TN1	UT1	VA1	WA1	WI1	WY1	MEAN
BAR VV 9630	6.0	4.0	6.0	5.7	6.7	4.0	2.7	6.0	5.7	5.0	5.0	4.7	5.3	4.7	6.7	6.3	5.0	6.0	5.3
STR 2485	5.7	5.7	5.3	6.0	7.0	4.7	4.0	5.7	6.3	5.0	5.0	4.3	4.3	3.7	6.0	6.3	4.0	5.7	5.3
TOUCHE (STR 23180)	6.0	5.3	6.0	6.0	7.3	4.3	2.7	7.0	6.3	3.7	5.0	4.0	4.7	3.0	6.0	6.7	4.3	5.3	5.2
BAR VK 0710	6.0	4.3	5.3	4.7	7.3	5.3	2.7	5.0	6.3	1.7	5.0	5.0	5.7	4.7	6.0	7.0	5.7	5.7	5.2
BAR VV 9634	5.7	4.3	5.7	5.3	7.0	5.0	2.0	6.3	5.0	4.7	5.3	4.0	5.7	4.0	6.7	6.7	4.0	5.7	5.2
REVEILLE	6.3	5.3	6.7	5.7	7.0	2.7	1.0	5.7	4.3	4.3	5.3	6.7	3.7	3.3	5.3	6.7	7.3	5.7	5.2
WASHINGTON	5.3	5.3	6.0	5.3	7.0	4.7	4.0	5.7	6.3	2.7	4.7	4.0	6.0	4.0	4.7	6.7	5.0	5.3	5.1
A98-689	6.0	4.7	5.3	5.0	7.7	5.3	1.3	5.3	5.7	2.7	5.0	4.3	6.0	4.7	6.7	5.7	4.7	5.7	5.1
POPR 04594	5.7	5.0	5.3	5.7	7.7	4.3	2.7	5.7	6.3	3.7	4.7	3.7	4.3	4.3	6.3	6.3	4.0	6.0	5.1
RAD-343	6.0	5.0	5.0	5.3	7.3	4.7	2.7	5.7	5.7	4.3	5.0	5.0	4.0	4.0	6.0	6.3	4.0	5.3	5.1
DLF 76-9075	6.3	5.7	5.3	5.0	6.3	5.7	2.7	5.7	6.7	2.3	4.7	2.7	5.0	4.7	5.7	6.3	4.7	5.7	5.1
JULIET (BD 95-1930)	6.0	5.3	4.7	5.3	7.3	3.3	2.7	5.7	5.7	4.3	4.3	3.7	4.7	3.3	6.0	6.3	4.7	6.3	5.0
RAD-762	5.7	5.0	5.0	5.0	7.0	3.7	3.0	5.3	5.3	4.0	4.7	4.7	5.0	4.0	5.3	6.3	4.3	5.3	4.9
H94-305	6.3	4.7	4.7	4.7	6.7	4.0	3.0	6.0	6.7	1.3	5.0	3.0	5.0	4.0	5.7	6.7	5.7	5.3	4.9
KENBLUE	5.3	4.3	6.0	4.7	7.3	3.7	4.0	5.3	4.7	1.7	5.3	3.7	4.0	3.7	6.3	6.0	5.7	4.3	4.8
DP 76-9081	6.0	5.7	4.3	4.3	4.3	2.7	3.3	5.7	5.7	1.0	5.7	2.0	4.7	3.7	6.0	7.0	6.0	4.3	4.6
BAR VV 0709	5.3	4.7	5.0	4.7	7.0	3.7	2.7	4.7	.	2.3	4.7	3.0	3.7	4.0	6.0	6.0	4.3	5.3	4.5
LSD VALUE	1.1	1.2	0.9	0.9	0.8	2.1	1.4	1.3	1.1	1.6	1.2	1.3	1.1	1.4	0.9	1.1	1.1	1.3	0.3
C.V. (%)	9.9	11.1	9.1	9.3	6.4	23.5	17.8	11.8	9.8	18.9	12.8	13.5	11.1	16.2	8.1	8.9	10.9	12.7	12.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14.

 SPRING GREENUP RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 2007 DATA 1/

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	IA1	IL1	IN1	KY1	MA1	MD1	MI1	MN1	NC1	NE1	NJ2	NY1	OK1	PA1	UT1	WA1	WI1	WY1	MEAN
MYSTERE	8.3	5.7	7.0	8.7	5.3	5.3	4.7	8.0	7.7	8.3	7.3	4.3	4.0	8.0	5.3	5.3	5.3	6.0	6.4
WASHINGTON	6.7	6.0	6.0	7.7	5.7	5.3	4.0	8.3	5.7	8.7	5.7	3.7	3.7	7.3	4.3	7.0	7.3	7.0	6.1
AURA (A99-2559)	7.0	6.0	6.7	7.7	5.0	5.7	5.3	8.3	5.7	8.0	6.3	3.7	4.3	7.3	5.0	5.0	6.7	5.7	6.1
BD 98-2108	6.3	7.0	7.0	8.0	5.7	6.0	4.7	7.7	7.3	7.0	6.0	4.0	4.7	6.7	4.7	5.0	6.0	5.7	6.1
JULIET (BD 95-1930)	6.3	5.3	6.3	7.0	5.3	6.0	4.0	8.0	4.7	8.0	7.7	5.3	3.7	6.3	3.3	5.7	7.0	7.0	5.9
VOLT (A98-999)	7.0	6.0	5.7	7.7	5.3	5.0	5.3	6.3	6.0	6.7	6.0	4.3	5.3	6.7	4.7	5.3	6.3	6.7	5.9
NA-3248	6.0	5.3	7.0	8.3	5.0	5.7	4.0	6.7	4.7	8.0	7.0	4.7	4.3	6.3	5.7	5.0	6.3	6.3	5.9
STARBURST (STR 2703)	7.0	5.7	6.3	5.7	5.0	5.3	4.7	8.0	5.0	7.0	7.7	5.3	4.3	6.3	5.0	5.3	7.3	5.3	5.9
RHAPSODY (A97-1287)	6.7	5.0	6.3	6.3	5.0	5.7	6.3	6.7	7.3	7.7	6.3	4.7	4.7	6.0	4.7	4.3	5.0	6.7	5.9
H94-305	7.0	6.0	6.7	6.7	4.7	6.7	4.0	7.3	6.0	6.7	6.3	4.3	4.3	5.3	4.3	6.0	5.7	7.3	5.9
BD 03-84	5.7	5.3	5.7	8.3	5.0	6.7	7.0	6.0	7.0	7.0	6.3	4.7	4.3	5.3	3.0	5.0	6.3	6.3	5.8
HAMPTON (BD 03-159)	6.3	5.0	6.7	8.0	5.7	5.7	7.0	6.3	5.7	5.7	6.0	3.3	5.3	5.3	4.7	5.7	5.0	7.0	5.8
SHIRAZ (LTP-73)	6.7	6.3	5.0	6.7	5.3	5.7	5.3	7.0	6.3	5.7	6.3	5.3	4.3	4.0	5.7	4.3	6.7	7.3	5.8
ARGOS	6.3	6.0	5.7	6.7	5.3	6.3	6.3	5.7	7.3	5.7	5.3	3.7	5.3	5.7	5.7	5.0	4.7	7.0	5.8
CORSAIR (NA-3249)	6.7	5.0	6.7	6.7	4.7	5.7	6.0	5.7	7.3	6.7	5.3	4.7	4.7	6.7	4.0	4.0	7.7	5.7	5.8
SHAMROCK	5.7	5.3	5.3	6.7	5.7	5.7	6.3	8.0	5.3	7.0	6.0	4.7	5.3	5.7	3.7	5.3	5.7	6.3	5.8
STR 2485	5.3	6.0	5.7	7.3	5.0	6.3	4.0	7.7	4.7	8.0	7.0	4.3	3.3	5.7	2.7	7.0	6.7	7.0	5.8
RAD-343	7.3	7.0	5.3	6.7	5.0	5.3	4.0	8.3	4.0	7.0	6.7	3.7	4.3	6.0	3.0	5.7	7.0	6.7	5.7
PST-109-752	6.0	4.7	6.0	8.3	5.0	4.7	6.7	7.3	6.7	6.7	7.3	4.3	5.0	5.3	3.0	4.7	5.7	5.7	5.7
RAD-762	6.0	6.0	5.3	7.0	5.0	5.3	4.0	8.3	5.3	8.0	6.0	4.7	3.7	6.7	3.7	5.3	6.7	5.7	5.7
POPR 04594	7.0	6.3	6.3	6.3	5.0	5.3	4.0	6.7	4.7	7.3	6.7	3.3	4.0	5.7	3.3	6.3	6.7	6.7	5.6
TOUCHE (STR 23180)	6.3	5.7	6.3	7.3	5.0	5.3	4.0	8.0	4.3	7.3	5.7	5.0	3.7	6.0	2.7	5.7	7.0	6.0	5.6
PST-1A1-899	6.3	5.3	6.0	6.7	4.0	6.7	6.3	7.3	5.3	.	6.3	3.7	3.3	5.7	4.0	6.0	7.0	5.3	5.6
DP 76-9081	6.7	6.0	6.7	5.7	4.7	5.3	4.0	6.0	5.0	7.0	7.0	4.3	3.7	7.0	2.7	6.0	7.7	5.0	5.6
WILD HORSE (A97-890)	6.3	5.0	5.3	6.0	5.0	6.3	6.0	6.7	5.0	7.3	5.7	5.0	5.3	6.0	3.0	4.7	5.7	6.0	5.6
ARIES (A98-948)	6.0	6.0	4.7	6.0	5.0	6.7	6.0	7.7	5.7	8.3	5.7	3.7	4.7	6.0	3.0	4.0	5.3	5.7	5.6
A00-1254	7.0	5.0	7.0	7.7	4.7	6.0	5.3	5.7	5.0	7.0	5.0	4.3	4.3	6.3	3.7	5.3	5.0	5.7	5.6
RAD-OAN64	6.3	4.7	5.3	6.7	5.0	5.7	6.0	5.3	7.0	7.7	5.3	4.7	5.0	5.3	3.7	5.3	4.7	6.3	5.6
ARROWHEAD (NA-3261)	7.3	4.3	4.7	5.0	3.7	5.0	6.7	7.0	7.3	7.0	5.7	4.0	5.0	6.7	3.3	4.0	5.7	7.0	5.5
GAELIC (BD 98-1358)	5.7	6.7	4.7	6.3	5.0	6.3	6.0	8.0	5.7	6.0	6.3	3.7	5.0	4.0	3.7	4.7	4.7	6.7	5.5
BAR VV 0709	6.3	6.3	7.0	4.0	4.3	4.7	4.7	8.0	3.7	.	7.0	3.3	3.0	6.7	4.0	5.7	7.3	6.3	5.4
BLUE NOTE (A01-349)	6.0	5.0	5.0	7.3	4.0	5.3	5.3	6.3	4.7	7.0	5.7	5.3	5.3	6.3	3.0	4.0	5.7	6.3	5.4
PSG 366	5.7	5.3	5.3	6.0	6.0	6.0	4.7	5.3	6.3	7.0	6.0	3.7	4.3	5.7	4.0	4.7	5.3	5.7	5.4
DLF 76-9075	5.3	6.0	4.7	5.3	4.3	6.7	4.7	7.0	4.3	8.0	7.0	4.7	3.7	6.0	3.7	3.7	6.0	5.7	5.4
KENBLUE	6.0	6.0	5.0	5.0	1.7	4.7	4.0	7.7	3.3	8.0	7.7	4.0	4.0	7.0	3.7	6.0	7.0	6.0	5.4
PINOT (LTP-149)	5.7	5.0	7.7	8.3	4.7	5.0	6.3	4.3	7.7	7.0	5.3	4.3	5.0	3.3	3.7	3.3	3.0	7.0	5.4
SKYE	6.7	4.7	5.0	7.0	4.0	6.3	4.0	7.7	6.7	6.0	6.0	3.0	4.7	6.3	2.7	3.7	6.0	5.7	5.3
SPTR 2959	5.0	5.7	5.0	6.3	4.0	6.3	6.0	6.3	5.7	6.7	5.3	4.3	4.3	4.3	3.0	5.3	4.7	7.0	5.3
GLENMONT	6.3	4.0	5.7	9.0	5.3	4.3	5.3	5.3	6.0	5.0	6.3	5.3	5.0	4.0	4.0	5.0	2.7	6.3	5.3
CPP 817	5.7	4.7	4.3	5.0	3.0	7.0	6.0	6.0	3.7	8.0	6.3	3.7	3.7	7.0	3.0	5.0	6.3	6.0	5.2
DIVA	6.0	5.3	5.3	8.3	4.3	6.3	4.7	5.7	6.3	7.0	4.7	3.3	3.7	5.0	3.7	3.7	4.0	6.7	5.2
NA-3257	3.3	4.7	5.3	9.0	4.3	6.0	7.0	4.7	4.7	6.7	5.3	4.7	4.7	5.3	3.0	4.0	3.7	7.3	5.2
JULIA	6.7	5.0	4.0	8.0	3.7	5.7	5.3	6.3	5.7	7.7	5.0	4.0	3.7	4.3	3.3	4.3	5.0	5.7	5.2
BAR VK 0710	4.7	5.3	5.7	7.7	4.3	5.3	5.0	6.7	5.3	6.7	3.0	5.3	4.0	3.7	4.0	5.3	5.0	5.7	5.1
4-SEASON (J-2791)	4.3	4.3	5.0	6.0	5.3	4.3	6.7	5.3	7.3	5.3	4.7	5.0	4.3	3.7	3.7	4.3	4.7	7.0	5.1
AVIATOR (NA-3259)	5.7	4.7	5.7	5.0	4.0	6.0	6.7	5.0	5.3	6.7	5.3	4.0	4.0	5.3	3.7	3.7	4.7	5.7	5.1

TABLE 14. (CONT'D)

 SPRING GREENUP RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 2007 DATA 1/

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	IA1	IL1	IN1	KY1	MA1	MD1	MI1	MN1	NC1	NE1	NJ2	NY1	OK1	PA1	UT1	WA1	WI1	WY1	MEAN
BLUEBERRY	5.3	4.3	4.7	6.7	4.0	5.7	7.0	5.3	7.3	6.0	3.7	5.3	4.3	4.3	4.0	3.0	4.0	6.0	5.1
CPP 822	5.0	4.0	5.0	6.3	4.3	5.7	6.0	4.3	4.3	7.3	5.3	3.7	2.7	4.0	4.3	5.7	6.3	6.7	5.1
BARIRIS	5.3	4.7	6.0	6.3	4.3	5.0	4.7	6.3	5.0	6.0	4.7	4.7	4.0	4.0	3.7	5.3	5.0	5.7	5.0
FUTURITY (A99-3119)	6.7	5.7	4.3	8.0	3.7	4.7	5.7	3.3	7.0	6.0	4.7	4.3	3.7	5.0	4.3	5.0	2.7	6.0	5.0
RAD-504	6.3	5.7	4.0	6.0	4.3	5.3	6.3	6.3	5.3	6.0	4.0	3.7	4.0	6.0	3.0	4.0	5.0	5.3	5.0
PROSPERITY	6.0	4.3	5.7	7.3	3.7	5.3	7.0	5.0	8.0	5.0	4.7	4.3	5.3	3.3	2.7	3.7	3.3	6.0	5.0
AMERICA	6.3	4.3	6.7	8.0	4.0	5.0	6.0	4.0	6.0	5.3	4.3	4.0	3.3	4.0	5.3	4.3	3.3	6.3	5.0
DP 76-9066	4.0	3.7	4.3	6.3	4.7	4.7	.	5.3	6.3	6.7	3.3	6.0	5.0	5.0	3.3	5.3	5.0	6.0	5.0
MSP 3724	6.3	4.7	5.0	8.0	4.3	5.7	4.0	4.3	7.0	5.0	5.3	4.7	3.3	5.0	4.3	4.0	2.3	6.7	5.0
CPP 821	4.3	3.7	5.0	6.0	4.0	5.3	4.7	5.7	5.0	8.0	5.3	4.7	3.7	4.3	3.3	5.3	5.0	6.7	5.0
CP 76-9068	4.3	4.0	6.0	6.0	3.7	5.0	6.0	5.0	5.3	8.0	4.7	3.7	3.0	3.3	3.3	5.3	5.7	7.3	5.0
ZINFANDEL (LTP 2949)	4.7	6.7	5.0	7.0	5.7	5.3	6.0	4.7	6.7	5.7	3.0	4.3	4.0	3.3	4.7	3.3	3.7	5.7	5.0
EMPIRE (A01-299)	4.7	5.0	5.3	8.3	5.0	4.3	6.3	4.7	7.3	6.3	3.0	4.0	3.7	3.7	3.3	4.0	3.0	6.7	4.9
BAR VV 0665	5.7	5.3	5.3	5.3	5.0	4.3	5.7	5.3	4.3	6.7	5.3	4.0	3.7	4.7	3.0	4.3	6.0	4.7	4.9
1QG-38	6.7	5.3	4.3	7.7	4.0	5.0	4.7	4.3	6.3	5.0	3.7	4.7	3.0	4.3	5.0	4.7	3.0	6.7	4.9
A00-1400	6.3	5.0	5.0	7.0	4.7	5.0	6.7	4.3	7.0	6.3	1.7	3.3	5.0	3.7	3.7	3.7	3.7	6.0	4.9
A98-689	6.0	4.0	4.0	6.0	4.7	6.3	6.0	6.0	5.3	6.3	5.0	4.7	3.7	3.3	3.3	4.0	4.0	5.3	4.9
STR 2553	5.7	4.7	4.7	8.7	4.0	6.0	5.3	3.7	6.0	4.3	4.0	4.0	4.3	3.3	4.7	4.0	3.3	7.3	4.9
BAR VV 8536	6.3	5.0	5.3	4.7	4.0	5.7	5.3	3.7	6.3	6.3	4.3	3.7	4.3	3.7	3.7	3.7	5.0	6.3	4.9
BAR VV 9630	5.7	5.0	5.7	6.0	5.0	5.0	4.0	5.7	3.7	6.7	3.7	4.0	3.3	4.7	4.0	5.0	4.3	6.0	4.9
A95-410	4.3	4.3	4.7	6.7	5.3	5.0	6.3	5.3	6.3	6.0	3.7	4.0	4.7	3.7	2.7	3.7	4.3	6.0	4.8
PSG 711	6.7	5.0	5.3	8.3	3.3	5.0	5.3	2.3	6.3	4.3	5.0	4.7	3.0	4.3	4.7	4.0	2.7	6.0	4.8
HARMONIE	4.0	3.7	5.0	6.0	3.7	5.3	6.0	4.7	5.7	8.0	4.7	3.3	3.7	3.0	3.0	5.7	5.3	5.7	4.8
AKB449	3.7	4.3	5.3	5.7	4.7	5.3	6.7	5.3	7.3	6.7	4.3	4.0	3.0	3.0	3.3	3.3	4.3	5.7	4.8
YANKEE (NA-3271)	4.0	4.7	3.3	5.0	4.0	6.0	6.3	6.3	6.7	6.7	4.3	3.7	4.7	3.3	3.0	3.3	5.0	5.7	4.8
MOONLIGHT SLT (PST-101-390)	4.0	3.7	4.0	6.3	4.7	4.7	6.7	5.3	7.3	6.0	4.3	5.0	4.3	4.0	3.7	2.7	4.0	5.0	4.8
AVID	3.7	4.7	4.0	6.7	5.0	5.3	6.3	4.7	7.3	5.7	2.7	4.7	4.0	3.0	4.3	4.3	3.0	6.3	4.8
BAR VV 9634	6.0	4.7	6.0	5.3	4.7	4.7	4.0	6.0	3.7	5.0	5.3	4.0	3.3	3.7	3.7	4.7	4.0	6.3	4.7
PST-101-73	6.0	5.0	5.3	8.0	4.7	5.0	4.0	4.0	6.3	5.3	4.3	3.7	3.7	4.3	3.7	2.7	2.7	6.0	4.7
A00-247	5.0	5.3	6.0	7.7	4.3	4.3	4.7	4.0	6.0	4.3	5.0	4.3	3.7	4.0	3.0	3.7	3.0	6.3	4.7
BELISSIMO	5.0	5.0	5.7	7.7	4.0	5.0	5.3	3.3	5.7	3.7	3.0	3.3	3.0	5.0	4.7	5.0	2.7	7.3	4.7
J-3429	3.7	5.0	5.3	5.7	4.0	3.7	7.0	4.7	7.0	6.0	3.3	4.0	5.0	4.0	3.7	3.3	3.3	5.7	4.7
MSP 3723	5.3	5.0	4.3	7.3	4.0	5.3	4.7	3.7	6.7	4.0	4.3	3.7	3.0	5.7	4.3	4.0	2.7	6.0	4.7
H98-701	6.7	4.7	4.3	7.7	4.0	4.0	5.3	3.3	5.3	5.3	4.3	4.0	3.0	3.7	4.3	4.0	2.7	6.7	4.6
BD 99-2103	7.0	4.0	4.7	5.7	4.3	4.3	6.3	4.3	7.7	4.3	2.3	4.0	5.0	3.7	3.7	2.7	2.7	6.0	4.6
MSP 3722	4.3	4.0	4.7	7.0	4.3	4.3	6.0	4.3	7.3	5.7	3.3	3.7	3.7	4.3	3.3	3.0	2.7	6.7	4.6
DYNAMO	6.0	4.0	5.7	6.3	3.7	4.7	6.3	4.7	6.0	5.7	3.7	4.7	5.3	2.3	2.0	3.0	3.7	5.0	4.6
RUGBY II	4.3	4.3	4.3	6.3	4.0	4.0	6.0	5.3	5.3	6.0	3.3	5.3	4.3	4.0	2.7	4.0	3.0	5.7	4.6
BARON	5.3	4.0	4.3	4.0	3.7	4.7	6.0	5.0	6.3	6.0	4.7	3.3	4.0	4.0	2.7	4.0	3.7	5.3	4.5
EMBLEM (PST-Y2K-169)	4.0	4.0	4.7	5.3	4.7	4.0	7.0	4.7	7.3	7.0	4.0	3.0	3.7	2.3	2.7	3.0	4.3	5.3	4.5
IMPACT	4.0	4.7	4.0	5.3	3.7	4.3	6.0	5.0	7.3	5.7	2.3	4.3	4.0	2.3	2.7	3.0	3.3	6.3	4.4
BEWITCHED	4.3	4.0	3.0	6.0	4.0	5.3	7.0	4.0	8.0	4.7	2.0	4.3	3.3	3.3	3.3	3.3	2.3	5.7	4.3
BEYOND	4.0	4.0	4.0	5.7	3.3	4.3	7.0	5.3	7.3	5.3	2.3	5.0	4.0	2.3	3.3	2.3	2.7	5.7	4.3
RHYTHM	4.0	4.3	3.3	5.7	4.0	4.0	6.7	5.3	7.7	5.3	1.7	5.3	3.7	2.0	3.0	3.0	3.0	6.0	4.3
NUCHICAGO (J-1466)	4.7	4.3	3.3	5.3	4.0	4.0	6.7	3.7	7.3	4.7	2.0	4.7	3.3	2.3	3.3	4.3	3.7	5.7	4.3
GRANITE (J-1326)	5.0	3.7	3.3	5.7	3.0	4.0	6.3	3.3	7.0	6.0	2.0	4.7	3.7	3.0	2.7	3.3	2.7	6.0	4.2
NU DESTINY	4.3	3.7	3.0	5.3	3.0	3.7	7.0	4.7	7.7	5.3	1.7	3.7	4.3	2.3	3.3	2.7	2.7	6.3	4.1

TABLE 14. (CONT'D)

 SPRING GREENUP RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
 2007 DATA 1/

NAME	SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/																		
	IA1	IL1	IN1	KY1	MA1	MD1	MI1	MN1	NC1	NE1	NJ2	NY1	OK1	PA1	UT1	WA1	WI1	WY1	MEAN
J-1334	3.7	3.7	3.7	5.3	3.0	4.7	7.0	4.7	8.0	5.3	2.0	4.3	3.7	2.3	3.0	2.3	2.3	5.7	4.1
ALEXA II (J-2404)	4.3	4.0	3.0	5.3	3.0	3.7	7.0	4.3	7.3	4.3	2.0	4.0	4.0	2.3	3.0	3.3	3.3	6.3	4.1
AWARD	4.3	4.3	3.3	5.3	3.0	4.0	6.7	3.7	7.3	5.0	1.7	3.7	4.0	2.3	2.7	3.0	3.7	6.3	4.1
EXCURSION	3.3	3.7	3.3	5.7	3.3	3.7	6.7	4.7	7.0	5.7	2.3	4.0	3.3	2.7	3.3	3.3	2.3	6.0	4.1
J-2502	3.3	4.0	4.0	5.3	3.0	4.0	7.0	3.3	7.0	5.0	2.0	4.7	4.0	3.0	3.0	3.3	2.7	5.7	4.1
SOLAR ECLIPSE (J-2399)	4.7	4.3	3.0	5.7	3.3	4.0	7.0	4.7	6.7	4.3	1.7	4.0	3.7	2.7	3.7	2.3	2.7	6.0	4.1
J-2024	4.3	3.7	4.0	6.0	3.3	4.0	6.3	4.7	7.0	5.0	2.0	3.3	3.7	2.3	2.7	3.3	2.7	5.7	4.1
SUDDEN IMPACT (J-2870)	3.3	3.3	5.0	5.7	3.3	3.3	7.0	4.0	6.3	5.0	2.0	5.0	3.3	2.3	3.3	3.0	2.3	6.0	4.1
BARRISTER	3.0	3.7	3.0	6.0	3.3	4.3	6.3	4.0	6.7	6.0	2.0	5.0	4.0	1.7	3.0	3.0	2.7	5.3	4.1
SW AG 514	4.0	2.7	3.0	5.7	5.0	4.3	6.3	4.0	6.7	5.3	3.3	4.3	3.3	1.0	1.7	3.7	2.7	5.3	4.0
BLUESTONE	3.7	3.3	3.7	4.3	3.0	4.0	5.7	5.0	6.0	4.7	2.3	3.3	3.7	3.3	2.7	4.0	2.7	6.7	4.0
BANDERA (SPTR 2LM95)	4.0	3.7	2.7	3.3	2.7	4.7	6.0	4.7	6.3	4.3	3.3	3.7	4.3	3.0	2.0	4.0	4.0	5.3	4.0
MIDNIGHT	3.3	3.7	3.0	5.0	3.3	4.0	6.3	5.0	7.3	5.3	1.7	3.0	3.7	2.3	2.3	4.0	2.3	6.3	4.0
EVEREST	3.7	4.3	3.0	5.0	3.0	4.0	6.3	4.0	7.0	4.7	1.7	4.7	4.0	2.3	2.3	2.7	2.3	5.7	3.9
NUGLADE	4.0	3.3	3.0	5.0	3.3	3.3	6.3	4.7	7.0	6.0	2.0	3.3	3.3	2.3	2.7	3.0	2.3	5.3	3.9
EVERGLADE	4.0	4.0	3.0	4.7	3.0	3.7	6.7	4.3	6.3	5.0	1.7	3.0	4.0	2.3	3.0	2.3	2.3	5.7	3.8
REVEILLE	3.7	2.3	3.3	4.0	1.7	6.0	1.0	2.3	4.7	5.0	6.0	4.0	3.0	5.7	1.7	3.3	3.7	2.3	3.5
LSD VALUE	1.6	1.3	1.3	1.2	1.0	1.5	1.2	1.6	1.4	1.7	1.3	1.5	1.0	1.9	1.4	1.3	1.7	1.3	0.3
C.V. (%)	18.1	17.5	16.7	11.7	14.8	18.3	12.9	18.0	14.5	17.0	17.8	22.6	16.0	26.8	23.8	19.4	23.8	13.2	17.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15.

LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
2007 DATA 1/

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	KY1	MA1	MI1	MN1	NC1	NJ2	PA1	TN1	UT1	VA1	WA1	WI1	WY1	MEAN
CPP 821	6.3	5.7	7.0	7.0	8.3	7.0	8.3	8.7	7.0	6.7	5.7	6.3	8.7	6.7	7.1
KENBLUE	9.0	5.0	5.3	6.3	5.3	8.3	7.3	7.3	7.7	7.3	7.7	8.0	8.0	6.7	7.1
CPP 817	6.3	6.0	7.7	6.7	8.3	6.7	7.0	8.7	7.0	6.3	6.7	7.0	8.3	6.3	7.1
CP 76-9068	6.3	6.3	7.0	7.3	7.3	8.0	7.7	8.7	7.0	6.3	5.3	6.0	8.7	6.0	7.0
CPP 822	6.3	5.7	7.0	7.0	7.0	8.0	8.0	8.7	7.0	6.3	6.0	6.0	8.3	6.7	7.0
BAR VV 0709	7.3	5.0	7.0	6.7	7.0	8.0	7.0	8.3	7.0	6.3	6.0	7.0	8.3	6.3	7.0
NA-3248	7.0	5.3	7.0	7.3	6.0	8.3	6.7	8.0	7.0	6.7	6.0	6.3	8.7	6.7	6.9
HARMONIE	6.3	5.3	7.0	6.3	8.0	8.0	7.3	9.0	7.0	6.7	5.0	6.0	8.3	6.3	6.9
WASHINGTON	6.0	5.0	6.7	7.3	7.0	7.3	7.0	7.7	7.7	6.7	6.0	5.7	8.0	6.3	6.7
DLF 76-9075	6.0	5.0	7.0	7.3	7.0	6.7	6.7	7.7	7.0	6.7	7.0	6.7	7.3	6.3	6.7
JULIET (BD 95-1930)	7.0	5.3	6.7	7.0	6.3	8.0	7.0	7.7	7.0	6.0	6.0	5.7	7.3	6.7	6.7
RAD-762	7.3	5.0	6.0	7.0	6.7	7.7	6.7	7.7	7.0	6.7	6.0	6.0	7.7	5.7	6.6
BLUE NOTE (A01-349)	6.0	5.0	6.3	7.3	7.3	7.7	6.3	7.7	7.0	5.7	6.3	6.0	8.0	6.3	6.6
MSP 3723	6.7	7.0	6.7	7.0	6.0	7.3	5.7	7.3	7.0	6.0	6.0	6.0	7.7	6.3	6.6
BELISSIMO	6.7	6.0	6.7	7.0	6.0	7.3	5.3	7.3	7.7	6.0	6.0	6.0	8.0	6.0	6.6
RAD-343	6.7	5.3	6.0	7.0	6.3	8.0	6.0	8.0	7.0	6.0	6.0	6.3	7.3	5.7	6.5
AURA (A99-2559)	7.3	5.0	6.3	7.7	6.0	7.7	5.3	7.0	7.0	6.3	5.7	6.7	7.3	6.0	6.5
A00-247	6.3	6.0	6.3	6.3	6.0	7.7	5.7	7.3	7.0	5.7	6.0	6.0	8.0	6.7	6.5
STR 2553	6.0	6.0	6.3	7.0	5.7	7.3	6.3	7.3	7.7	5.7	5.7	6.0	7.7	6.0	6.5
1QG-38	6.3	5.7	6.3	7.0	6.0	7.3	5.7	7.3	7.7	6.0	6.0	6.0	7.0	6.3	6.5
MSP 3724	6.3	6.0	6.3	6.7	5.0	7.3	5.7	7.3	7.0	6.7	6.0	6.3	8.0	6.0	6.5
POPR 04594	7.3	5.0	6.0	7.3	5.3	8.3	5.7	7.3	7.0	6.7	5.3	6.0	7.0	5.7	6.4
H98-701	7.3	5.7	6.3	7.0	5.7	7.0	5.3	7.0	7.7	5.7	6.3	6.0	7.3	5.3	6.4
PSG 711	6.0	5.7	6.7	7.0	5.7	7.0	5.3	7.0	7.3	6.0	6.0	6.3	7.7	5.7	6.4
STR 2485	6.0	5.0	6.7	6.7	6.0	7.7	6.0	7.7	7.0	6.3	5.7	5.7	7.0	5.7	6.4
PST-1A1-899	6.3	5.0	6.0	7.0	6.0	7.0	6.7	7.0	7.0	6.3	4.7	6.3	7.0	6.7	6.4
BD 03-84	6.0	5.3	6.0	7.7	6.7	7.0	6.7	7.0	7.0	5.7	5.0	6.0	6.7	6.0	6.3
BD 98-2108	6.3	5.3	6.7	7.7	6.3	7.0	4.3	7.0	7.0	6.3	5.7	5.7	7.3	6.0	6.3
SKYE	7.0	4.7	6.0	7.7	6.3	7.3	6.3	7.0	7.0	6.0	5.3	6.3	6.3	5.3	6.3
ARROWHEAD (NA-3261)	6.0	4.7	6.3	7.3	5.7	7.3	5.3	7.0	7.0	6.0	5.7	6.3	7.0	6.7	6.3
DP 76-9081	6.3	5.3	5.7	6.3	5.0	8.0	6.0	7.0	7.0	6.0	6.0	7.0	7.0	5.7	6.3
ARIES (A98-948)	6.3	5.0	6.3	6.7	6.3	7.3	6.0	7.0	6.0	6.3	5.3	6.0	7.3	6.0	6.3
DIVA	6.7	5.0	6.7	7.0	6.0	7.3	5.0	7.0	7.0	6.0	5.3	6.0	7.0	6.0	6.3
TOUCHE (STR 23180)	6.7	5.0	6.0	7.0	5.7	6.7	5.7	7.7	7.0	6.3	5.7	5.3	8.0	5.3	6.3
SOLAR ECLIPSE (J-2399)	6.0	5.0	5.7	7.0	5.3	7.0	6.0	7.0	7.0	6.3	5.3	6.0	7.3	6.7	6.3
A00-1400	6.3	5.0	6.0	7.7	5.7	7.3	4.7	7.0	7.0	6.0	6.0	6.0	6.7	6.0	6.2
PROSPERITY	6.3	5.3	6.0	6.3	5.3	8.0	5.7	7.0	7.0	5.7	5.7	6.0	7.0	6.0	6.2
RHAPSODY (A97-1287)	6.0	5.0	6.0	7.7	6.0	7.7	5.7	7.0	7.7	5.7	6.0	5.3	6.3	5.3	6.2
NA-3257	6.3	5.0	5.7	7.7	5.7	7.7	5.7	7.0	7.0	6.0	5.0	5.7	7.0	5.7	6.2
PST-101-73	6.7	5.7	6.0	6.7	5.0	7.3	6.3	7.0	7.0	5.3	5.7	6.0	7.0	5.3	6.2
YANKEE (NA-3271)	6.0	4.7	6.0	7.7	4.7	6.7	6.3	7.0	7.0	6.3	5.7	6.0	7.0	5.7	6.2
AWARD	6.3	5.0	6.0	7.7	5.3	7.0	5.3	7.0	6.0	6.0	5.3	6.0	7.3	6.3	6.2
EXCURSION	5.7	5.0	6.3	7.7	5.7	7.3	5.0	7.0	7.0	6.0	5.0	6.0	6.7	5.7	6.1
AMERICA	6.3	5.0	6.3	7.0	5.3	7.0	5.3	6.7	7.0	6.0	6.0	5.7	6.3	6.0	6.1
MYSTERE	6.3	5.0	6.3	7.3	5.7	6.0	4.7	7.0	7.0	6.0	6.0	6.3	6.7	5.7	6.1
DP 76-9066	6.0	5.0	6.3	.	5.7	7.7	5.0	7.3	7.0	5.7	5.7	6.0	7.0	5.3	6.1

TABLE 15. (CONT'D)

LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
2007 DATA 1/

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	KY1	MA1	MI1	MN1	NC1	NJ2	PA1	TN1	UT1	VA1	WA1	WI1	WY1	MEAN
J-1334	6.3	5.0	6.0	7.3	5.0	6.7	5.3	7.3	7.0	5.3	5.7	6.0	7.0	5.7	6.1
RHYTHM	6.7	5.0	6.3	7.0	5.0	7.0	4.3	7.0	7.0	5.7	5.7	6.0	6.7	6.3	6.1
ZINFANDEL (LTP 2949)	6.3	5.0	6.0	8.0	4.3	7.3	3.7	7.0	7.7	6.0	6.0	6.0	7.0	5.3	6.1
FUTURITY (A99-3119)	6.0	5.7	6.0	7.0	5.0	7.0	5.7	7.0	6.0	5.3	6.0	5.7	7.0	6.0	6.1
EVEREST	6.3	5.0	6.0	8.0	4.7	7.0	5.0	7.0	7.0	6.0	5.0	6.3	6.3	5.7	6.1
EVERGLADE	7.0	5.0	6.0	7.3	5.7	7.0	4.0	7.0	7.0	6.0	5.3	6.0	6.3	5.7	6.1
IMPACT	6.0	5.0	6.0	7.0	6.0	7.3	5.0	7.0	6.0	5.7	5.3	6.0	6.7	6.3	6.1
ALEXA II (J-2404)	5.7	5.0	6.0	7.0	5.7	7.0	5.3	7.0	7.0	6.0	5.0	6.0	6.3	6.0	6.1
SUDDEN IMPACT (J-2870)	6.3	5.0	6.0	7.3	4.7	7.0	4.7	7.0	7.0	6.0	5.0	6.3	7.0	5.7	6.1
PST-109-752	5.7	5.0	6.0	7.7	5.7	6.0	6.0	6.7	7.0	6.0	5.0	6.0	6.3	6.0	6.1
SW AG 514	5.7	5.0	6.0	7.0	6.3	7.3	5.7	7.0	6.0	6.0	5.0	6.3	6.3	5.3	6.1
BARIRIS	6.3	5.0	6.3	6.7	6.0	5.7	5.0	7.0	7.0	6.0	5.3	6.0	6.7	5.7	6.0
BEWITCHED	5.7	5.0	5.7	8.0	6.0	6.3	5.3	7.0	6.3	6.0	5.3	6.0	7.0	5.0	6.0
MIDNIGHT	6.3	4.7	6.3	8.0	4.3	7.0	4.7	7.0	7.0	6.0	5.0	6.0	6.7	5.7	6.0
CORSAIR (NA-3249)	6.3	5.0	6.3	7.3	5.0	6.7	3.0	7.0	6.0	6.7	6.0	6.7	6.3	6.3	6.0
AVIATOR (NA-3259)	6.7	5.0	5.7	7.3	5.3	6.3	3.7	6.7	6.0	6.7	5.7	6.0	6.7	6.7	6.0
DYNAMO	6.3	5.0	5.7	6.7	6.0	6.0	5.0	7.0	6.0	6.0	5.7	6.3	7.0	5.7	6.0
RAD-504	6.3	5.0	5.7	7.0	5.7	6.3	4.7	7.0	7.0	6.7	5.0	5.7	6.7	5.7	6.0
BLUEBERRY	6.0	5.0	6.0	6.7	5.0	6.7	5.7	7.0	6.0	6.0	5.3	6.3	7.0	5.7	6.0
GLENMONT	6.0	5.0	6.0	7.3	6.0	7.0	4.7	7.0	7.0	5.7	5.3	5.3	6.3	5.7	6.0
EMBLEM (PST-Y2K-169)	6.7	5.0	5.7	6.7	5.7	7.3	6.0	7.7	6.0	5.3	4.7	6.0	6.0	5.3	6.0
GRANITE (J-1326)	6.3	5.0	6.0	7.3	5.3	7.0	4.0	7.0	7.0	5.7	5.3	6.3	6.0	5.7	6.0
MOONLIGHT SLT (PST-101-390)	6.7	5.0	5.7	7.0	5.3	7.3	5.7	7.0	6.0	6.0	4.3	5.7	6.0	6.3	6.0
J-2024	6.0	5.0	6.0	7.3	5.3	6.7	4.7	7.0	7.0	5.7	5.3	6.0	6.0	6.0	6.0
J-3429	5.7	4.7	6.0	7.3	4.3	6.7	5.0	6.7	7.0	5.7	5.7	6.0	7.3	6.0	6.0
A98-689	6.0	5.0	5.3	7.0	5.3	7.0	5.0	7.3	7.0	6.0	5.3	5.7	6.0	5.7	6.0
BEYOND	6.3	5.0	6.0	7.3	5.0	7.7	4.0	7.0	6.0	6.0	4.7	6.0	6.7	6.0	6.0
BAR VV 0665	5.7	5.0	5.0	6.7	5.0	6.7	4.3	6.7	7.0	6.3	5.7	6.3	7.0	6.3	6.0
WILD HORSE (A97-890)	6.3	4.7	6.3	7.7	5.7	5.7	5.0	7.0	6.0	6.0	5.0	5.7	7.0	5.3	6.0
SHIRAZ (LTP-73)	6.3	5.0	6.3	6.7	5.7	6.3	5.7	6.7	6.0	5.3	5.0	6.0	7.0	5.3	6.0
GAELIC (BD 98-1358)	5.7	5.0	6.0	7.3	5.7	6.0	3.7	6.7	6.0	6.3	5.3	6.0	7.7	5.7	5.9
NUGLADE	6.3	5.3	6.3	6.7	5.0	7.3	3.3	7.0	7.0	5.7	5.0	6.0	6.7	5.3	5.9
NUCHICAGO (J-1466)	6.0	5.0	6.0	7.3	4.0	7.0	4.7	7.0	6.0	5.7	5.7	6.3	6.3	6.0	5.9
BARRISTER	6.0	5.0	6.0	7.7	4.7	6.7	4.0	7.0	7.0	6.0	5.3	5.7	6.7	5.0	5.9
RAD-0AN64	6.0	5.0	6.0	6.7	4.3	7.0	4.3	7.0	7.0	5.7	5.7	6.0	6.7	5.3	5.9
HAMPTON (BD 03-159)	6.0	5.0	5.3	7.7	5.3	6.3	4.7	6.7	7.0	6.3	4.7	6.3	6.0	5.3	5.9
PSG 366	6.3	4.7	6.0	7.0	5.0	6.3	4.7	7.0	7.0	5.7	5.0	6.0	6.3	5.7	5.9
JULIA	5.3	5.0	6.0	6.7	6.0	5.3	4.7	7.0	6.0	6.3	4.7	6.0	7.3	6.0	5.9
BLUESTONE	6.3	5.0	6.0	7.3	6.0	7.0	3.3	6.3	6.0	5.7	5.0	6.0	5.7	6.0	5.8
J-2502	6.7	5.0	6.3	7.7	4.0	6.7	4.0	7.0	6.0	5.7	5.0	6.0	6.0	5.7	5.8
SPTR 2959	6.0	5.0	6.0	7.0	5.0	6.3	4.0	6.7	6.0	6.0	5.0	6.0	7.3	5.3	5.8
STARBURST (STR 2703)	6.0	5.0	5.3	7.0	5.7	6.3	4.7	6.7	7.0	6.0	5.0	5.7	6.0	5.3	5.8
NU DESTINY	5.7	5.0	6.0	7.7	4.3	6.7	3.7	7.0	7.0	6.0	5.3	5.7	5.7	5.7	5.8
ARGOS	6.0	5.0	5.7	7.3	5.0	6.0	5.0	7.0	6.0	5.0	5.0	6.0	6.3	6.0	5.8
BARON	6.7	5.0	5.3	7.0	4.3	6.7	4.0	6.7	7.0	6.0	5.0	5.7	6.7	5.3	5.8
RUGBY II	6.0	5.0	6.0	7.0	4.7	6.7	4.3	7.0	6.0	6.0	5.0	6.0	5.0	6.0	5.8
MSP 3722	5.3	4.7	6.0	6.7	5.3	6.3	3.3	7.0	7.0	5.3	5.0	5.3	6.7	6.3	5.7

TABLE 15. (CONT'D)

LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
2007 DATA 1/

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	KY1	MA1	MI1	MN1	NC1	NJ2	PA1	TN1	UT1	VA1	WA1	WI1	WY1	MEAN
H94-305	6.7	5.3	5.7	4.7	4.7	6.7	3.7	6.7	7.0	6.3	5.0	6.0	6.3	5.3	5.7
BD 99-2103	5.7	5.0	5.7	7.7	4.3	6.0	4.0	6.7	6.0	5.7	5.0	6.0	6.3	5.7	5.7
BAR VV 9630	6.3	4.7	5.7	7.3	6.0	6.0	2.7	6.3	7.0	5.7	5.3	5.3	5.3	5.7	5.7
SHAMROCK	6.0	4.7	5.0	7.7	5.0	6.0	3.7	6.7	6.0	6.0	4.7	5.7	6.3	5.7	5.6
VOLT (A98-999)	6.0	4.7	5.7	6.7	3.3	6.7	3.7	6.7	6.3	6.3	4.7	5.7	6.7	6.0	5.6
A00-1254	6.3	4.7	5.3	6.3	3.7	7.0	4.3	7.0	6.3	6.0	5.0	5.3	6.3	5.3	5.6
AKB449	6.0	4.7	5.7	7.7	4.0	5.3	4.0	6.3	6.0	5.7	5.0	6.0	6.7	5.7	5.6
EMPIRE (A01-299)	6.3	4.7	6.0	7.3	5.0	7.0	3.3	6.7	6.0	5.3	4.7	6.0	4.3	5.7	5.6
BANDERA (SPTR 2LM95)	5.3	4.7	5.7	6.7	4.7	7.0	4.7	6.3	6.0	5.7	4.7	5.7	5.7	5.3	5.6
4-SEASON (J-2791)	5.3	5.0	5.3	6.7	5.3	6.3	4.0	7.0	6.0	5.7	4.7	5.3	4.7	5.7	5.5
AVID	5.7	4.7	5.3	7.3	5.0	5.3	3.7	6.7	7.0	5.0	4.3	6.0	6.0	5.0	5.5
PINOT (LTP-149)	6.3	5.0	5.7	4.3	3.7	6.0	3.7	7.0	7.0	5.0	5.0	6.0	6.3	6.0	5.5
BAR VV 9634	6.0	5.0	5.0	6.7	4.7	6.0	3.3	6.3	6.0	5.7	5.0	5.3	6.0	5.3	5.5
REVEILLE	6.7	5.3	5.0	6.7	2.7	6.0	2.3	6.0	7.0	7.0	6.0	6.0	5.3	4.3	5.5
A95-410	5.0	4.7	5.3	7.0	4.0	5.7	3.3	6.7	6.0	6.0	4.3	6.0	6.7	5.3	5.4
BAR VV 8536	5.7	4.7	5.0	6.7	2.7	7.0	4.3	6.0	6.0	5.7	4.7	6.0	5.0	6.0	5.4
BAR VK 0710	6.3	4.3	5.7	6.7	3.3	5.7	2.3	5.7	6.0	6.3	5.3	6.0	5.3	5.7	5.3
LSD VALUE	0.9	0.6	0.7	1.3	1.3	1.1	1.9	0.7	0.3	0.8	0.9	0.6	1.2	1.1	0.3
C.V. (%)	9.0	6.9	7.4	11.0	14.9	9.6	23.5	6.2	2.8	8.4	9.9	6.5	10.7	12.1	10.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16.

 SPRING DENSITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
 2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	MI1	NC1	NE1	MEAN	NAME	MI1	NC1	NE1	MEAN
DP 76-9066	.	7.7	9.0	8.3	AKB449	5.7	6.3	7.3	6.4
WASHINGTON	7.3	6.7	8.7	7.6	BAR VV 9630	6.3	5.7	7.3	6.4
POPR 04594	6.7	7.7	8.0	7.4	BLUE NOTE (A01-349)	5.0	7.0	7.3	6.4
ARIES (A98-948)	6.0	7.3	9.0	7.4	EXCURSION	4.0	6.3	9.0	6.4
CP 76-9068	6.3	7.3	8.7	7.4	MYSTERE	5.3	6.0	8.0	6.4
RAD-343	6.3	7.3	8.3	7.3	NA-3257	5.3	6.7	7.3	6.4
TOUCHE (STR 23180)	6.7	6.7	8.7	7.3	SPTR 2959	5.0	7.0	7.3	6.4
AWARD	6.0	6.7	9.0	7.2	AVID	4.7	6.3	8.0	6.3
SKYE	5.7	7.7	8.3	7.2	BAR VV 0709	5.3	7.3	.	6.3
STR 2485	5.7	7.7	8.3	7.2	H94-305	6.7	5.3	7.0	6.3
BEYOND	6.7	6.3	8.3	7.1	RUGBY II	4.3	7.0	7.7	6.3
SW AG 514	6.7	6.7	8.0	7.1	STARBURST (STR 2703)	5.0	6.3	7.7	6.3
HARMONIE	4.3	8.0	9.0	7.1	1QG-38	3.7	7.3	7.7	6.2
MIDNIGHT	4.3	8.0	9.0	7.1	JULIA	6.0	5.0	7.7	6.2
BD 03-84	6.0	7.3	7.7	7.0	RAD-0AN64	4.7	6.3	7.7	6.2
CPP 822	5.3	7.7	8.0	7.0	VOLT (A98-999)	4.7	7.0	7.0	6.2
EVERGLADE	4.7	7.3	9.0	7.0	YANKEE (NA-3271)	4.7	6.3	7.7	6.2
J-2024	6.3	6.7	8.0	7.0	BEWITCHED	3.7	8.0	7.0	6.2
J-2502	6.3	6.7	8.0	7.0	H98-701	5.3	6.0	7.3	6.2
NU DESTINY	6.0	6.7	8.3	7.0	BLUESTONE	3.0	6.7	8.7	6.1
NUGLADE	5.3	7.0	8.7	7.0	DP 76-9081	4.7	7.0	6.7	6.1
J-1334	4.7	7.0	9.0	6.9	DYNAMO	3.3	7.0	8.0	6.1
RAD-762	5.7	7.0	8.0	6.9	PROSPERITY	4.0	7.7	6.7	6.1
SUDDEN IMPACT (J-2870)	5.7	6.7	8.3	6.9	PSG 366	4.7	6.0	7.7	6.1
WILD HORSE (A97-890)	6.7	6.0	8.0	6.9	SHIRAZ (LTP-73)	4.7	6.7	7.0	6.1
EMBLEM (PST-Y2K-169)	4.3	7.7	8.7	6.9	4-SEASON (J-2791)	3.3	7.7	7.3	6.1
RHAPSODY (A97-1287)	5.3	7.3	8.0	6.9	AMERICA	4.3	6.3	7.7	6.1
ALEXA II (J-2404)	4.3	7.7	8.3	6.8	BELISSIMO	5.3	5.7	7.3	6.1
JULIET (BD 95-1930)	4.7	7.7	8.0	6.8	ZINFANDEL (LTP 2949)	5.3	5.3	7.7	6.1
SOLAR ECLIPSE (J-2399)	4.0	7.3	9.0	6.8	BAR VV 8536	4.7	6.7	6.7	6.0
EMPIRE (A01-299)	5.3	7.0	7.7	6.7	BARRISTER	2.7	7.3	8.0	6.0
BAR VV 0665	6.0	6.3	7.7	6.7	FUTURITY (A99-3119)	4.3	6.0	7.7	6.0
CPP 817	7.0	5.0	8.0	6.7	HAMPTON (BD 03-159)	6.3	6.0	5.7	6.0
DLF 76-9075	6.3	5.3	8.3	6.7	MSP 3722	4.3	6.7	7.0	6.0
GRANITE (J-1326)	4.3	7.0	8.7	6.7	BARIRIS	4.0	6.0	7.7	5.9
NUCHICAGO (J-1466)	4.7	6.3	9.0	6.7	J-3429	3.7	6.7	7.3	5.9
EVEREST	4.7	6.0	9.0	6.6	BLUEBERRY	3.0	7.3	7.3	5.9
PST-109-752	6.7	6.3	6.7	6.6	A00-1400	4.7	6.0	6.7	5.8
GAELIC (BD 98-1358)	6.0	6.3	7.3	6.6	A95-410	5.7	5.0	6.7	5.8
IMPACT	3.7	7.3	8.7	6.6	ARGOS	4.3	5.3	7.7	5.8
NA-3248	6.3	5.3	8.0	6.6	BD 98-2108	4.7	6.3	6.3	5.8
RHYTHM	4.0	7.3	8.3	6.6	CORSAIR (NA-3249)	3.7	6.3	7.3	5.8
A98-689	3.7	7.7	8.0	6.4	KENBLUE	6.0	6.0	5.3	5.8
AURA (A99-2559)	5.0	6.7	7.7	6.4	SHAMROCK	3.3	6.3	7.7	5.8
CPP 821	3.7	6.7	9.0	6.4	ARROWHEAD (NA-3261)	3.3	7.3	6.3	5.7
DIVA	4.7	6.3	8.3	6.4	BD 99-2103	4.7	6.0	6.3	5.7
					MOONLIGHT SLT (PST-101-390)	2.0	7.0	8.0	5.7

TABLE 16. SPRING DENSITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	MI1	NC1	NE1	MEAN
PSG 711	4.0	5.3	7.7	5.7
PST-101-73	3.0	6.7	7.3	5.7
A00-1254	3.0	6.7	7.0	5.6
AVIATOR (NA-3259)	3.7	5.3	7.7	5.6
BANDERA (SPTR 2LM95)	3.3	6.7	6.7	5.6
BARON	2.7	6.7	7.3	5.6
RAD-504	3.7	5.7	7.3	5.6
MSP 3723	3.0	6.7	6.7	5.4
A00-247	4.0	5.3	7.0	5.4
BAR VV 9634	3.7	5.3	7.3	5.4
PINOT (LTP-149)	3.3	5.0	7.7	5.3
STR 2553	3.3	5.3	7.3	5.3
BAR VK 0710	3.7	5.3	6.7	5.2
MSP 3724	2.3	6.3	7.0	5.2
GLENMONT	4.0	4.7	6.7	5.1
PST-1A1-899	3.7	6.0	.	4.8
REVEILLE	1.0	5.7	5.0	3.9
LSD VALUE	2.1	1.7	1.2	1.0
C.V. (%)	27.2	16.0	9.3	16.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

SUMMER DENSITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	MN1	NE1	MEAN	NAME	MN1	NE1	MEAN
CPP 817	7.7	8.7	8.2	STR 2553	5.7	8.7	7.2
CP 76-9068	7.0	9.0	8.0	A00-1254	5.7	8.3	7.0
SW AG 514	7.0	9.0	8.0	A98-689	5.0	9.0	7.0
WASHINGTON	7.0	9.0	8.0	AMERICA	5.7	8.3	7.0
BD 03-84	7.3	8.3	7.8	BARIRIS	6.0	8.0	7.0
BLUE NOTE (A01-349)	7.7	8.0	7.8	BARRISTER	5.3	8.7	7.0
RAD-343	7.0	8.7	7.8	CORSAIR (NA-3249)	5.7	8.3	7.0
CPP 821	6.3	9.0	7.7	H98-701	5.7	8.3	7.0
CPP 822	6.7	8.7	7.7	MIDNIGHT	5.0	9.0	7.0
HARMONIE	6.3	9.0	7.7	MSP 3722	6.0	8.0	7.0
NA-3248	6.7	8.7	7.7	RHAPSODY (A97-1287)	5.3	8.7	7.0
J-1334	6.3	9.0	7.7	SHAMROCK	5.3	8.7	7.0
ALEXA II (J-2404)	6.0	9.0	7.5	STARBURST (STR 2703)	5.3	8.7	7.0
DYNAMO	6.7	8.3	7.5	TOUCHE (STR 23180)	5.3	8.7	7.0
NUCHICAGO (J-1466)	6.0	9.0	7.5	ARIES (A98-948)	4.7	9.0	6.8
J-2024	6.0	9.0	7.5	ARGOS	5.3	8.3	6.8
NA-3257	6.3	8.7	7.5	BD 99-2103	6.0	7.7	6.8
NUGLADE	6.0	9.0	7.5	BLUEBERRY	5.7	8.0	6.8
SUDDEN IMPACT (J-2870)	6.0	9.0	7.5	GLENMONT	5.7	8.0	6.8
AWARD	5.7	9.0	7.3	JULIA	5.7	8.0	6.8
DIVA	5.7	9.0	7.3	NU DESTINY	4.7	9.0	6.8
DLF 76-9075	5.7	9.0	7.3	RUGBY II	5.3	8.3	6.8
EMBLEM (PST-Y2K-169)	6.3	8.3	7.3	SHIRAZ (LTP-73)	6.0	7.7	6.8
EXCURSION	5.7	9.0	7.3	SPTR 2959	5.7	8.0	6.8
GRANITE (J-1326)	5.7	9.0	7.3	STR 2485	5.7	8.0	6.8
MSP 3723	6.3	8.3	7.3	ARROWHEAD (NA-3261)	6.3	7.3	6.8
RHYTHM	5.7	9.0	7.3	AKB449	5.7	7.7	6.7
SOLAR ECLIPSE (J-2399)	5.7	9.0	7.3	AVIATOR (NA-3259)	5.0	8.3	6.7
BLUESTONE	6.0	8.7	7.3	BANDERA (SPTR 2LM95)	5.0	8.3	6.7
IMPACT	6.0	8.7	7.3	BAR VV 0709	6.7	.	6.7
JULIET (BD 95-1930)	6.0	8.7	7.3	FUTURITY (A99-3119)	5.0	8.3	6.7
POPR 04594	6.0	8.7	7.3	GAELIC (BD 98-1358)	5.0	8.3	6.7
SKYE	6.0	8.7	7.3	HAMPTON (BD 03-159)	5.7	7.7	6.7
A00-1400	6.0	8.3	7.2	PSG 366	5.0	8.3	6.7
BD 98-2108	6.0	8.3	7.2	WILD HORSE (A97-890)	5.0	8.3	6.7
1QG-38	5.7	8.7	7.2	YANKEE (NA-3271)	5.0	8.3	6.7
AURA (A99-2559)	5.7	8.7	7.2	A00-247	5.3	8.0	6.7
AVID	5.7	8.7	7.2	MSP 3724	5.3	8.0	6.7
BEYOND	5.3	9.0	7.2	4-SEASON (J-2791)	5.0	8.0	6.5
DP 76-9066	5.3	9.0	7.2	EMPIRE (A01-299)	4.7	8.3	6.5
EVEREST	5.3	9.0	7.2	A95-410	5.3	7.7	6.5
EVERGLADE	5.3	9.0	7.2	BAR VV 0665	5.3	7.7	6.5
J-2502	5.3	9.0	7.2	BEWITCHED	5.7	7.3	6.5
MOONLIGHT SLT (PST-101-390)	6.3	8.0	7.2	PSG 711	5.0	8.0	6.5
MYSTERE	5.7	8.7	7.2	RAD-504	5.3	7.7	6.5
RAD-762	6.3	8.0	7.2	BARON	5.0	7.7	6.3
				J-3429	4.7	8.0	6.3

TABLE 17. SUMMER DENSITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	MN1	NE1	MEAN
PROSPERITY	5.0	7.7	6.3
PST-109-752	5.0	7.7	6.3
RAD-0AN64	4.7	8.0	6.3
ZINFANDEL (LTP 2949)	4.3	8.3	6.3
BAR VV 9634	4.7	7.7	6.2
PST-101-73	4.0	8.3	6.2
BELISSIMO	4.3	8.0	6.2
DP 76-9081	5.3	7.0	6.2
H94-305	4.3	8.0	6.2
PINOT (LTP-149)	3.7	8.7	6.2
VOLT (A98-999)	4.0	8.0	6.0
BAR VV 8536	4.0	7.7	5.8
BAR VV 9630	4.0	7.7	5.8
KENBLUE	4.7	7.0	5.8
BAR VK 0710	3.7	7.7	5.7
PST-1A1-899	5.0	.	5.0
REVEILLE	1.3	6.0	3.7
LSD VALUE	1.4	0.9	0.8
C.V. (%)	15.6	6.5	10.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

FALL DENSITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	MI1	NC1	NE1	MEAN	NAME	MI1	NC1	NE1	MEAN
BD 03-84	7.7	8.7	9.0	8.4	WASHINGTON	7.0	7.7	9.0	7.9
BEWITCHED	8.0	8.3	9.0	8.4	BARON	7.3	7.3	9.0	7.9
1QG-38	7.7	8.3	9.0	8.3	BARRISTER	7.3	7.3	9.0	7.9
EVERGLADE	7.7	8.3	9.0	8.3	SW AG 514	7.3	7.3	9.0	7.9
POPR 04594	7.3	8.7	9.0	8.3	WILD HORSE (A97-890)	8.0	7.3	8.3	7.9
RAD-762	7.7	8.3	9.0	8.3	ARGOS	7.7	6.7	9.0	7.8
RHAPSODY (A97-1287)	7.3	8.3	9.0	8.2	AVID	7.7	6.7	9.0	7.8
SKYE	7.7	8.0	9.0	8.2	BLUE NOTE (A01-349)	7.7	6.7	9.0	7.8
ARROWHEAD (NA-3261)	7.3	8.7	8.7	8.2	BLUESTONE	7.7	6.7	9.0	7.8
DP 76-9066	.	7.3	9.0	8.2	CPP 822	6.7	7.7	9.0	7.8
A98-689	7.0	8.3	9.0	8.1	HAMPTON (BD 03-159)	7.7	6.7	9.0	7.8
ARIES (A98-948)	7.0	8.3	9.0	8.1	J-2024	7.7	6.7	9.0	7.8
AKB449	8.3	7.0	9.0	8.1	MSP 3723	6.7	7.7	9.0	7.8
AURA (A99-2559)	7.7	7.7	9.0	8.1	MSP 3724	6.7	7.7	9.0	7.8
MYSTERE	7.7	7.7	9.0	8.1	A00-1400	8.0	6.3	9.0	7.8
ALEXA II (J-2404)	7.3	8.0	9.0	8.1	EMPIRE (A01-299)	7.3	7.0	9.0	7.8
JULIET (BD 95-1930)	7.3	8.0	9.0	8.1	AWARD	8.0	6.3	9.0	7.8
MIDNIGHT	8.0	7.3	9.0	8.1	BD 99-2103	7.3	7.0	9.0	7.8
NA-3257	8.0	7.3	9.0	8.1	DLF 76-9075	7.0	7.3	9.0	7.8
RHYTHM	7.3	8.0	9.0	8.1	EVEREST	8.0	6.3	9.0	7.8
YANKEE (NA-3271)	7.3	8.0	9.0	8.1	NUGLADE	7.3	7.0	9.0	7.8
BAR VV 0709	7.3	8.7	.	8.0	RAD-343	7.3	7.0	9.0	7.8
BAR VV 8536	7.3	7.7	9.0	8.0	TOUCHE (STR 23180)	7.3	7.0	9.0	7.8
BD 98-2108	7.3	7.7	9.0	8.0	4-SEASON (J-2791)	6.7	7.3	9.0	7.7
BEYOND	7.3	7.7	9.0	8.0	AMERICA	6.7	7.3	9.0	7.7
DP 76-9081	6.7	8.3	9.0	8.0	GAELIC (BD 98-1358)	8.0	6.7	8.3	7.7
IMPACT	7.7	7.3	9.0	8.0	JULIA	7.7	6.7	8.7	7.7
NUCHICAGO (J-1466)	8.0	7.0	9.0	8.0	MOONLIGHT SLT (PST-101-390)	7.0	7.0	9.0	7.7
J-1334	7.7	7.3	9.0	8.0	PST-109-752	7.0	7.3	8.7	7.7
STR 2485	7.0	8.3	8.7	8.0	SHIRAZ (LTP-73)	7.0	7.0	9.0	7.7
BANDERA (SPTR 2LM95)	7.0	7.7	9.0	7.9	VOLT (A98-999)	7.3	7.0	8.7	7.7
CP 76-9068	6.7	8.0	9.0	7.9	A00-1254	6.7	7.0	9.0	7.6
EMBLEM (PST-Y2K-169)	6.3	8.3	9.0	7.9	BAR VV 0665	7.0	6.7	9.0	7.6
EXCURSION	7.7	7.0	9.0	7.9	BLUEBERRY	6.7	7.0	9.0	7.6
FUTURITY (A99-3119)	7.0	7.7	9.0	7.9	DIVA	7.0	6.7	9.0	7.6
HARMONIE	7.0	7.7	9.0	7.9	PSG 366	7.0	6.7	9.0	7.6
J-2502	7.7	7.0	9.0	7.9	SHAMROCK	7.7	6.7	8.3	7.6
MSP 3722	7.0	7.7	9.0	7.9	CORSAIR (NA-3249)	7.3	6.3	9.0	7.6
NU DESTINY	8.0	6.7	9.0	7.9	CPP 817	7.3	6.7	8.7	7.6
PROSPERITY	6.7	8.0	9.0	7.9	GRANITE (J-1326)	7.3	6.3	9.0	7.6
PST-101-73	7.0	7.7	9.0	7.9	J-3429	7.3	6.7	8.7	7.6
RUGBY II	7.7	7.0	9.0	7.9	RAD-0AN64	7.3	7.3	8.0	7.6
SOLAR ECLIPSE (J-2399)	7.7	7.0	9.0	7.9	BARIRIS	6.7	6.7	9.0	7.4
SPTR 2959	7.0	7.7	9.0	7.9	H98-701	6.7	6.7	9.0	7.4
STARBURST (STR 2703)	7.7	7.0	9.0	7.9	BAR VK 0710	6.3	7.0	9.0	7.4
SUDDEN IMPACT (J-2870)	7.7	7.0	9.0	7.9	BELISSIMO	7.0	6.3	9.0	7.4
					CPP 821	6.0	7.3	9.0	7.4

TABLE 18. FALL DENSITY RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	MI1	NC1	NE1	MEAN
RAD-504	7.3	6.0	9.0	7.4
ZINFANDEL (LTP 2949)	8.0	5.3	9.0	7.4
BAR VV 9630	7.3	5.7	9.0	7.3
BAR VV 9634	7.3	5.7	9.0	7.3
KENBLUE	7.0	6.7	8.3	7.3
NA-3248	7.0	6.0	9.0	7.3
PSG 711	7.0	6.0	9.0	7.3
STR 2553	7.3	5.7	9.0	7.3
A00-247	6.7	6.0	9.0	7.2
DYNAMO	6.7	6.0	9.0	7.2
GLENMONT	7.0	6.0	8.7	7.2
H94-305	4.7	7.7	9.0	7.1
A95-410	7.0	5.3	9.0	7.1
AVIATOR (NA-3259)	6.7	5.3	9.0	7.0
PST-1A1-899	7.0	7.0	.	7.0
REVEILLE	5.7	7.0	8.0	6.9
PINOT (LTP-149)	4.0	6.3	9.0	6.4
LSD VALUE	1.3	1.9	0.4	0.8
C.V. (%)	11.0	16.6	2.9	10.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	MI1	OK1	TN1	WI1	MEAN
WASHINGTON	78.3	92.3	96.7	95.0	90.6
TOUCHE (STR 23180)	76.7	94.0	94.7	96.3	90.4
POPR 04594	75.0	94.7	94.3	95.7	89.9
JULIET (BD 95-1930)	74.0	93.3	94.3	94.7	89.1
BAR VV 0709	73.3	97.0	91.0	94.7	89.0
PST-109-752	85.0	83.3	95.0	92.3	88.9
RAD-343	78.3	89.0	94.0	93.7	88.8
STR 2485	70.0	92.7	94.3	96.3	88.3
BAR VV 9630	76.7	90.7	93.3	90.7	87.8
WILD HORSE (A97-890)	73.3	85.0	96.3	95.0	87.4
DP 76-9066	.	79.3	84.3	97.0	86.9
H94-305	68.3	91.7	95.7	90.7	86.6
ARIES (A98-948)	70.0	88.3	94.7	93.3	86.6
RAD-762	58.3	92.0	97.3	97.0	86.2
AURA (A99-2559)	65.0	90.7	96.7	90.7	85.8
VOLT (A98-999)	71.7	85.0	93.3	93.0	85.8
RHAPSODY (A97-1287)	60.0	92.3	95.0	94.7	85.5
H98-701	66.7	89.0	93.3	91.7	85.2
ZINFANDEL (LTP 2949)	60.0	91.0	95.0	94.7	85.2
DLF 76-9075	70.0	87.3	96.3	87.0	85.2
HAMPTON (BD 03-159)	60.0	91.3	95.0	93.7	85.0
BD 03-84	58.3	88.3	95.3	97.3	84.8
J-2502	63.3	87.7	94.3	91.3	84.2
NUCHICAGO (J-1466)	60.0	88.3	93.7	93.7	83.9
MYSTERE	60.0	90.7	95.3	89.3	83.8
J-2024	58.3	88.7	94.7	93.3	83.8
BELISSIMO	53.3	93.0	94.0	94.3	83.7
BAR VV 9634	61.7	91.7	94.3	86.7	83.6
BLUE NOTE (A01-349)	61.7	82.3	96.0	94.0	83.5
GRANITE (J-1326)	66.7	83.3	94.0	90.0	83.5
SPTR 2959	60.0	85.0	94.7	93.7	83.3
NUGLADE	63.3	81.0	94.0	94.7	83.3
JULIA	53.3	91.3	94.7	93.3	83.2
A95-410	70.0	89.3	84.0	89.0	83.1
EVEREST	58.3	81.7	95.7	96.0	82.9
MIDNIGHT	55.0	88.7	94.0	93.3	82.8
PSG 366	55.0	86.7	94.0	95.0	82.7
SHIRAZ (LTP-73)	53.3	90.0	94.0	93.0	82.6
ALEXA II (J-2404)	50.0	90.0	95.0	94.0	82.3
J-1334	60.0	83.3	93.3	92.3	82.3
BARIRIS	45.0	95.7	94.0	94.0	82.2
BD 98-2108	48.3	90.7	94.7	95.0	82.2
BD 99-2103	48.3	93.0	93.0	94.3	82.2
YANKEE (NA-3271)	55.0	86.0	93.7	94.0	82.2
DP 76-9081	65.0	87.3	94.3	81.7	82.1
SUDDEN IMPACT (J-2870)	58.3	83.3	93.7	92.7	82.0
EMPIRE (A01-299)	63.3	79.0	95.3	89.3	81.8

TABLE 19. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	MI1	OK1	TN1	WI1	MEAN
EVERGLADE	51.7	85.0	94.7	95.0	81.6
GAELIC (BD 98-1358)	46.7	90.7	93.7	95.3	81.6
STARBURST (STR 2703)	46.7	91.7	94.3	93.0	81.4
NA-3248	50.0	85.0	95.3	95.3	81.4
AVID	51.7	88.0	93.7	92.0	81.3
NU DESTINY	60.0	76.7	95.0	93.3	81.3
BEYOND	60.0	76.7	94.7	93.3	81.2
CPP 817	46.7	93.3	88.3	96.0	81.1
RUGBY II	48.3	86.0	95.3	94.0	80.9
SHAMROCK	53.3	80.0	95.0	95.3	80.9
ARROWHEAD (NA-3261)	43.3	90.7	95.3	94.0	80.8
NA-3257	58.3	75.0	94.0	95.3	80.7
RAD-504	45.0	91.0	96.0	90.7	80.7
AKB449	53.3	81.7	92.7	94.7	80.6
BAR VV 0665	55.0	84.3	94.3	88.3	80.5
AWARD	48.3	83.3	95.0	94.3	80.3
PST-1A1-899	41.7	90.0	92.7	96.7	80.3
KENBLUE	60.0	88.3	94.3	78.3	80.3
ARGOS	51.7	82.7	94.7	91.7	80.2
SOLAR ECLIPSE (J-2399)	45.0	88.7	95.0	91.7	80.1
BARRISTER	53.3	81.7	93.3	92.0	80.1
RAD-0AN64	46.7	85.0	94.0	94.7	80.1
AMERICA	40.0	90.7	95.0	94.3	80.0
AVIATOR (NA-3259)	45.0	86.0	94.7	92.3	79.5
BEWITCHED	41.7	87.7	94.3	94.3	79.5
DIVA	38.3	88.3	96.3	94.3	79.3
SKYE	43.3	85.0	93.7	94.7	79.2
IMPACT	43.3	83.3	94.7	95.0	79.1
PSG 711	40.0	90.0	94.0	91.7	78.9
1QG-38	38.3	90.0	92.7	94.0	78.8
FUTURITY (A99-3119)	38.3	87.7	93.7	94.7	78.6
EXCURSION	41.7	85.0	94.7	93.0	78.6
CPP 822	38.3	85.0	93.7	96.0	78.3
HARMONIE	41.7	78.3	94.3	98.7	78.3
A00-1400	46.7	80.0	94.3	91.7	78.2
A98-689	33.3	88.3	96.3	94.7	78.2
PINOT (LTP-149)	45.0	85.0	93.3	89.3	78.2
BARON	46.7	80.0	94.7	91.0	78.1
BAR VK 0710	48.3	80.0	93.7	89.0	77.8
GLENMONT	45.0	86.7	88.0	90.3	77.5
PST-101-73	36.7	89.3	91.7	92.3	77.5
J-3429	46.7	81.0	92.7	89.0	77.3
PROSPERITY	41.7	76.7	94.3	96.0	77.2
CP 76-9068	48.3	81.7	78.3	98.0	76.6
MSP 3724	33.3	86.7	94.3	92.0	76.6
A00-247	30.0	90.0	94.3	91.7	76.5
BAR VV 8536	50.0	76.7	92.7	86.7	76.5

TABLE 19. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	MI1	OK1	TN1	WI1	MEAN
BANDERA (SPTR 2LM95)	40.0	80.0	93.3	92.0	76.3
RHYTHM	41.7	79.3	95.0	88.3	76.1
MSP 3722	31.7	86.0	93.3	93.0	76.0
BLUESTONE	31.7	83.3	94.7	92.7	75.6
CPP 821	41.7	84.3	80.0	96.0	75.5
MSP 3723	20.0	93.3	94.3	92.7	75.1
DYNAMO	41.7	76.7	88.0	93.3	74.9
4-SEASON (J-2791)	28.3	83.3	93.7	93.0	74.6
STR 2553	23.3	86.7	94.0	94.0	74.5
SW AG 514	40.0	87.7	76.0	94.3	74.5
EMBLEM (PST-Y2K-169)	45.0	73.3	89.0	87.7	73.8
A00-1254	25.0	83.3	94.3	90.7	73.3
BLUEBERRY	26.7	82.7	91.3	92.0	73.2
CORSAIR (NA-3249)	36.7	82.0	81.7	89.0	72.3
MOONLIGHT SLT (PST-101-390)	28.3	75.0	90.0	93.0	71.6
REVEILLE	1.0	90.0	91.7	55.0	59.4
LSD VALUE	26.8	9.4	7.7	5.9	7.5
C.V. (%)	32.6	6.8	5.1	3.9	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20.

PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	OK1	TN1	WI1	MEAN	NAME	OK1	TN1	WI1	MEAN
RHAPSODY (A97-1287)	93.3	95.3	97.3	95.3	RAD-0AN64	71.7	94.7	95.0	87.1
MIDNIGHT	90.0	95.7	93.3	93.0	ALEXA II (J-2404)	76.7	96.0	88.3	87.0
BLUE NOTE (A01-349)	91.7	95.3	91.7	92.9	BAR VV 9634	85.0	94.0	81.7	86.9
NU DESTINY	89.0	95.3	94.0	92.8	RHYTHM	78.3	95.3	86.7	86.8
DLF 76-9075	91.7	94.0	91.7	92.4	SUDDEN IMPACT (J-2870)	78.3	91.7	89.7	86.6
FUTURITY (A99-3119)	89.0	96.0	91.3	92.1	EMPIRE (A01-299)	76.7	96.0	86.7	86.4
NUCHICAGO (J-1466)	88.3	95.7	91.3	91.8	STR 2485	76.7	91.7	90.0	86.1
MYSTERE	91.7	95.3	87.3	91.4	J-3429	80.0	92.0	86.0	86.0
DIVA	82.3	95.7	96.0	91.3	A00-247	68.3	95.7	93.3	85.8
RUGBY II	85.0	95.7	92.3	91.0	BARIRIS	78.3	90.7	88.0	85.7
AURA (A99-2559)	90.0	91.0	91.7	90.9	CP 76-9068	78.3	88.7	90.0	85.7
STARBURST (STR 2703)	86.7	90.0	95.7	90.8	GRANITE (J-1326)	72.3	93.3	91.3	85.7
PSG 711	87.3	96.7	88.3	90.8	BANDERA (SPTR 2LM95)	73.3	92.7	90.7	85.6
NUGLADE	81.7	95.3	95.0	90.7	J-2024	71.7	95.7	89.3	85.6
J-1334	86.7	95.0	90.0	90.6	1QG-38	68.3	96.0	91.7	85.3
EVEREST	88.3	93.0	89.7	90.3	SOLAR ECLIPSE (J-2399)	72.3	93.0	90.0	85.1
EVERGLADE	89.7	95.7	85.7	90.3	GAELIC (BD 98-1358)	70.0	92.0	93.0	85.0
SKYE	90.7	92.3	88.0	90.3	TOUCHE (STR 23180)	68.3	90.3	96.0	84.9
AWARD	83.3	96.0	91.3	90.2	JULIET (BD 95-1930)	70.0	88.7	95.7	84.8
H98-701	87.3	96.3	86.7	90.1	PINOT (LTP-149)	71.7	95.0	87.3	84.7
BD 03-84	80.0	94.0	96.0	90.0	SHIRAZ (LTP-73)	68.3	95.0	90.7	84.7
RAD-504	89.0	93.0	87.3	89.8	J-2502	71.7	92.0	90.0	84.6
AVIATOR (NA-3259)	86.7	93.7	87.7	89.3	GLENMONT	65.0	95.3	93.0	84.4
PSG 366	80.0	95.3	92.7	89.3	CPP 822	75.0	89.7	88.3	84.3
A98-689	80.0	95.3	92.3	89.2	ARROWHEAD (NA-3261)	76.7	88.7	87.3	84.2
IMPACT	80.0	94.7	92.7	89.1	AVID	60.0	95.7	97.0	84.2
AMERICA	75.0	96.0	96.0	89.0	NA-3248	71.7	92.3	88.3	84.1
EXCURSION	76.7	95.7	94.3	88.9	DYNAMO	65.0	92.3	94.0	83.8
POPR 04594	80.0	88.3	98.0	88.8	PROSPERITY	73.3	86.7	90.7	83.6
AKB449	83.3	92.0	90.7	88.7	JULIA	71.7	89.7	89.0	83.4
BARRISTER	78.3	96.0	91.7	88.7	BLUEBERRY	66.7	91.7	90.7	83.0
BEYOND	81.7	95.3	89.0	88.7	HAMPTON (BD 03-159)	58.3	95.7	95.0	83.0
A00-1400	78.3	95.7	91.7	88.6	CPP 817	60.0	94.7	94.0	82.9
NA-3257	76.7	93.0	96.0	88.6	ZINFANDEL (LTP 2949)	68.3	95.7	84.7	82.9
BD 99-2103	72.3	95.3	97.3	88.3	BARON	60.0	96.0	91.7	82.6
H94-305	86.7	94.0	84.3	88.3	BAR VV 8536	65.0	94.3	88.3	82.6
BELISSIMO	75.0	96.0	93.7	88.2	PST-1A1-899	66.7	88.3	92.3	82.4
A00-1254	85.0	91.3	88.3	88.2	BLUESTONE	65.0	94.7	87.3	82.3
BAR VV 0709	88.3	86.7	89.0	88.0	DP 76-9066	63.3	90.0	93.0	82.1
ARGOS	76.7	95.7	91.3	87.9	WASHINGTON	60.0	89.3	96.3	81.9
STR 2553	70.0	96.0	97.7	87.9	CORSAIR (NA-3249)	76.7	92.0	76.7	81.8
ARIES (A98-948)	78.3	93.3	91.3	87.7	SW AG 514	60.0	91.0	94.3	81.8
BAR VV 9630	80.0	94.0	89.0	87.7	RAD-343	63.3	88.3	93.0	81.6
MSP 3724	75.7	95.7	91.7	87.7	HARMONIE	56.7	95.0	92.7	81.4
YANKEE (NA-3271)	85.7	91.0	85.7	87.4	RAD-762	58.3	91.3	94.7	81.4
KENBLUE	86.7	83.3	91.7	87.2	MSP 3723	51.7	95.3	96.7	81.2
PST-109-752	81.7	89.7	90.0	87.1	BD 98-2108	60.0	93.7	89.7	81.1

TABLE 20. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	OK1	TN1	WI1	MEAN
WILD HORSE (A97-890)	61.7	93.3	88.3	81.1
BAR VV 0665	73.3	82.3	87.3	81.0
DP 76-9081	65.0	89.0	88.0	80.7
VOLT (A98-999)	63.3	94.3	84.3	80.7
BAR VK 0710	63.3	90.0	88.3	80.6
SPTR 2959	61.7	90.0	90.0	80.6
EMBLEM (PST-Y2K-169)	66.7	91.7	82.7	80.3
SHAMROCK	55.0	93.7	91.7	80.1
MOONLIGHT SLT (PST-101-390)	61.7	86.7	91.7	80.0
4-SEASON (J-2791)	46.7	92.0	94.0	77.6
A95-410	43.3	92.3	96.0	77.2
CPP 821	48.3	91.7	90.7	76.9
PST-101-73	51.7	95.7	82.3	76.6
REVEILLE	83.3	95.7	50.0	76.3
BEWITCHED	33.3	95.7	95.3	74.8
MSP 3722	33.3	94.3	95.0	74.2
LSD VALUE	24.7	6.2	10.2	9.1
C.V. (%)	20.9	4.1	7.0	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21. PERCENT LIVING GROUND COVER (FALL) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	IN1	MA1	MI1	MN1	NJ2	OK1	TN1	UT1	VA1	WI1	MEAN
AURA (A99-2559)	96.3	88.3	97.3	94.7	95.7	83.3	94.0	99.0	88.3	91.0	92.8
BAR VV 0709	99.0	78.3	97.0	96.0	95.3	74.0	94.7	99.0	97.7	91.7	92.3
MYSTERE	97.7	85.0	96.3	90.0	97.3	85.0	93.0	99.0	81.3	89.0	91.4
RHAPSODY (A97-1287)	94.0	80.0	96.0	93.3	98.0	73.3	94.0	99.0	85.0	95.3	90.8
BLUE NOTE (A01-349)	99.0	83.3	97.0	94.7	98.7	51.7	94.7	99.0	88.3	93.7	90.0
EVERGLADE	92.0	90.0	97.0	93.0	96.3	70.0	94.7	99.0	83.3	83.3	89.9
NUCHICAGO (J-1466)	94.0	86.7	96.3	94.7	97.3	58.3	95.0	99.0	85.0	87.3	89.4
BD 03-84	96.3	83.3	96.7	99.0	99.0	38.3	94.0	99.0	86.7	98.0	89.0
SKYE	98.7	88.3	78.0	93.3	97.7	60.0	94.0	99.0	90.0	89.3	88.8
YANKEE (NA-3271)	97.7	80.0	96.3	93.3	98.3	63.3	92.0	99.0	88.3	80.0	88.8
H94-305	97.7	86.7	95.7	90.0	94.7	73.3	93.0	99.0	93.0	61.7	88.5
J-1334	93.0	90.0	97.0	90.0	96.7	56.7	94.0	99.0	83.3	85.0	88.5
MSP 3724	95.3	86.7	96.3	91.7	95.0	58.3	93.0	99.0	78.3	90.0	88.4
BELISSIMO	91.3	90.0	97.0	91.7	96.3	45.0	92.3	99.0	86.7	91.0	88.0
DLF 76-9075	95.7	85.0	95.0	88.3	95.0	55.0	95.3	99.0	93.3	78.3	88.0
NU DESTINY	88.7	93.3	97.3	94.7	91.3	75.0	94.3	89.3	63.3	88.3	87.6
ZINFANDEL (LTP 2949)	94.3	91.7	97.3	91.7	97.7	41.7	95.3	99.0	73.3	92.3	87.4
FUTURITY (A99-3119)	94.7	88.3	96.3	94.7	99.0	46.7	92.7	99.0	78.3	83.3	87.3
NUGLADE	89.3	83.3	94.7	96.3	97.3	50.0	94.7	99.0	76.7	91.7	87.3
MIDNIGHT	80.7	90.0	97.7	93.3	95.0	41.7	94.3	99.0	86.7	92.3	87.1
H98-701	93.3	88.3	96.7	93.0	90.7	66.7	94.0	99.0	66.7	82.3	87.1
STR 2553	94.7	95.0	97.0	93.3	98.3	35.0	92.0	99.0	71.7	93.0	86.9
AWARD	90.3	81.7	96.3	97.7	97.3	40.0	95.3	99.0	86.7	84.3	86.9
A00-1400	91.0	90.0	97.3	94.7	99.0	46.7	93.7	99.0	76.7	80.0	86.8
TOUCHE (STR 23180)	96.0	78.3	97.0	93.3	96.7	28.3	94.0	99.0	86.3	97.3	86.6
EMPIRE (A01-299)	93.7	93.3	97.0	91.7	95.7	56.7	95.3	92.7	63.3	86.7	86.6
BEYOND	95.7	81.7	96.7	96.3	95.3	45.0	94.7	99.0	71.7	89.0	86.5
EXCURSION	92.7	90.0	96.7	96.3	95.7	40.0	94.7	99.0	65.0	92.3	86.2
BEWITCHED	97.0	93.3	97.3	96.0	99.0	13.3	92.0	99.0	80.0	93.3	86.0
BD 99-2103	92.0	95.0	97.0	96.0	94.3	31.7	94.0	99.0	71.7	89.3	86.0
EVEREST	86.3	85.0	96.7	91.3	96.7	56.7	94.7	99.0	66.7	86.7	86.0
SUDDEN IMPACT (J-2870)	96.0	88.3	97.7	88.3	96.7	38.3	94.7	99.0	76.7	83.3	85.9
GRANITE (J-1326)	88.3	91.7	96.7	91.3	95.3	35.0	94.7	99.0	78.3	88.3	85.9
IMPACT	89.0	80.0	95.0	91.7	98.0	36.7	94.7	99.0	86.7	87.7	85.8
A00-247	97.3	91.7	95.7	93.0	99.0	30.0	93.7	99.0	68.3	90.0	85.8
SHIRAZ (LTP-73)	93.3	90.0	96.0	97.7	98.3	33.3	94.0	99.0	61.7	94.3	85.8
AVID	93.7	88.3	97.3	94.7	96.0	28.7	94.3	99.0	68.3	96.0	85.6
A00-1254	95.7	70.0	76.7	91.7	97.0	80.0	90.7	99.0	83.3	71.7	85.6
STARBURST (STR 2703)	95.7	83.3	97.0	93.0	95.0	60.0	91.3	99.0	51.7	88.3	85.4
SOLAR ECLIPSE (J-2399)	93.7	86.7	96.7	94.7	97.3	21.7	94.3	99.0	80.0	90.0	85.4
A98-689	84.7	95.0	91.7	88.3	95.7	28.3	95.0	99.0	93.3	82.3	85.3
GAELIC (BD 98-1358)	89.0	85.0	97.3	91.7	90.3	31.7	93.0	99.0	85.0	89.0	85.1
SPTR 2959	90.7	88.3	97.0	91.7	93.3	20.0	93.7	99.0	85.0	90.7	84.9
1QG-38	96.7	93.3	97.3	91.0	96.0	20.0	92.3	99.0	75.0	88.3	84.9
BD 98-2108	91.7	91.7	97.3	94.7	95.0	30.0	94.7	99.0	65.0	90.0	84.9
WASHINGTON	96.0	56.7	98.0	97.7	89.3	31.7	94.7	99.0	88.3	97.3	84.9
PSG 711	97.0	90.0	94.7	88.3	98.7	30.0	93.7	99.0	68.3	88.3	84.8

TABLE 21. PERCENT LIVING GROUND COVER (FALL) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	IN1	MA1	MI1	MN1	NJ2	OK1	TN1	UT1	VA1	WI1	MEAN
BAR VV 9634	92.7	90.0	96.7	90.0	92.0	38.3	95.7	99.0	76.7	76.7	84.8
AMERICA	97.3	91.7	95.7	90.0	97.0	26.7	93.7	99.0	65.0	91.0	84.7
J-2024	90.3	88.3	96.7	93.0	96.7	21.7	94.3	99.0	85.0	81.7	84.7
HAMPTON (BD 03-159)	96.3	81.7	97.3	93.3	93.7	20.0	92.3	99.0	80.0	91.0	84.5
PST-101-73	93.7	85.0	96.3	86.7	96.7	23.3	93.0	99.0	83.3	87.3	84.4
DIVA	96.3	93.3	71.7	91.3	98.7	31.7	93.3	99.0	75.0	94.0	84.4
RUGBY II	86.0	83.3	96.3	88.3	94.3	45.0	95.0	99.0	68.3	86.7	84.2
KENBLUE	92.7	65.0	94.0	86.7	80.0	78.3	93.0	99.0	88.3	65.0	84.2
RHYTHM	94.7	85.0	94.7	93.0	94.0	43.3	95.0	99.0	58.3	85.0	84.2
JULIET (BD 95-1930)	94.3	61.7	97.3	95.0	98.7	20.0	92.3	99.0	88.3	94.3	84.1
ARIES (A98-948)	89.7	81.7	94.7	94.7	96.7	15.0	95.0	99.0	83.3	90.0	84.0
MSP 3722	94.3	90.0	96.3	96.3	93.0	10.0	94.3	99.0	83.3	82.3	83.9
MSP 3723	92.0	93.3	95.7	94.7	96.7	13.3	91.3	99.0	70.0	91.7	83.8
ARGOS	92.0	91.7	94.7	91.7	98.0	30.0	94.0	99.0	56.7	87.7	83.5
ALEXA II (J-2404)	90.3	88.3	96.7	96.3	92.0	25.0	94.7	99.0	65.0	87.3	83.5
J-2502	92.0	91.7	97.3	91.3	94.3	15.0	94.7	99.0	71.7	87.7	83.5
BARRISTER	97.0	81.7	94.7	91.7	96.0	20.0	94.7	99.0	73.3	85.7	83.4
BAR VV 9630	90.7	81.7	96.7	90.0	93.7	21.7	94.3	99.0	78.3	86.7	83.3
STR 2485	96.3	63.3	96.3	95.0	98.7	20.0	95.3	99.0	75.0	92.7	83.2
J-3429	94.7	80.0	96.7	88.3	91.3	40.0	94.7	99.0	73.3	73.3	83.1
PINOT (LTP-149)	97.3	90.0	97.3	88.3	95.3	45.0	92.3	99.0	68.3	56.7	83.0
AKB449	91.0	90.0	97.3	88.3	92.7	30.0	95.0	99.0	66.7	78.3	82.8
AVIATOR (NA-3259)	92.0	85.0	97.0	90.0	84.0	66.7	94.7	99.0	56.7	63.3	82.8
NA-3257	94.0	80.0	97.7	96.3	90.3	31.7	94.3	99.0	56.7	87.3	82.7
POPR 04594	95.3	68.3	97.0	94.7	97.7	20.0	94.3	99.0	65.0	96.0	82.7
NA-3248	95.7	71.7	97.3	95.0	92.7	25.0	93.3	99.0	71.7	85.7	82.7
CPP 822	98.0	63.3	94.0	95.0	87.3	46.7	91.0	99.0	65.0	86.7	82.6
BLUESTONE	86.0	91.7	91.3	96.3	94.7	20.0	95.7	99.0	65.0	85.0	82.5
PST-1A1-899	97.7	90.0	94.7	93.0	94.3	20.0	90.7	99.0	50.0	94.3	82.4
WILD HORSE (A97-890)	86.0	81.7	97.3	94.7	92.3	11.7	92.3	99.0	83.3	81.7	82.0
RAD-0AN64	94.3	90.0	94.7	90.0	93.0	33.3	94.0	99.0	41.7	90.0	82.0
BARON	97.7	73.3	96.3	85.0	91.7	11.7	94.0	99.0	81.7	88.7	81.9
ARROWHEAD (NA-3261)	96.7	65.0	96.0	93.3	93.0	36.7	92.0	99.0	66.7	80.0	81.8
RAD-504	90.0	83.3	95.7	90.0	95.0	26.7	92.0	99.0	68.3	78.3	81.8
CPP 817	90.0	93.3	95.7	96.0	93.0	28.3	92.0	99.0	38.3	92.3	81.8
RAD-343	91.7	60.0	97.7	97.7	95.3	15.0	93.7	99.0	76.7	91.3	81.8
PSG 366	80.7	90.0	95.0	90.0	95.3	21.7	95.0	99.0	65.0	85.7	81.7
DYNAMO	78.3	81.7	97.3	94.7	86.7	28.3	94.0	99.0	63.3	90.7	81.4
PST-109-752	97.7	70.0	97.7	94.7	96.3	49.3	90.7	96.0	61.7	60.0	81.4
SW AG 514	90.0	86.7	96.7	94.7	91.0	13.3	90.7	99.0	55.0	96.0	81.3
BAR VK 0710	98.3	78.3	94.0	88.3	92.0	13.3	92.3	99.0	83.3	73.3	81.2
HARMONIE	97.3	58.3	96.3	96.3	89.7	20.0	91.3	99.0	70.0	93.3	81.2
RAD-762	88.3	60.0	97.3	96.3	96.7	13.3	95.3	99.0	70.0	95.0	81.1
4-SEASON (J-2791)	96.3	86.7	71.7	93.3	92.0	20.0	91.3	99.0	70.0	88.3	80.9
VOLT (A98-999)	90.7	86.7	97.0	85.0	89.7	18.3	94.3	99.0	68.3	77.7	80.7
BANDERA (SPTR 2LM95)	93.3	75.0	95.7	88.3	89.3	20.0	92.0	99.0	68.3	85.7	80.7
DP 76-9081	97.0	85.0	95.0	86.7	73.3	25.0	92.0	99.0	85.0	66.7	80.5

TABLE 21. PERCENT LIVING GROUND COVER (FALL) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	IN1	MA1	MI1	MN1	NJ2	OK1	TN1	UT1	VA1	WI1	MEAN
SHAMROCK	78.3	80.0	97.3	94.7	81.7	15.0	92.0	99.0	81.7	84.0	80.4
CP 76-9068	98.3	46.7	97.3	94.7	96.0	48.3	91.3	99.0	65.0	66.7	80.3
DP 76-9066	96.3	86.7	.	97.7	89.3	15.0	93.0	99.0	51.7	92.7	80.1
EMBLEM (PST-Y2K-169)	95.3	85.0	89.0	90.0	94.3	25.0	90.7	99.0	69.7	63.3	80.1
A95-410	87.7	81.7	97.0	93.3	88.3	15.0	90.7	99.0	66.7	77.3	79.7
BAR VV 8536	97.3	81.7	97.3	83.3	86.3	23.3	93.3	99.0	55.0	76.7	79.3
CPP 821	97.7	73.3	90.0	94.7	98.7	15.0	91.0	99.0	43.3	87.3	79.0
CORSAIR (NA-3249)	92.0	68.3	93.3	93.3	84.0	40.0	91.0	99.0	68.3	53.3	78.3
GLENMONT	96.3	86.7	96.7	96.3	75.7	21.7	92.7	99.0	71.7	43.3	78.0
BARIRIS	98.3	75.0	92.3	90.0	93.3	31.7	91.3	99.0	28.3	80.0	77.9
JULIA	96.7	63.3	94.0	93.3	94.7	25.0	91.3	99.0	51.7	66.7	77.6
BLUEBERRY	93.0	86.7	91.7	90.0	97.3	23.3	92.7	99.0	68.3	33.3	77.5
PROSPERITY	96.3	75.0	93.3	91.7	99.0	18.3	91.0	99.0	73.3	36.7	77.4
MOONLIGHT SLT (PST-101-390)	93.0	80.0	67.3	90.0	83.0	20.0	91.7	99.0	56.7	81.7	76.2
BAR VV 0665	93.0	78.3	95.7	90.0	61.7	20.0	88.7	99.0	63.3	66.7	75.6
REVEILLE	97.3	33.3	38.3	45.0	76.7	73.3	89.7	99.0	53.3	53.3	65.9
LSD VALUE	8.1	14.6	16.1	7.6	8.9	34.0	2.6	3.2	23.7	13.4	5.1
C.V. (%)	5.4	11.0	10.6	5.1	5.9	59.4	1.7	2.0	20.4	10.0	11.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22.

WINTER COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	NJ2	OK1	TN1	VA1	MEAN	NAME	NJ2	OK1	TN1	VA1	MEAN
HAMPTON (BD 03-159)	5.0	6.0	7.3	7.0	6.3	CP 76-9068	3.0	3.7	7.3	5.0	4.8
NA-3248	5.0	4.7	8.0	6.7	6.1	CPP 821	2.7	4.0	6.3	6.0	4.8
SHAMROCK	4.0	5.0	8.0	7.3	6.1	J-2502	1.7	4.3	7.3	5.7	4.8
CORSAIR (NA-3249)	4.3	4.7	7.7	7.3	6.0	RAD-504	2.7	4.0	7.0	5.3	4.8
WILD HORSE (A97-890)	3.3	4.7	8.3	7.0	5.8	TOUCHE (STR 23180)	3.7	3.3	5.7	6.3	4.8
AVID	3.7	4.3	8.0	7.3	5.8	AWARD	1.0	4.0	8.0	5.7	4.7
MYSTERE	6.7	3.7	5.7	7.3	5.8	BD 99-2103	2.0	4.0	6.0	6.7	4.7
SHIRAZ (LTP-73)	5.0	4.3	7.0	7.0	5.8	CPP 822	3.0	3.0	7.0	5.7	4.7
4-SEASON (J-2791)	4.3	4.7	7.0	7.0	5.8	J-2024	1.0	4.0	7.7	6.0	4.7
EMBLEM (PST-Y2K-169)	4.0	3.7	8.7	6.7	5.8	BD 03-84	3.0	3.7	6.0	6.0	4.7
GLENMONT	5.3	4.7	6.3	6.7	5.8	BEYOND	2.3	3.7	7.3	5.3	4.7
PINOT (LTP-149)	4.3	4.7	6.7	7.3	5.8	MSP 3722	2.7	3.0	6.0	7.0	4.7
ARGOS	4.0	4.3	7.3	7.3	5.8	BLUESTONE	1.3	3.7	7.7	5.7	4.6
ZINFANDEL (LTP 2949)	3.7	4.7	7.3	7.0	5.7	DYNAMO	2.0	5.0	6.7	4.7	4.6
BLUEBERRY	2.3	4.3	8.0	8.0	5.7	EXCURSION	1.0	3.3	8.0	6.0	4.6
A95-410	3.0	4.7	7.3	7.0	5.5	STR 2485	4.0	3.3	5.0	6.0	4.6
ARROWHEAD (NA-3261)	3.0	4.7	8.7	5.7	5.5	A00-1254	3.0	4.0	6.0	5.3	4.6
NA-3257	3.7	4.7	7.0	6.7	5.5	ALEXA II (J-2404)	1.3	4.0	7.0	6.0	4.6
PROSPERITY	3.0	4.7	7.7	6.7	5.5	BAR VV 9634	3.0	3.7	5.7	6.0	4.6
PSG 366	4.3	4.3	7.3	6.0	5.5	IMPACT	1.3	4.0	7.7	5.3	4.6
SPTR 2959	3.7	4.0	7.3	7.0	5.5	JULIET (BD 95-1930)	4.7	3.3	5.0	5.3	4.6
ARIES (A98-948)	3.7	4.3	7.7	6.0	5.4	POPR 04594	4.7	3.3	5.3	5.0	4.6
VOLT (A98-999)	3.3	4.7	7.7	6.0	5.4	RAD-0AN64	3.7	4.3	5.0	5.3	4.6
A98-689	4.3	4.0	7.3	6.0	5.4	SOLAR ECLIPSE (J-2399)	1.0	3.7	7.7	6.0	4.6
BLUE NOTE (A01-349)	3.0	5.3	7.0	6.3	5.4	A00-247	3.0	3.3	5.3	6.3	4.5
J-3429	2.7	5.0	7.7	6.3	5.4	AMERICA	2.3	3.0	7.0	5.7	4.5
BD 98-2108	4.0	4.0	6.0	7.3	5.3	BARIRIS	3.3	4.0	6.7	4.0	4.5
DP 76-9081	4.3	4.0	6.0	7.0	5.3	CPP 817	2.3	3.3	7.3	5.0	4.5
GAELIC (BD 98-1358)	4.0	4.3	7.0	6.0	5.3	EVERGLADE	1.0	3.7	7.7	5.7	4.5
PST-109-752	5.7	4.7	5.7	5.3	5.3	GRANITE (J-1326)	1.3	3.7	7.3	5.7	4.5
AURA (A99-2559)	4.7	4.0	5.7	6.7	5.3	H94-305	3.0	3.7	5.0	6.3	4.5
AKB449	3.3	3.3	7.7	6.7	5.3	MIDNIGHT	1.0	3.7	7.3	6.0	4.5
YANKEE (NA-3271)	3.3	3.7	7.3	6.7	5.3	J-1334	1.0	4.0	7.0	6.0	4.5
A00-1400	2.3	4.3	7.3	6.7	5.2	SW AG 514	2.7	3.3	6.7	5.3	4.5
DP 76-9066	3.0	4.7	7.0	5.7	5.1	EVEREST	1.7	4.0	6.7	5.3	4.4
AVIATOR (NA-3259)	3.3	3.7	7.3	6.0	5.1	NUCHICAGO (J-1466)	1.0	3.3	7.3	6.0	4.4
STARBURST (STR 2703)	4.3	4.0	5.7	6.3	5.1	MOONLIGHT SLT (PST-101-390)	4.0	4.3	5.7	3.7	4.4
BEWITCHED	2.3	3.3	7.7	6.7	5.0	NU DESTINY	1.0	4.3	6.7	5.7	4.4
RHAPSODY (A97-1287)	3.0	4.0	7.3	5.7	5.0	NUGLADE	1.3	3.3	7.7	5.0	4.3
EMPIRE (A01-299)	3.0	3.7	7.0	6.0	4.9	PST-1A1-899	3.3	3.0	6.3	4.7	4.3
RUGBY II	2.3	4.0	7.0	6.0	4.8	RAD-343	3.3	3.7	4.7	5.7	4.3
SKYE	2.3	4.0	7.0	6.0	4.8	RAD-762	3.7	3.3	5.0	5.3	4.3
BAR VV 0709	4.3	3.7	5.3	6.0	4.8	RHYTHM	1.0	3.7	7.7	5.0	4.3
BAR VV 9630	3.7	4.0	5.3	6.3	4.8	WASHINGTON	3.0	3.3	5.0	5.7	4.3
HARMONIE	2.7	4.0	7.0	5.7	4.8	BELISSIMO	2.0	3.0	5.0	6.7	4.2
JULIA	3.7	3.7	7.0	5.0	4.8	DIVA	2.7	3.3	5.7	5.0	4.2
						BARRISTER	1.0	3.7	7.0	5.0	4.2

TABLE 22. WINTER COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	NJ2	OK1	TN1	VA1	MEAN
DLF 76-9075	3.0	3.3	4.3	5.7	4.1
FUTURITY (A99-3119)	2.0	3.3	5.0	6.0	4.1
PST-101-73	2.7	3.3	4.3	6.0	4.1
SUDDEN IMPACT (J-2870)	1.0	3.7	6.0	5.7	4.1
BAR VV 0665	2.7	3.3	5.7	4.0	3.9
PSG 711	1.7	3.0	5.7	5.3	3.9
BAR VV 8536	2.0	4.0	6.3	3.0	3.8
H98-701	1.3	3.0	5.7	5.0	3.8
MSP 3723	2.0	3.0	4.3	5.7	3.8
MSP 3724	1.3	3.0	4.0	6.7	3.8
STR 2553	1.7	3.3	4.7	5.3	3.8
1QG-38	2.0	3.0	4.0	5.7	3.7
BAR VK 0710	2.0	3.7	5.0	4.0	3.7
BARON	1.3	4.0	6.3	3.0	3.7
BANDERA (SPTR 2LM95)	1.0	4.0	5.0	3.3	3.3
KENBLUE	1.3	3.3	4.7	4.0	3.3
REVEILLE	1.3	3.0	4.7	3.3	3.1
LSD VALUE	1.3	0.9	1.7	1.6	0.7
C.V. (%)	27.9	14.2	16.0	16.9	18.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23.

DROUGHT TOLERANCE (DORMANCY) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

DROUGHT TOLERANCE (DORMANCY) RATINGS 1-9; 9=NO DORMANCY 2/

NAME	IN1	MN1	MEAN	NAME	IN1	MN1	MEAN
BARIRIS	4.0	8.0	6.0	AWARD	4.0	5.0	4.5
GLENMONT	4.7	7.3	6.0	BD 99-2103	3.7	5.3	4.5
EMBLEM (PST-Y2K-169)	4.7	6.7	5.7	DYNAMO	2.7	6.3	4.5
BARRISTER	4.0	7.3	5.7	JULIET (BD 95-1930)	4.0	5.0	4.5
BELISSIMO	5.3	6.0	5.7	NA-3257	4.0	5.0	4.5
PST-1A1-899	4.3	7.0	5.7	NUGLADE	3.3	5.7	4.5
IMPACT	4.0	7.0	5.5	RAD-343	3.3	5.7	4.5
J-2502	4.7	6.0	5.3	SOLAR ECLIPSE (J-2399)	4.0	5.0	4.5
J-3429	4.7	6.0	5.3	SUDDEN IMPACT (J-2870)	4.0	5.0	4.5
PROSPERITY	5.0	5.7	5.3	A00-1400	4.0	4.7	4.3
AKB449	3.7	7.0	5.3	AURA (A99-2559)	4.0	4.7	4.3
CP 76-9068	3.3	7.3	5.3	NA-3248	4.0	4.7	4.3
EXCURSION	3.7	7.0	5.3	PINOT (LTP-149)	4.0	4.7	4.3
HARMONIE	3.3	7.3	5.3	A95-410	3.3	5.3	4.3
JULIA	3.7	6.7	5.2	EVERGLADE	4.3	4.3	4.3
4-SEASON (J-2791)	4.3	6.0	5.2	NU DESTINY	4.3	4.3	4.3
SHIRAZ (LTP-73)	4.0	6.3	5.2	PSG 711	4.3	4.3	4.3
WASHINGTON	4.3	6.0	5.2	MSP 3723	3.7	4.7	4.2
BD 03-84	5.0	5.0	5.0	J-1334	3.7	4.7	4.2
BLUESTONE	3.3	6.7	5.0	POPR 04594	3.7	4.7	4.2
CPP 822	3.0	7.0	5.0	BARON	4.0	4.3	4.2
GRANITE (J-1326)	4.0	6.0	5.0	MSP 3724	4.3	4.0	4.2
ALEXA II (J-2404)	4.0	5.7	4.8	PST-101-73	4.0	4.3	4.2
ARROWHEAD (NA-3261)	5.0	4.7	4.8	PST-109-752	4.0	4.3	4.2
AVID	4.0	5.7	4.8	RAD-0AN64	4.0	4.3	4.2
NUCHICAGO (J-1466)	4.0	5.7	4.8	STR 2553	4.3	4.0	4.2
AMERICA	4.3	5.3	4.8	A00-247	4.0	4.0	4.0
BLUEBERRY	4.3	5.3	4.8	A98-689	3.3	4.7	4.0
CPP 821	3.3	6.3	4.8	DLF 76-9075	3.0	5.0	4.0
DP 76-9066	3.3	6.3	4.8	DP 76-9081	4.0	4.0	4.0
EVEREST	3.7	6.0	4.8	H94-305	3.3	4.7	4.0
HAMPTON (BD 03-159)	4.3	5.3	4.8	MIDNIGHT	3.3	4.7	4.0
SKYE	4.3	5.3	4.8	VOLT (A98-999)	3.0	5.0	4.0
SW AG 514	3.3	6.3	4.8	RAD-762	3.0	4.7	3.8
EMPIRE (A01-299)	3.7	5.7	4.7	STARBURST (STR 2703)	3.0	4.7	3.8
BEYOND	4.7	4.7	4.7	ARIES (A98-948)	2.7	5.0	3.8
J-2024	3.7	5.7	4.7	BANDERA (SPTR 2LM95)	3.7	4.0	3.8
MOONLIGHT SLT (PST-101-390)	3.7	5.7	4.7	BAR VV 8536	4.3	3.3	3.8
MYSTERE	3.7	5.7	4.7	CORSAIR (NA-3249)	4.0	3.7	3.8
BEWITCHED	4.0	5.3	4.7	RUGBY II	3.3	4.3	3.8
MSP 3722	4.3	5.0	4.7	BD 98-2108	3.3	4.0	3.7
RHYTHM	4.0	5.3	4.7	CPP 817	2.7	4.7	3.7
TOUCHE (STR 23180)	4.0	5.3	4.7	H98-701	3.3	4.0	3.7
YANKEE (NA-3271)	5.3	4.0	4.7	1QG-38	3.7	3.7	3.7
ZINFANDEL (LTP 2949)	4.3	5.0	4.7	BAR VK 0710	3.0	4.3	3.7
ARGOS	4.0	5.0	4.5	DIVA	3.0	4.3	3.7
				FUTURITY (A99-3119)	3.7	3.7	3.7

TABLE 23. DROUGHT TOLERANCE (DORMANCY) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

DROUGHT TOLERANCE (DORMANCY) RATINGS 1-9; 9=NO DORMANCY 2/

NAME	IN1	MN1	MEAN
SPTR 2959	3.0	4.3	3.7
A00-1254	3.0	4.0	3.5
AVIATOR (NA-3259)	3.0	4.0	3.5
BAR VV 0665	3.0	4.0	3.5
BLUE NOTE (A01-349)	3.7	3.3	3.5
REVEILLE	4.0	3.0	3.5
STR 2485	3.0	4.0	3.5
WILD HORSE (A97-890)	3.7	3.3	3.5
BAR VV 0709	3.3	3.3	3.3
RHAPSODY (A97-1287)	4.3	2.3	3.3
BAR VV 9634	2.3	4.0	3.2
BAR VV 9630	2.3	3.7	3.0
GAELIC (BD 98-1358)	3.0	3.0	3.0
RAD-504	2.7	3.3	3.0
SHAMROCK	3.0	3.0	3.0
KENBLUE	2.7	2.7	2.7
PSG 366	2.7	2.7	2.7
LSD VALUE	1.0	2.5	1.4
C.V. (%)	17.3	31.1	27.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24.

LEAF SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1	NJ2	PA1	MEAN	NAME	MA1	NJ2	PA1	MEAN
AVID	9.0	7.7	7.7	8.1	ALEXA II (J-2404)	7.0	6.0	7.3	6.8
PINOT (LTP-149)	8.0	7.7	8.3	8.0	BAR VV 9630	6.3	6.3	7.7	6.8
PROSPERITY	7.7	8.3	8.0	8.0	BLUESTONE	6.3	6.3	7.7	6.8
MSP 3723	7.7	7.0	9.0	7.9	IMPACT	7.0	6.0	7.3	6.8
PSG 366	7.3	7.7	8.7	7.9	RHAPSODY (A97-1287)	6.3	6.7	7.3	6.8
BLUEBERRY	7.3	8.0	8.0	7.8	A98-689	5.3	6.3	8.3	6.7
4-SEASON (J-2791)	7.7	7.0	8.3	7.7	BARRISTER	6.7	6.0	7.3	6.7
GLENMONT	6.7	8.3	8.0	7.7	EVEREST	6.7	5.7	7.7	6.7
A00-1400	8.0	6.7	8.0	7.6	EVERGLADE	7.0	6.0	7.0	6.7
BLUE NOTE (A01-349)	6.7	7.3	8.7	7.6	SPTR 2959	6.0	6.3	7.7	6.7
SHIRAZ (LTP-73)	7.0	7.3	8.3	7.6	AWARD	6.3	6.7	6.7	6.6
DYNAMO	7.7	6.3	8.3	7.4	MIDNIGHT	6.7	6.0	7.0	6.6
PST-101-73	7.0	7.0	8.3	7.4	NU DESTINY	7.0	5.7	7.0	6.6
DIVA	7.0	7.3	8.0	7.4	J-1334	6.7	5.7	7.3	6.6
FUTURITY (A99-3119)	7.7	7.3	7.3	7.4	BD 98-2108	7.0	5.3	7.3	6.6
MSP 3722	7.3	7.0	8.0	7.4	GRANITE (J-1326)	6.3	6.0	7.3	6.6
ARROWHEAD (NA-3261)	6.7	7.3	8.0	7.3	NUGLADE	6.3	6.3	7.0	6.6
BD 99-2103	7.0	6.7	8.3	7.3	EXCURSION	6.7	5.7	7.0	6.4
CPP 821	6.3	7.3	8.3	7.3	NUCHICAGO (J-1466)	7.0	5.7	6.7	6.4
MSP 3724	7.0	6.7	8.3	7.3	J-2024	6.7	6.0	6.7	6.4
PSG 711	7.0	7.0	8.0	7.3	SHAMROCK	5.0	6.7	7.7	6.4
A00-247	7.3	6.7	7.7	7.2	ARIES (A98-948)	5.7	5.7	7.7	6.3
BELISSIMO	7.3	6.7	7.7	7.2	BEYOND	6.3	6.0	6.7	6.3
DP 76-9066	7.7	6.0	8.0	7.2	GAELIC (BD 98-1358)	5.7	6.0	7.3	6.3
H98-701	7.0	6.7	8.0	7.2	RAD-OAN64	5.7	6.7	6.7	6.3
MOONLIGHT SLT (PST-101-390)	7.0	7.7	7.0	7.2	SOLAR ECLIPSE (J-2399)	6.0	6.3	6.7	6.3
ZINFANDEL (LTP 2949)	7.3	6.7	7.7	7.2	SUDDEN IMPACT (J-2870)	7.0	5.7	6.3	6.3
CP 76-9068	6.0	7.3	8.3	7.2	BAR VV 8536	5.3	5.7	7.7	6.2
SW AG 514	6.3	7.3	8.0	7.2	BARON	6.7	5.7	6.3	6.2
1QG-38	7.0	6.0	8.3	7.1	CPP 817	5.3	5.7	7.7	6.2
CPP 822	5.3	7.7	8.3	7.1	PST-109-752	5.7	6.0	7.0	6.2
NA-3257	6.7	7.7	7.0	7.1	SKYE	5.3	6.7	6.7	6.2
BEWITCHED	7.0	6.3	8.0	7.1	NA-3248	6.3	5.3	7.0	6.2
EMBLEM (PST-Y2K-169)	6.3	7.0	8.0	7.1	JULIA	5.7	6.0	6.7	6.1
J-3429	7.7	6.3	7.3	7.1	BAR VV 9634	5.0	7.0	6.3	6.1
AMERICA	7.3	6.7	7.0	7.0	RAD-762	5.3	6.0	7.0	6.1
BARIRIS	6.3	7.0	7.7	7.0	TOUCHE (STR 23180)	6.0	6.3	6.0	6.1
HARMONIE	6.0	6.7	8.3	7.0	VOLT (A98-999)	5.3	5.7	7.3	6.1
STR 2553	7.3	6.0	7.7	7.0	AVIATOR (NA-3259)	5.7	6.0	6.3	6.0
A95-410	7.7	6.3	6.7	6.9	CORSAIR (NA-3249)	5.3	6.3	6.3	6.0
ARGOS	5.7	7.0	8.0	6.9	RHYTHM	6.0	5.3	6.7	6.0
BD 03-84	6.7	7.3	6.7	6.9	RUGBY II	6.0	5.0	7.0	6.0
J-2502	7.0	6.3	7.3	6.9	WILD HORSE (A97-890)	5.3	5.7	7.0	6.0
YANKEE (NA-3271)	5.7	7.7	7.0	6.8	RAD-504	5.3	7.0	5.3	5.9
EMPIRE (A01-299)	7.0	6.3	7.0	6.8	PST-1A1-899	5.0	4.7	7.7	5.8
AKB449	7.3	7.0	6.0	6.8	STR 2485	4.7	6.7	6.0	5.8
					BAR VK 0710	5.7	5.7	5.7	5.7

TABLE 24. LEAF SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1	NJ2	PA1	MEAN
RAD-343	6.0	5.7	5.3	5.7
HAMPTON (BD 03-159)	4.7	7.7	4.3	5.6
WASHINGTON	5.0	6.3	5.3	5.6
JULIET (BD 95-1930)	4.7	5.7	6.0	5.4
BANDERA (SPTR 2LM95)	5.7	5.3	5.3	5.4
A00-1254	4.7	6.0	5.3	5.3
POPR 04594	5.3	5.7	4.7	5.2
STARBURST (STR 2703)	6.0	5.0	4.0	5.0
AURA (A99-2559)	4.3	4.7	5.3	4.8
MYSTERE	5.0	4.7	4.0	4.6
H94-305	3.7	5.0	4.0	4.2
DLF 76-9075	3.7	4.7	3.7	4.0
REVEILLE	2.7	1.3	6.3	3.4
BAR VV 0709	2.7	2.3	4.3	3.1
BAR VV 0665	2.3	4.3	2.3	3.0
DP 76-9081	3.0	4.3	1.7	3.0
KENBLUE	1.3	1.0	1.0	1.1
LSD VALUE	1.1	1.1	1.2	0.7
C.V. (%)	10.6	11.3	11.1	11.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25.

STEM RUST RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

STEM RUST RATINGS 1-9; 9=NO DISEASE 2/

NAME	MD1	NM1	OK1	MEAN	NAME	MD1	NM1	OK1	MEAN
RAD-504	9.0	9.0	8.0	8.7	PST-101-73	9.0	7.0	8.0	8.0
RAD-343	9.0	8.3	8.3	8.6	RUGBY II	9.0	7.3	7.7	8.0
TOUCHE (STR 23180)	9.0	8.3	8.3	8.6	1QG-38	9.0	7.0	7.7	7.9
A00-1400	9.0	8.0	8.7	8.6	ARGOS	9.0	7.0	7.7	7.9
PST-1A1-899	9.0	8.7	8.0	8.6	BARON	9.0	7.7	7.0	7.9
STR 2485	9.0	8.7	8.0	8.6	BEWITCHED	9.0	7.0	7.7	7.9
WASHINGTON	9.0	8.7	8.0	8.6	BEYOND	9.0	7.0	7.7	7.9
AMERICA	9.0	8.7	7.7	8.4	EXCURSION	9.0	7.0	7.7	7.9
DLF 76-9075	9.0	8.7	7.7	8.4	GRANITE (J-1326)	9.0	6.7	8.0	7.9
FUTURITY (A99-3119)	8.7	9.0	7.7	8.4	NA-3257	9.0	8.0	6.7	7.9
JULIET (BD 95-1930)	9.0	8.0	8.3	8.4	AKB449	8.7	7.0	8.0	7.9
MYSTERE	9.0	8.7	7.7	8.4	KENBLUE	9.0	7.3	7.3	7.9
RAD-762	9.0	8.3	8.0	8.4	SPTR 2959	8.7	7.0	8.0	7.9
SHIRAZ (LTP-73)	9.0	7.7	8.7	8.4	SUDDEN IMPACT (J-2870)	8.7	7.0	8.0	7.9
SKYE	9.0	8.3	8.0	8.4	IMPACT	9.0	6.7	7.7	7.8
BD 03-84	9.0	8.0	8.0	8.3	YANKEE (NA-3271)	9.0	7.7	6.7	7.8
BD 98-2108	9.0	8.0	8.0	8.3	ARIES (A98-948)	9.0	7.3	7.0	7.8
NUCHICAGO (J-1466)	9.0	7.7	8.3	8.3	BARRISTER	9.0	7.3	7.0	7.8
MSP 3722	9.0	8.0	8.0	8.3	BLUE NOTE (A01-349)	9.0	7.3	7.0	7.8
MSP 3723	9.0	8.0	8.0	8.3	GAELIC (BD 98-1358)	8.7	7.0	7.7	7.8
PSG 366	9.0	8.3	7.7	8.3	H98-701	8.3	7.7	7.3	7.8
EMPIRE (A01-299)	9.0	8.0	7.7	8.2	NU DESTINY	9.0	7.3	7.0	7.8
A98-689	9.0	7.7	8.0	8.2	J-2024	9.0	7.0	7.0	7.7
CPP 817	9.0	7.7	8.0	8.2	J-3429	9.0	7.0	7.0	7.7
DIVA	9.0	7.7	8.0	8.2	RHAPSODY (A97-1287)	9.0	6.0	8.0	7.7
POPR 04594	9.0	7.7	8.0	8.2	RHYTHM	9.0	7.0	7.0	7.7
ZINFANDEL (LTP 2949)	9.0	7.7	8.0	8.2	AWARD	8.7	6.3	7.7	7.6
AURA (A99-2559)	8.7	8.0	8.0	8.2	BLUESTONE	9.0	7.7	6.0	7.6
BAR VV 0709	9.0	7.3	8.3	8.2	MSP 3724	8.3	6.7	7.7	7.6
MIDNIGHT	9.0	7.0	8.7	8.2	NA-3248	8.7	8.0	6.0	7.6
BAR VV 9634	9.0	7.7	7.7	8.1	BAR VV 8536	9.0	8.3	5.0	7.4
BELISSIMO	8.3	8.0	8.0	8.1	DP 76-9066	8.3	7.3	6.7	7.4
EVERGLADE	9.0	7.7	7.7	8.1	HAMPTON (BD 03-159)	8.3	7.0	7.0	7.4
J-1334	9.0	7.7	7.7	8.1	GLENMONT	7.3	8.0	7.0	7.4
REVEILLE	8.3	8.0	8.0	8.1	NUGLADE	9.0	6.3	7.0	7.4
SOLAR ECLIPSE (J-2399)	9.0	7.0	8.3	8.1	WILD HORSE (A97-890)	9.0	7.3	6.0	7.4
SW AG 514	8.3	8.0	8.0	8.1	BANDERA (SPTR 2LM95)	9.0	8.0	5.0	7.3
ALEXA II (J-2404)	9.0	7.3	8.0	8.1	DYNAMO	8.0	7.3	6.7	7.3
AVIATOR (NA-3259)	9.0	8.7	6.7	8.1	BAR VK 0710	8.7	6.0	7.0	7.2
BAR VV 9630	9.0	7.3	8.0	8.1	VOLT (A98-999)	8.7	8.0	5.0	7.2
BD 99-2103	9.0	7.3	8.0	8.1	STR 2553	8.3	7.3	5.7	7.1
EVEREST	8.7	7.7	8.0	8.1	A00-247	8.0	8.0	5.0	7.0
RAD-OAN64	8.7	8.3	7.3	8.1	BLUEBERRY	8.0	6.3	6.7	7.0
STARBURST (STR 2703)	9.0	8.7	6.7	8.1	J-2502	8.7	5.7	6.7	7.0
AVID	9.0	8.3	6.7	8.0	SHAMROCK	8.7	6.7	5.7	7.0
PSG 711	8.7	8.3	7.0	8.0	A00-1254	8.3	6.3	6.0	6.9
					ARROWHEAD (NA-3261)	8.3	5.3	7.0	6.9

TABLE 25. STEM RUST RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

STEM RUST RATINGS 1-9; 9=NO DISEASE 2/

NAME	MD1	NM1	OK1	MEAN
PROSPERITY	8.3	6.0	6.3	6.9
4-SEASON (J-2791)	7.7	5.0	7.7	6.8
A95-410	6.7	8.0	5.7	6.8
CORSAIR (NA-3249)	7.0	6.7	6.7	6.8
H94-305	8.0	6.0	6.0	6.7
HARMONIE	5.7	6.3	8.0	6.7
EMBLEM (PST-Y2K-169)	9.0	5.7	5.0	6.6
JULIA	6.3	6.7	6.7	6.6
MOONLIGHT SLT (PST-101-390)	9.0	5.7	5.0	6.6
DP 76-9081	5.7	7.7	6.0	6.4
PINOT (LTP-149)	8.0	5.7	5.7	6.4
CP 76-9068	5.0	7.0	7.0	6.3
CPP 821	6.3	5.3	7.0	6.2
BARIRIS	5.3	7.3	5.7	6.1
PST-109-752	7.0	6.3	5.0	6.1
CPP 822	5.3	5.7	7.0	6.0
BAR VV 0665	5.3	6.3	5.0	5.6
LSD VALUE	0.8	1.5	1.1	0.7
C.V. (%)	6.1	12.7	9.1	9.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 26. DOLLAR SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1	MD1	NC1	OK1	PA1	VA1	WI1	MEAN
BD 99-2103	8.7	9.0	6.0	9.0	8.3	6.0	9.0	8.0
BELISSIMO	9.0	8.3	5.0	9.0	9.0	6.7	9.0	8.0
MYSTERE	9.0	7.3	7.0	7.7	9.0	7.0	9.0	8.0
MSP 3724	8.7	9.0	6.0	7.3	8.7	6.7	9.0	7.9
PINOT (LTP-149)	8.3	7.7	7.0	8.0	8.7	6.7	8.7	7.9
J-1334	8.0	8.3	6.7	8.3	8.3	6.0	8.7	7.8
MSP 3723	8.7	8.7	7.3	6.0	8.3	6.0	9.0	7.7
AWARD	8.7	8.0	6.0	8.7	7.7	6.3	8.7	7.7
1QG-38	8.3	8.7	6.3	7.0	8.7	5.7	9.0	7.7
BEWITCHED	8.3	8.0	6.3	7.7	9.0	5.7	8.7	7.7
PSG 711	8.3	8.0	5.7	8.3	8.7	6.0	8.7	7.7
PST-101-73	8.7	8.7	6.7	7.0	8.0	6.0	8.7	7.7
STR 2553	8.0	8.7	5.3	8.0	8.7	6.0	9.0	7.7
EMPIRE (A01-299)	7.3	8.3	7.7	7.3	9.0	5.3	8.3	7.6
FUTURITY (A99-3119)	8.3	7.7	6.7	7.0	8.7	6.0	9.0	7.6
GLENMONT	8.7	8.3	5.7	7.0	8.7	6.0	9.0	7.6
MSP 3722	8.3	8.3	6.7	6.7	8.3	6.0	9.0	7.6
RAD-0AN64	8.3	8.0	6.3	8.0	8.7	5.0	9.0	7.6
SKYE	7.7	7.3	5.7	9.0	8.0	6.7	9.0	7.6
A00-247	9.0	8.0	5.0	7.3	8.7	6.3	8.7	7.6
ALEXA II (J-2404)	7.3	7.7	6.7	8.0	8.7	5.7	9.0	7.6
AMERICA	8.7	9.0	6.0	7.0	8.0	6.0	8.3	7.6
BLUE NOTE (A01-349)	8.3	8.7	4.7	8.0	8.7	6.0	8.7	7.6
MIDNIGHT	8.3	8.0	6.3	8.0	8.3	5.7	8.3	7.6
H98-701	9.0	8.7	5.0	7.3	9.0	5.0	8.7	7.5
NUCHICAGO (J-1466)	8.0	7.7	6.0	6.7	8.7	6.7	9.0	7.5
PSG 366	8.0	8.0	7.0	7.0	8.0	5.7	9.0	7.5
SOLAR ECLIPSE (J-2399)	8.3	8.3	4.3	8.3	8.7	6.0	8.7	7.5
DIVA	8.0	8.3	5.7	7.7	8.3	5.3	9.0	7.5
AKB449	7.7	7.3	7.0	7.3	8.7	6.0	8.3	7.5
IMPACT	8.0	7.7	5.7	8.0	8.3	5.7	9.0	7.5
BARRISTER	8.0	7.7	5.3	8.3	8.0	5.7	9.0	7.4
J-2502	8.3	7.3	5.3	9.0	8.0	5.7	8.3	7.4
NUGLADE	9.0	7.3	5.7	7.0	8.7	5.3	9.0	7.4
RHAPSODY (A97-1287)	8.3	7.3	6.7	7.0	7.0	6.7	9.0	7.4
RHYTHM	8.3	7.7	6.0	8.0	8.0	5.0	9.0	7.4
A00-1400	8.7	8.3	5.0	7.0	7.7	6.7	8.7	7.4
BD 03-84	7.7	7.7	6.3	8.7	7.3	5.3	8.7	7.4
SHIRAZ (LTP-73)	7.7	7.7	6.0	8.0	8.3	5.3	8.7	7.4
ZINFANDEL (LTP 2949)	8.0	8.3	5.0	7.3	8.7	5.3	9.0	7.4
BARON	8.0	7.3	5.0	8.3	7.7	6.3	9.0	7.4
DLF 76-9075	9.0	7.7	4.3	6.7	8.7	6.0	9.0	7.3
NU DESTINY	8.0	7.0	6.3	7.3	8.0	6.3	8.3	7.3
EVERGLADE	8.3	7.3	5.3	7.3	8.3	6.0	8.7	7.3
EXCURSION	8.0	7.3	6.3	6.7	9.0	5.0	9.0	7.3
ARGOS	8.3	8.0	6.3	6.7	8.3	5.3	8.0	7.3

TABLE 26. DOLLAR SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1	MD1	NC1	OK1	PA1	VA1	WI1	MEAN
EMBLEM (PST-Y2K-169)	7.7	7.0	5.3	8.3	8.3	6.0	8.3	7.3
PROSPERITY	7.0	8.0	5.7	7.7	8.0	7.0	7.7	7.3
BEYOND	8.3	7.3	6.3	6.7	7.7	5.7	8.7	7.2
H94-305	8.7	7.7	6.0	6.0	8.0	5.7	8.7	7.2
AURA (A99-2559)	7.3	6.7	6.3	7.0	8.7	5.7	8.7	7.2
J-2024	8.0	8.3	5.0	5.0	8.7	6.7	8.7	7.2
AVID	7.7	7.7	7.0	6.0	7.0	5.7	9.0	7.1
BLUEBERRY	9.0	7.7	6.0	6.7	8.7	3.0	9.0	7.1
BD 98-2108	6.3	6.7	6.3	8.0	7.3	6.3	8.7	7.1
JULIET (BD 95-1930)	7.7	8.3	5.0	6.0	8.0	6.0	8.7	7.1
HAMPTON (BD 03-159)	8.0	8.0	4.7	8.0	8.0	4.0	8.7	7.0
BLUESTONE	8.7	7.3	4.3	6.7	8.7	4.3	9.0	7.0
RUGBY II	8.0	6.3	5.3	7.0	8.3	5.3	8.7	7.0
BAR VV 8536	8.7	7.7	5.0	7.0	7.0	5.7	8.0	7.0
GRANITE (J-1326)	7.7	7.7	5.0	6.3	8.3	4.7	9.0	7.0
J-3429	7.3	7.3	4.7	7.0	7.7	5.7	9.0	7.0
SUDDEN IMPACT (J-2870)	8.0	7.0	5.3	6.0	8.0	5.7	8.3	6.9
A95-410	8.0	6.0	4.7	8.0	6.3	6.0	9.0	6.9
ARIES (A98-948)	7.0	7.7	6.0	6.7	6.7	5.7	8.3	6.9
STR 2485	8.7	7.7	5.0	5.7	7.0	5.3	8.3	6.8
A98-689	7.3	8.3	5.0	7.0	5.7	6.7	7.7	6.8
EVEREST	8.3	7.7	4.3	6.0	8.3	4.7	8.3	6.8
BANDERA (SPTR 2LM95)	8.3	7.0	4.0	6.7	7.7	5.0	8.7	6.8
POPR 04594	8.3	7.3	4.7	6.7	7.0	5.3	8.0	6.8
VOLT (A98-999)	7.0	6.3	5.7	8.0	7.7	4.3	8.3	6.8
ARROWHEAD (NA-3261)	8.7	7.0	6.7	6.7	4.7	6.0	7.7	6.8
A00-1254	7.7	5.7	4.7	7.0	8.0	5.3	8.0	6.6
RAD-762	8.0	7.0	5.3	4.3	7.3	6.0	8.3	6.6
TOUCHE (STR 23180)	7.7	7.0	4.3	4.7	7.3	6.7	8.7	6.6
WASHINGTON	8.0	7.0	4.0	5.3	6.3	7.0	8.0	6.5
KENBLUE	8.7	6.3	2.3	5.0	8.7	5.3	8.7	6.4
AVIATOR (NA-3259)	6.7	7.7	3.7	6.3	8.3	3.7	8.7	6.4
PST-109-752	6.0	6.3	5.3	8.7	6.0	4.7	8.0	6.4
SHAMROCK	7.3	7.0	5.3	7.3	5.0	5.3	7.7	6.4
STARBURST (STR 2703)	7.7	6.0	3.3	7.0	7.3	5.0	8.7	6.4
BAR VV 9634	5.7	7.7	3.0	6.0	8.3	5.3	8.7	6.4
DYNAMO	5.3	6.7	4.3	7.7	7.0	4.7	9.0	6.4
WILD HORSE (A97-890)	5.7	7.3	4.0	8.0	6.0	6.0	7.7	6.4
CPP 817	8.3	7.7	2.7	6.7	7.0	3.0	9.0	6.3
BAR VV 9630	5.7	7.3	3.7	6.0	7.3	5.0	9.0	6.3
NA-3257	7.7	5.7	4.7	7.0	6.7	5.3	7.0	6.3
RAD-343	7.3	7.3	3.7	5.3	7.7	5.3	7.3	6.3
BAR VV 0709	6.7	6.7	2.7	5.0	8.0	6.7	8.0	6.2
SPTR 2959	5.3	7.0	4.7	6.7	6.3	6.7	7.0	6.2
DP 76-9066	4.7	7.0	4.0	8.3	6.7	3.7	9.0	6.2
DP 76-9081	9.0	5.3	3.7	3.7	9.0	4.3	8.3	6.2
BAR VV 0665	7.7	6.3	3.0	6.3	8.0	4.0	8.0	6.2

TABLE 26. DOLLAR SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1	MD1	NC1	OK1	PA1	VA1	WI1	MEAN
REVEILLE	8.0	6.7	4.0	5.7	7.0	3.3	8.3	6.1
4-SEASON (J-2791)	4.7	6.0	5.3	6.0	6.0	6.3	8.3	6.1
CORSAIR (NA-3249)	7.3	7.0	5.3	6.3	4.7	4.0	8.0	6.1
YANKEE (NA-3271)	5.7	6.7	6.0	6.0	5.0	6.3	6.0	6.0
GAELIC (BD 98-1358)	7.0	7.0	4.3	5.7	4.3	5.3	7.3	5.9
MOONLIGHT SLT (PST-101-390)	5.3	6.3	5.7	6.7	6.7	2.7	7.3	5.8
RAD-504	7.3	6.7	3.0	7.0	5.3	3.7	7.7	5.8
SW AG 514	5.0	6.7	5.3	6.7	4.0	5.7	6.7	5.7
NA-3248	7.3	5.3	3.0	5.0	7.0	4.3	6.7	5.5
BAR VK 0710	6.0	6.3	3.7	5.7	5.0	5.0	6.7	5.5
HARMONIE	4.3	5.0	4.7	7.7	5.3	4.3	7.0	5.5
PST-1A1-899	5.7	6.3	4.7	4.3	6.3	3.0	7.3	5.4
CPP 822	4.3	6.0	3.0	6.7	5.7	6.0	5.7	5.3
CP 76-9068	5.0	5.7	3.3	6.3	4.3	4.3	5.7	5.0
BARIRIS	4.7	5.7	3.0	5.7	3.7	2.7	6.3	4.5
CPP 821	3.3	6.0	2.7	5.0	5.3	3.3	6.0	4.5
JULIA	4.3	5.7	3.3	5.7	2.7	2.7	5.7	4.3
LSD VALUE	1.7	1.6	2.1	1.6	1.7	2.1	1.2	0.7
C.V. (%)	13.9	13.5	25.5	14.7	14.0	24.4	9.1	15.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 27.

SUMMER PATCH RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

SUMMER PATCH RATINGS 1-9; 9=NO DISEASE 2/

NAME	OK1	NAME	OK1
A00-1254	6.0	REVEILLE	4.3
MYSTERE	6.0	RHYTHM	4.3
RHAPSODY (A97-1287)	6.0	RUGBY II	4.3
BLUE NOTE (A01-349)	5.7	SOLAR ECLIPSE (J-2399)	4.3
NU DESTINY	5.7	ZINFANDEL (LTP 2949)	4.3
SKYE	5.7	AMERICA	4.0
AURA (A99-2559)	5.3	ARGOS	4.0
EVERGLADE	5.3	ARROWHEAD (NA-3261)	4.0
MSP 3724	5.3	AWARD	4.0
PST-109-752	5.3	BANDERA (SPTR 2LM95)	4.0
YANKEE (NA-3271)	5.3	BAR VV 0665	4.0
BAR VV 0709	5.0	BAR VV 9634	4.0
BD 03-84	5.0	BD 99-2103	4.0
CORSAIR (NA-3249)	5.0	DIVA	4.0
DLF 76-9075	5.0	DP 76-9081	4.0
H94-305	5.0	EXCURSION	4.0
J-1334	5.0	GLENMONT	4.0
NUGLADE	5.0	GRANITE (J-1326)	4.0
RAD-504	5.0	J-2024	4.0
STARBURST (STR 2703)	5.0	J-2502	4.0
AVIATOR (NA-3259)	4.7	J-3429	4.0
EVEREST	4.7	MOONLIGHT SLT (PST-101-390)	4.0
FUTURITY (A99-3119)	4.7	PST-1A1-899	4.0
IMPACT	4.7	SHAMROCK	4.0
NUCHICAGO (J-1466)	4.7	SHIRAZ (LTP-73)	4.0
MIDNIGHT	4.7	SPTR 2959	4.0
PROSPERITY	4.7	SUDDEN IMPACT (J-2870)	4.0
STR 2553	4.7	1QG-38	3.7
A00-1400	4.3	ALEXA II (J-2404)	3.7
EMPIRE (A01-299)	4.3	BAR VV 8536	3.7
A98-689	4.3	BELISSIMO	3.7
ARIES (A98-948)	4.3	BLUEBERRY	3.7
AKB449	4.3	CP 76-9068	3.7
BAR VK 0710	4.3	CPP 822	3.7
BAR VV 9630	4.3	DP 76-9066	3.7
BARIRIS	4.3	NA-3248	3.7
BARRISTER	4.3	POPR 04594	3.7
BEYOND	4.3	PST-101-73	3.7
EMBLEM (PST-Y2K-169)	4.3	RAD-0AN64	3.7
GAELIC (BD 98-1358)	4.3	STR 2485	3.7
H98-701	4.3	WILD HORSE (A97-890)	3.7
JULIA	4.3	A00-247	3.3
KENBLUE	4.3	AVID	3.3
NA-3257	4.3	BARON	3.3
PINOT (LTP-149)	4.3	BD 98-2108	3.3
PSG 711	4.3	BLUESTONE	3.3
		CPP 817	3.3

TABLE 27. SUMMER PATCH RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

SUMMER PATCH RATINGS 1-9; 9=NO DISEASE 2/

NAME	OK1
DYNAMO	3.3
HAMPTON (BD 03-159)	3.3
HARMONIE	3.3
JULIET (BD 95-1930)	3.3
PSG 366	3.3
RAD-343	3.3
RAD-762	3.3
SW AG 514	3.3
TOUCHE (STR 23180)	3.3
VOLT (A98-999)	3.3
WASHINGTON	3.3
4-SEASON (J-2791)	3.0
MSP 3723	3.0
A95-410	2.7
CPP 821	2.7
BEWITCHED	2.3
MSP 3722	2.3
LSD VALUE	1.4
C.V. (%)	20.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28.

PINK SNOW MOLD RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

PINK SNOW MOLD RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1	NAME	MA1
BD 98-2108	7.7	NUCHICAGO (J-1466)	6.0
SHIRAZ (LTP-73)	7.7	JULIET (BD 95-1930)	6.0
ZINFANDEL (LTP 2949)	7.7	MOONLIGHT SLT (PST-101-390)	6.0
4-SEASON (J-2791)	7.3	NA-3257	6.0
PSG 366	7.3	PINOT (LTP-149)	6.0
SHAMROCK	7.3	PSG 711	6.0
EMPIRE (A01-299)	7.0	PST-1A1-899	6.0
AMERICA	7.0	SW AG 514	6.0
BAR VV 9630	7.0	1QG-38	5.7
CPP 821	7.0	BAR VV 0709	5.7
POPR 04594	7.0	BAR VV 8536	5.7
RHAPSODY (A97-1287)	7.0	BARRISTER	5.7
STR 2485	7.0	BLUE NOTE (A01-349)	5.7
A00-1400	6.7	CORSAIR (NA-3249)	5.7
A95-410	6.7	DYNAMO	5.7
ARGOS	6.7	EVEREST	5.7
AVID	6.7	HARMONIE	5.7
BAR VV 9634	6.7	IMPACT	5.7
DIVA	6.7	J-3429	5.7
DP 76-9066	6.7	MIDNIGHT	5.7
PST-101-73	6.7	MSP 3722	5.7
RAD-343	6.7	MSP 3723	5.7
RAD-762	6.7	MYSTERE	5.7
STARBURST (STR 2703)	6.7	NA-3248	5.7
TOUCHE (STR 23180)	6.7	PROSPERITY	5.7
VOLT (A98-999)	6.7	SPTR 2959	5.7
A00-247	6.3	A00-1254	5.3
AKB449	6.3	ARIES (A98-948)	5.3
AVIATOR (NA-3259)	6.3	BD 03-84	5.3
BD 99-2103	6.3	BELISSIMO	5.3
CP 76-9068	6.3	FUTURITY (A99-3119)	5.3
CPP 822	6.3	H94-305	5.3
GLENMONT	6.3	HAMPTON (BD 03-159)	5.3
H98-701	6.3	JULIA	5.3
PST-109-752	6.3	MSP 3724	5.3
RAD-0AN64	6.3	RAD-504	5.3
WASHINGTON	6.3	RHYTHM	5.3
WILD HORSE (A97-890)	6.3	RUGBY II	5.3
A98-689	6.0	SOLAR ECLIPSE (J-2399)	5.3
AURA (A99-2559)	6.0	STR 2553	5.3
BAR VK 0710	6.0	SUDDEN IMPACT (J-2870)	5.3
BARIRIS	6.0	ARROWHEAD (NA-3261)	5.0
BARON	6.0	AWARD	5.0
BEWITCHED	6.0	BLUEBERRY	5.0
EMBLEM (PST-Y2K-169)	6.0	BLUESTONE	5.0
GAELIC (BD 98-1358)	6.0	EVERGLADE	5.0
		EXCURSION	5.0

TABLE 28. PINK SNOW MOLD RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
 (CONT'D) 2007 DATA

PINK SNOW MOLD RATINGS 1-9; 9=NO DISEASE 2/

NAME	MA1
GRANITE (J-1326)	5.0
J-2024	5.0
NU DESTINY	5.0
J-1334	5.0
NUGLADE	5.0
SKYE	5.0
ALEXA II (J-2404)	4.7
BANDERA (SPTR 2LM95)	4.7
BEYOND	4.7
J-2502	4.7
YANKEE (NA-3271)	4.7
CPP 817	4.3
DLF 76-9075	4.3
BAR VV 0665	4.0
DP 76-9081	3.7
REVEILLE	3.7
KENBLUE	1.7
LSD VALUE	1.2
C.V. (%)	12.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29.

BILLBUG RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

BILLBUG RATINGS 1-9; 9=NO DAMAGE 2/

NAME	UT1	NAME	UT1
BELISSIMO	8.3	JULIA	6.3
H98-701	8.3	MSP 3722	6.3
RAD-343	8.3	J-1334	6.3
BAR VK 0710	8.0	PINOT (LTP-149)	6.3
JULIET (BD 95-1930)	8.0	PSG 366	6.3
MSP 3723	8.0	RHAPSODY (A97-1287)	6.3
MSP 3724	8.0	RUGBY II	6.3
RAD-762	8.0	VOLT (A98-999)	6.3
REVEILLE	8.0	YANKEE (NA-3271)	6.3
A00-1400	7.7	ARGOS	6.0
A00-247	7.7	AURA (A99-2559)	6.0
BAR VV 9630	7.7	AVID	6.0
BARON	7.7	BAR VV 9634	6.0
DP 76-9081	7.7	BLUEBERRY	6.0
PSG 711	7.7	EXCURSION	6.0
STR 2485	7.7	PROSPERITY	6.0
AMERICA	7.3	A98-689	5.7
BANDERA (SPTR 2LM95)	7.3	ARIES (A98-948)	5.7
FUTURITY (A99-3119)	7.3	ALEXA II (J-2404)	5.7
IMPACT	7.3	CPP 817	5.7
KENBLUE	7.3	CPP 821	5.7
MYSTERE	7.3	EVEREST	5.7
NA-3257	7.3	EVERGLADE	5.7
POPR 04594	7.3	HARMONIE	5.7
RHYTHM	7.3	J-2024	5.7
STR 2553	7.3	PST-109-752	5.7
WASHINGTON	7.3	RAD-0AN64	5.7
ZINFANDEL (LTP 2949)	7.3	STARBURST (STR 2703)	5.7
1QG-38	7.0	WILD HORSE (A97-890)	5.7
CORSAIR (NA-3249)	7.0	BARRISTER	5.3
PST-101-73	7.0	BD 99-2103	5.3
A00-1254	6.7	CP 76-9068	5.3
AVIATOR (NA-3259)	6.7	DIVA	5.3
AWARD	6.7	GAELIC (BD 98-1358)	5.3
BAR VV 8536	6.7	GRANITE (J-1326)	5.3
BD 03-84	6.7	NUCHICAGO (J-1466)	5.3
BLUE NOTE (A01-349)	6.7	J-2502	5.3
GLENMONT	6.7	J-3429	5.3
HAMPTON (BD 03-159)	6.7	SOLAR ECLIPSE (J-2399)	5.3
NA-3248	6.7	SW AG 514	5.3
NU DESTINY	6.7	ARROWHEAD (NA-3261)	5.0
PST-1A1-899	6.7	BEYOND	5.0
TOUCHE (STR 23180)	6.7	EMBLEM (PST-Y2K-169)	5.0
BD 98-2108	6.3	SUDDEN IMPACT (J-2870)	5.0
BLUESTONE	6.3	EMPIRE (A01-299)	4.7
DLF 76-9075	6.3	BARIRIS	4.7
		BEWITCHED	4.7

TABLE 29. BILLBUG RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

BILLBUG RATINGS 1-9; 9=NO DAMAGE 2/

NAME	UT1
H94-305	4.7
MIDNIGHT	4.7
NUGLADE	4.7
RAD-504	4.7
SHAMROCK	4.7
SHIRAZ (LTP-73)	4.7
A95-410	4.3
AKB449	4.3
CPP 822	4.3
SKYE	4.3
BAR VV 0665	4.0
DP 76-9066	4.0
DYNAMO	4.0
4-SEASON (J-2791)	3.7
BAR VV 0709	3.7
SPTR 2959	3.3
MOONLIGHT SLT (PST-101-390)	3.0
LSD VALUE	2.0
C.V. (%)	20.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 30.

SEEDHEAD RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	IN1	MN1	MEAN	NAME	IN1	MN1	MEAN
ALEXA II (J-2404)	8.7	8.7	8.7	BEYOND	7.7	7.0	7.3
J-2502	8.7	8.7	8.7	CPP 822	7.0	7.7	7.3
4-SEASON (J-2791)	8.7	8.3	8.5	HARMONIE	7.0	7.7	7.3
AWARD	8.7	8.3	8.5	MYSTERE	6.7	8.0	7.3
SUDDEN IMPACT (J-2870)	9.0	8.0	8.5	NU DESTINY	7.7	7.0	7.3
BD 03-84	9.0	7.7	8.3	STR 2485	6.7	8.0	7.3
EXCURSION	9.0	7.7	8.3	TOUCHE (STR 23180)	6.7	8.0	7.3
SHIRAZ (LTP-73)	7.7	9.0	8.3	AKB449	7.3	7.3	7.3
AURA (A99-2559)	8.0	8.7	8.3	CPP 821	7.3	7.3	7.3
EVEREST	8.7	8.0	8.3	PST-1A1-899	7.3	7.3	7.3
RHAPSODY (A97-1287)	8.7	8.0	8.3	BD 98-2108	7.0	7.3	7.2
GRANITE (J-1326)	8.3	8.0	8.2	BLUEBERRY	8.0	6.3	7.2
DLF 76-9075	7.7	8.7	8.2	RAD-0AN64	8.0	6.0	7.0
EMBLEM (PST-Y2K-169)	8.7	7.7	8.2	WILD HORSE (A97-890)	5.3	8.7	7.0
IMPACT	8.7	7.7	8.2	ARIES (A98-948)	6.0	7.7	6.8
NUCHICAGO (J-1466)	9.0	7.3	8.2	ARGOS	6.7	7.0	6.8
J-1334	8.7	7.7	8.2	BARIRIS	5.3	8.3	6.8
RHYTHM	9.0	7.3	8.2	BD 99-2103	8.3	5.3	6.8
SOLAR ECLIPSE (J-2399)	8.7	7.7	8.2	SHAMROCK	5.3	8.3	6.8
WASHINGTON	7.3	9.0	8.2	SKYE	7.0	6.7	6.8
A00-1400	8.7	7.3	8.0	BAR VK 0710	5.0	8.3	6.7
AVID	8.3	7.7	8.0	GAELIC (BD 98-1358)	5.0	8.3	6.7
BLUE NOTE (A01-349)	7.0	9.0	8.0	KENBLUE	5.0	8.3	6.7
CP 76-9068	8.0	8.0	8.0	EMPIRE (A01-299)	8.0	5.3	6.7
J-2024	8.3	7.7	8.0	GLENMONT	7.0	6.3	6.7
RAD-343	7.7	8.3	8.0	PSG 366	5.3	8.0	6.7
RAD-762	7.0	9.0	8.0	JULIA	4.3	8.7	6.5
ZINFANDEL (LTP 2949)	9.0	7.0	8.0	CPP 817	4.7	8.0	6.3
BLUESTONE	7.7	8.0	7.8	DP 76-9066	7.0	5.7	6.3
DP 76-9081	7.3	8.3	7.8	PINOT (LTP-149)	8.0	4.7	6.3
NUGLADE	8.3	7.3	7.8	MSP 3722	7.3	5.3	6.3
PROSPERITY	8.3	7.3	7.8	NA-3257	6.3	6.3	6.3
YANKEE (NA-3271)	8.0	7.7	7.8	SW AG 514	5.7	6.7	6.2
HAMPTON (BD 03-159)	7.0	8.7	7.8	AVIATOR (NA-3259)	6.0	6.3	6.2
JULIET (BD 95-1930)	7.0	8.7	7.8	CORSAIR (NA-3249)	5.3	7.0	6.2
MIDNIGHT	8.7	7.0	7.8	DIVA	7.3	5.0	6.2
J-3429	8.3	7.0	7.7	1QG-38	7.7	4.3	6.0
STARBURST (STR 2703)	7.0	8.3	7.7	BANDERA (SPTR 2LM95)	7.3	4.7	6.0
POPR 04594	7.3	8.0	7.7	DYNAMO	6.3	5.7	6.0
BAR VV 0709	6.3	8.7	7.5	A00-1254	5.7	6.0	5.8
BARRISTER	8.0	7.0	7.5	A95-410	4.7	7.0	5.8
BEWITCHED	7.7	7.3	7.5	MSP 3723	7.0	4.7	5.8
EVERGLADE	8.3	6.7	7.5	RAD-504	4.7	7.0	5.8
H94-305	6.0	9.0	7.5	VOLT (A98-999)	5.0	6.7	5.8
NA-3248	8.0	7.0	7.5	A00-247	7.3	4.3	5.8
PST-109-752	6.7	8.3	7.5	BELISSIMO	7.3	4.3	5.8
				PSG 711	7.3	4.3	5.8

TABLE 30. SEEDHEAD RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	IN1	MN1	MEAN
FUTURITY (A99-3119)	7.0	4.3	5.7
H98-701	6.7	4.3	5.5
REVEILLE	6.0	5.0	5.5
SPTR 2959	4.0	7.0	5.5
MOONLIGHT SLT (PST-101-390)	4.7	6.0	5.3
AMERICA	6.3	4.3	5.3
MSP 3724	7.0	3.7	5.3
ARROWHEAD (NA-3261)	4.0	6.0	5.0
RUGBY II	5.3	4.7	5.0
BAR VV 0665	4.7	5.0	4.8
PST-101-73	7.0	2.7	4.8
STR 2553	6.7	2.7	4.7
BARON	5.0	3.7	4.3
A98-689	3.3	4.0	3.7
BAR VV 9630	2.3	3.3	2.8
BAR VV 8536	2.7	2.7	2.7
BAR VV 9634	2.3	2.7	2.5
LSD VALUE	1.4	1.7	1.1
C.V. (%)	12.7	15.4	14.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 31. PERCENT SUMMER PATCH (AUGUST) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2007 DATA 2/

NAME	TN1	NAME	TN1
BAR VV 0665	16.7	CP 76-9068	8.0
MOONLIGHT SLT (PST-101-390)	16.7	SW AG 514	8.0
BAR VK 0710	16.0	A00-1400	7.7
RAD-504	16.0	AVIATOR (NA-3259)	7.7
RHAPSODY (A97-1287)	16.0	BANDERA (SPTR 2LM95)	7.7
AKB449	15.0	BAR VV 0709	7.7
CPP 817	15.0	BLUESTONE	7.7
DP 76-9081	12.7	H94-305	7.7
RAD-0AN64	12.7	NA-3248	7.7
PINOT (LTP-149)	11.7	STR 2485	7.7
SPTR 2959	11.7	BARRISTER	6.7
EMPIRE (A01-299)	11.0	DIVA	6.7
BAR VV 8536	11.0	DYNAMO	6.7
CPP 821	11.0	EXCURSION	6.7
HARMONIE	11.0	JULIA	6.7
KENBLUE	11.0	RAD-762	6.7
PROSPERITY	11.0	BAR VV 9634	6.0
ARGOS	10.3	DLF 76-9075	6.0
CORSAIR (NA-3249)	10.3	EVEREST	6.0
DP 76-9066	10.3	H98-701	6.0
GAELIC (BD 98-1358)	10.3	IMPACT	6.0
HAMPTON (BD 03-159)	10.3	NA-3257	6.0
PSG 711	10.3	RAD-343	6.0
RUGBY II	10.3	SKYE	6.0
SHIRAZ (LTP-73)	10.3	TOUCHE (STR 23180)	6.0
4-SEASON (J-2791)	10.0	A98-689	5.3
CPP 822	10.0	ALEXA II (J-2404)	5.3
PST-1A1-899	10.0	BAR VV 9630	5.3
A95-410	9.3	JULIET (BD 95-1930)	5.3
ARIES (A98-948)	9.3	MSP 3723	5.3
ARROWHEAD (NA-3261)	9.3	MSP 3724	5.3
BEYOND	9.3	NUGLADE	5.3
AWARD	8.7	PSG 366	5.3
BD 98-2108	8.7	PST-109-752	5.3
EMBLEM (PST-Y2K-169)	8.7	SUDDEN IMPACT (J-2870)	5.3
POPR 04594	8.7	VOLT (A98-999)	5.3
REVELLE	8.7	ZINFANDEL (LTP 2949)	5.3
WASHINGTON	8.7	1QG-38	5.0
WILD HORSE (A97-890)	8.7	A00-1254	5.0
YANKEE (NA-3271)	8.7	AVID	5.0
AMERICA	8.3	BLUEBERRY	5.0
BARON	8.3	SHAMROCK	5.0
J-3429	8.3	STARBURST (STR 2703)	5.0
MSP 3722	8.3	STR 2553	5.0
A00-247	8.0	J-1334	4.7
		AURA (A99-2559)	4.3
		BARIRIS	3.3

TABLE 31. PERCENT SUMMER PATCH (AUGUST) RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2007 DATA 2/

NAME	TN1
BELISSIMO	3.3
GRANITE (J-1326)	3.3
MIDNIGHT	3.3
RHYTHM	3.3
SOLAR ECLIPSE (J-2399)	3.3
BLUE NOTE (A01-349)	2.7
EVERGLADE	2.7
GLENMONT	2.7
J-2024	2.7
J-2502	2.7
MYSTERE	2.7
BD 03-84	0.0
BD 99-2103	0.0
BEWITCHED	0.0
FUTURITY (A99-3119)	0.0
NUCHICAGO (J-1466)	0.0
NU DESTINY	0.0
PST-101-73	0.0
LSD VALUE	9.6
C.V. (%)	81.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 32.

DOLLAR SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
AT RALEIGH, NC 1/
2007 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	JULY	OCTOBER	MEAN	NAME	JULY	OCTOBER	MEAN
EMPIRE (A01-299)	7.7	8.3	8.0	EMBLEM (PST-Y2K-169)	5.3	7.7	6.5
PSG 366	7.0	9.0	8.0	H94-305	6.0	7.0	6.5
ARROWHEAD (NA-3261)	6.7	8.7	7.7	J-3429	4.7	8.3	6.5
AURA (A99-2559)	6.3	9.0	7.7	RUGBY II	5.3	7.7	6.5
BEYOND	6.3	9.0	7.7	4-SEASON (J-2791)	5.3	7.3	6.3
1QG-38	6.3	8.7	7.5	CORSAIR (NA-3249)	5.3	7.3	6.3
AKB449	7.0	8.0	7.5	GLENMONT	5.7	7.0	6.3
ALEXA II (J-2404)	6.7	8.3	7.5	MSP 3724	6.0	6.7	6.3
ARGOS	6.3	8.7	7.5	SHAMROCK	5.3	7.3	6.3
BD 98-2108	6.3	8.7	7.5	SPTR 2959	4.7	8.0	6.3
BEWITCHED	6.3	8.7	7.5	STR 2553	5.3	7.3	6.3
MSP 3723	7.3	7.7	7.5	BARON	5.0	7.3	6.2
MYSTERE	7.0	8.0	7.5	BLUE NOTE (A01-349)	4.7	7.7	6.2
NU DESTINY	6.3	8.7	7.5	POPR 04594	4.7	7.7	6.2
RAD-0AN64	6.3	8.7	7.5	PST-109-752	5.3	7.0	6.2
RHAPSODY (A97-1287)	6.7	8.3	7.5	A00-1254	4.7	7.3	6.0
AVID	7.0	7.7	7.3	DIVA	5.7	6.3	6.0
BD 03-84	6.3	8.3	7.3	SOLAR ECLIPSE (J-2399)	4.3	7.7	6.0
BD 99-2103	6.0	8.7	7.3	STR 2485	5.0	7.0	6.0
BLUEBERRY	6.0	8.7	7.3	ZINFANDEL (LTP 2949)	5.0	7.0	6.0
MIDNIGHT	6.3	8.3	7.3	BELISSIMO	5.0	6.7	5.8
MSP 3722	6.7	8.0	7.3	BLUESTONE	4.3	7.3	5.8
J-1334	6.7	8.0	7.3	DYNAMO	4.3	7.3	5.8
PINOT (LTP-149)	7.0	7.7	7.3	RAD-762	5.3	6.3	5.8
PST-101-73	6.7	8.0	7.3	SW AG 514	5.3	6.3	5.8
RHYTHM	6.0	8.7	7.3	TOUCHE (STR 23180)	4.3	7.3	5.8
YANKEE (NA-3271)	6.0	8.7	7.3	A98-689	5.0	6.3	5.7
AWARD	6.0	8.3	7.2	BAR VV 8536	5.0	6.3	5.7
FUTURITY (A99-3119)	6.7	7.7	7.2	CPP 817	2.7	8.7	5.7
VOLT (A98-999)	5.7	8.7	7.2	H98-701	5.0	6.3	5.7
EVERGLADE	5.3	8.7	7.0	MOONLIGHT SLT (PST-101-390)	5.7	5.7	5.7
IMPACT	5.7	8.3	7.0	PSG 711	5.7	5.7	5.7
J-2502	5.3	8.7	7.0	A95-410	4.7	6.3	5.5
A00-1400	5.0	8.7	6.8	BANDERA (SPTR 2LM95)	4.0	7.0	5.5
ARIES (A98-948)	6.0	7.7	6.8	EVEREST	4.3	6.7	5.5
NUCHICAGO (J-1466)	6.0	7.7	6.8	GAELIC (BD 98-1358)	4.3	6.7	5.5
NUGLADE	5.7	8.0	6.8	GRANITE (J-1326)	5.0	6.0	5.5
SHIRAZ (LTP-73)	6.0	7.7	6.8	HAMPTON (BD 03-159)	4.7	6.3	5.5
SKYE	5.7	8.0	6.8	CP 76-9068	3.3	7.3	5.3
AMERICA	6.0	7.3	6.7	DP 76-9066	4.0	6.7	5.3
EXCURSION	6.3	7.0	6.7	JULIET (BD 95-1930)	5.0	5.7	5.3
J-2024	5.0	8.3	6.7	PST-1A1-899	4.7	6.0	5.3
PROSPERITY	5.7	7.7	6.7	WILD HORSE (A97-890)	4.0	6.7	5.3
SUDDEN IMPACT (J-2870)	5.3	8.0	6.7	HARMONIE	4.7	5.7	5.2
BARRISTER	5.3	7.7	6.5	NA-3257	4.7	5.7	5.2

TABLE 32. DOLLAR SPOT RATINGS OF KENTUCKY BLUEGRASS CULTIVARS
(CONT'D) AT RALEIGH, NC 1/
2007 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	JULY	OCTOBER	MEAN
STARBURST (STR 2703)	3.3	7.0	5.2
A00-247	5.0	5.0	5.0
BAR VV 9630	3.7	6.0	4.8
BARIRIS	3.0	6.7	4.8
DLF 76-9075	4.3	5.3	4.8
RAD-504	3.0	6.7	4.8
REVEILLE	4.0	5.7	4.8
AVIATOR (NA-3259)	3.7	5.7	4.7
DP 76-9081	3.7	5.3	4.5
WASHINGTON	4.0	5.0	4.5
BAR VV 9634	3.0	5.7	4.3
BAR VV 0665	3.0	5.0	4.0
CPP 822	3.0	5.0	4.0
RAD-343	3.7	4.3	4.0
JULIA	3.3	4.3	3.8
CPP 821	2.7	4.7	3.7
BAR VV 0709	2.7	4.3	3.5
BAR VK 0710	3.7	3.0	3.3
NA-3248	3.0	3.7	3.3
KENBLUE	2.3	3.3	2.8
LSD VALUE	2.4	3.0	2.3
C.V. (%)	25.5	21.7	20.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

APPENDIX TABLE. SUMMARY OF TURFGRASS QUALITY RATINGS FOR KENTUCKY BLUEGRASS CULTIVARS
 IN THE 2005 NATIONAL KENTUCKY BLUEGRASS TEST */
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF **/

NAME	QUALITY		NAME	QUALITY	
	MEAN 1/	MAXIMUM IN TOP 25% 2/		MEAN 1/	MAXIMUM IN TOP 25% 2/
1QG-38	5.7	19.0	DYNAMO	5.4	9.5
4-SEASON (J-2791)	5.6	23.8	EMBLEM (PST-Y2K-169)	5.8	57.1
A00-1254	5.3	9.5	EVEREST	5.9	42.9
A00-1400	6.0	57.1	EVERGLADE	6.0	52.4
A00-247	5.5	14.3	EXCURSION	5.9	23.8
EMPIRE (A01-299)	5.7	33.3	FUTURITY (A99-3119)	5.8	33.3
A95-410	5.3	4.8	GAELIC (BD 98-1358)	5.4	4.8
A98-689	5.4	9.5	GLENMONT	5.6	23.8
ARIES (A98-948)	5.6	14.3	GRANITE (J-1326)	5.9	38.1
AKB449	5.7	23.8	H94-305	5.3	9.5
ALEXA II (J-2404)	6.1	52.4	H98-701	5.6	28.6
AMERICA	5.7	19.0	HAMPTON (BD 03-159)	5.7	28.6
ARGOS	5.8	23.8	HARMONIE	5.3	14.3
ARROWHEAD (NA-3261)	5.6	23.8	IMPACT	6.0	52.4
AURA (A99-2559)	5.8	33.3	NUCHICAGO (J-1466)	6.0	61.9
AVIATOR (NA-3259)	5.3	14.3	J-2024	5.9	38.1
AVID	5.8	33.3	J-2502	5.8	33.3
AWARD	5.9	52.4	J-3429	5.7	38.1
BANDERA (SPTR 2LM95)	5.2	4.8	JULIA	5.3	9.5
BAR VK 0710	5.0	4.8	JULIET (BD 95-1930)	5.6	19.0
BAR VV 0665	4.8	0.0	KENBLUE	4.3	0.0
BAR VV 0709	5.2	23.8	MIDNIGHT	5.9	47.6
BAR VV 8536	5.2	4.8	MOONLIGHT SLT (PST-101-390)	5.3	14.3
BAR VV 9630	5.2	4.8	MSP 3722	5.6	14.3
BAR VV 9634	5.2	0.0	MSP 3723	5.6	23.8
BARIRIS	5.2	19.0	MSP 3724	5.5	9.5
BARON	5.2	0.0	MYSTERE	5.9	28.6
BARRISTER	5.8	33.3	NA-3248	5.5	9.5
BD 03-84	6.3	71.4	NA-3257	5.8	42.9
BD 98-2108	5.7	28.6	NU DESTINY	5.7	23.8
BD 99-2103	5.8	28.6	J-1334	5.9	38.1
BELISSIMO	5.7	33.3	NUGLADE	5.8	38.1
BEWITCHED	6.1	61.9	PINOT (LTP-149)	5.5	23.8
BEYOND	5.8	38.1	POPR 04594	5.6	19.0
BLUE NOTE (A01-349)	6.0	66.7	PROSPERITY	5.7	23.8
BLUEBERRY	5.7	28.6	PSG 366	5.7	19.0
BLUESTONE	5.7	33.3	PSG 711	5.5	19.0
CORSAIR (NA-3249)	5.3	14.3	PST-101-73	5.4	4.8
CP 76-9068	5.3	9.5	PST-109-752	5.4	14.3
CPP 817	5.3	9.5	PST-1A1-899	5.5	14.3
CPP 821	5.1	4.8	RAD-0AN64	5.5	4.8
CPP 822	5.3	4.8	RAD-343	5.6	33.3
DIVA	5.7	38.1	RAD-504	5.2	9.5
DLF 76-9075	5.2	4.8	RAD-762	5.6	23.8
DP 76-9066	5.7	35.0	REVEILLE	4.0	9.5
DP 76-9081	4.8	4.8	RHAPSODY (A97-1287)	6.0	52.4

APPENDIX TABLE. SUMMARY OF TURFGRASS QUALITY RATINGS FOR KENTUCKY BLUEGRASS CULTIVARS
 IN THE 2005 NATIONAL KENTUCKY BLUEGRASS TEST */
 2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF **/

NAME	QUALITY	MAXIMUM
	MEAN 1/	IN TOP 25% 2/
RHYTHM	5.9	38.1
RUGBY II	5.5	9.5
SHAMROCK	5.4	4.8
SHIRAZ (LTP-73)	6.0	42.9
SKYE	6.0	38.1
SOLAR ECLIPSE (J-2399)	5.9	52.4
SPTR 2959	5.4	0.0
STARBURST (STR 2703)	5.7	19.0
STR 2485	5.6	23.8
STR 2553	5.5	9.5
SUDDEN IMPACT (J-2870)	5.8	28.6
SW AG 514	5.5	4.8
TOUCHE (STR 23180)	5.7	23.8
VOLT (A98-999)	5.4	9.5
WASHINGTON	5.7	28.6
WILD HORSE (A97-890)	5.5	14.3
YANKEE (NA-3271)	5.9	38.1
ZINFANDEL (LTP 2949)	6.0	66.7
LSD VALUE	0.2	
C.V. (%)	11.5	

*/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

**/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

1/ MEAN AN AVERAGE OF ALL THE TURFGRASS QUALITY RATINGS FROM ALL LOCATIONS.

2/ MAXIMUM IN TOP 25% THE PERCENTAGE OF LOCATIONS WHERE THAT ENTRY FINISHED IN THE TOP 25% OF ALL ENTRIES.