NATIONAL TURFGRASS EVALUATION PROGRAM

The National Turfgrass Evaluation Program (NTEP) is designed to develop and coordinate uniform evaluation trials of turfgrass varieties and promising selections in the United States and Canada. Test results can be used by national companies and plant breeders to determine the broad picture of the adaptation of a cultivar. Results can also be used to determine if a cultivar is well adapted to a local area or level of turf maintenance.

Briefly, the NTEP is a self-supporting, non-profit program, sponsored by the Beltsville Agricultural Research Center and the National Turfgrass Federation, Inc. Program policy is made by a policy committee consisting of one member from each of the four (4) Regional Turfgrass Research Committees in the United States, one member from the Lawn Seed Division of the American Seed Trade Association, one member from the United States Golf Association (USGA) Green Section, one member from the Golf Course Superintendents Assoc. of America (GCSAA), one member for the Turfgrass Producers International (TPI), one member from the Turfgrass Breeders Association and an executive director. The program does not make variety recommendations. However, the data from tests can be used by extension specialists and others for making recommendations.

The policy committee is responsible for determining program policy including, (1) requirements for submission of entries, (2) scheduling tests, (3) evaluation methods, (4) selecting standard or control test entries, (5) setting entry fees, (6) coordinating tests in their respective regions, (7) establishing guidelines for publication and data distribution and (8) scheduling committee meetings.

Executive Director - Kevin N. Morris, National Turfgrass Evaluation Program, Inc.

CURRENT POLICY COMMITTEE MEMBERS:

Dr. Melodee Fraser, Pure-Seed Testing, Inc. Mr. Paul Hedgpeth, Columbia River Seeds Dr. Jeff Nus, USGA Green Section Dr. Michael Richardson, University of Arkansas Dr. David Kopec, University of Arizona Mr. Warren Bell, Biograss Sod Farms Dr. Clark Throssell, Golf Course Superintendents Assoc. of America Dr. Ken Diesburg, Southern Illinois University Mr. Pat McClain, Burlingham Seeds Dr. Scott Ebdon, University of Massachusetts

FOR ADDITIONAL REPORTS OR INFORMATION CONTACT:

Kevin Morris, Executive Director National Turfgrass Evaluation Program Beltsville Agricultural Research Center-West Building 005, Room 307 Beltsville, Maryland 20705 <u>kmorris@ntep.org</u> www.ntep.org

CONTENTS

		2007 National Seashore Paspalum Test - 2009 data
LOCATI	ONS S	SUBMITTING DATA FOR 20091
NATION	AL SI	EASHORE PASPALUM TEST, 2007
		Entries and Sponsors2
Table	A -	2009 Locations, Site Descriptions and Management Practices in the 2007 National Seashore Paspalum Test
Table	в –	Locations and Data Collected in 2009
Table	1 -	Mean Turfgrass Quality Ratings of Seashore Paspalum Cultivars Grown at Tucson, AZ4
Table	2 -	Mean Turfgrass Quality Ratings of Seashore Paspalum Cultivars Grown at Riverside, CA4
		Cultivals Glown at Riverside, CA
Table	3 -	Mean Turfgrass Quality Ratings of Seashore Paspalum Cultivars Grown at Gainesville, FL
Table	4 -	Mean Turfgrass Quality Ratings of Seashore Paspalum Cultivars Grown at Jay, FL5
	_	
Table	5 -	Mean Turfgrass Quality Ratings of Seashore Paspalum Cultivars Grown at Griffin, GA6
Table	6 -	Mean Turfgrass Quality Ratings of Seashore Paspalum Cultivars Grown at Baton Rouge, LA6
Table	7 –	Mean Turfgrass Quality and Other Ratings of Seashore Paspalum Cultivars Grown under Cold Stress at Fayetteville, AR
Table	8 -	Mean Turfgrass Quality and Other Ratings of Seashore Paspalum Cultivars Grown under salt stress at Las Cruces, NM
Table	9 -	Genetic Color Ratings of Seashore Paspalum Cultivars
Table	10-	Spring Greenup Ratings of Seashore Paspalum Cultivars
Table	11-	Leaf Texture Ratings of Seashore Paspalum Cultivars9
Table	12-	Spring Density Ratings of Seashore Paspalum Cultivars9
Table	13-	Summer Density Ratings of Seashore Paspalum Cultivars10
Table	14-	Fall Density Ratings of Seashore Paspalum Cultivars
Table	15-	Percent Living Ground Cover (Spring) Ratings of Seashore Paspalum Cultivars11
Table	16-	Percent Living Ground Cover (Summer) Ratings of Seashore Paspalum Cultivars11

CONTENTS (continued)

Table	17-	Percent Living Ground Cover (Fall) Ratings of Seashore Paspalum Cultivars
		Seasnore Paspaium Cultivars12
Table	18-	Winter Color Ratings of Seashore Paspalum Cultivars
Table	19-	Fall Color (September) Ratings of Seashore Paspalum Cultivars13
Table	20-	Fall Color (October) Ratings of Seashore Paspalum Cultivars13
Table	21-	Fall Color (November) Ratings of Seashore Paspalum Cultivars14
Table	22-	Fall Color (December) Ratings of Seashore Paspalum Cultivars14
Table	23-	Mole Cricket Ratings of Seashore Paspalum Cultivars15
Table	24-	Dollar Spot Ratings of Seashore Paspalum Cultivars at Gainesville, FL15

A Guide to NTEP Turfgrass Ratings

Introduction

The quality and scientific merit of NTEP data is extremely important. However, the evaluation of turfgrass species and cultivars is a difficult and complex issue. Furthermore, turfgrass evaluation is generally a subjective process based on visual estimates of factors, like genetic color, stand density, leaf texture, uniformity and quality. These factors can not be measured in the same way as other agricultural crops. Turfgrass quality is not a measure of yield or nutritive value. Turfgrass quality is a measure of aesthetics (i.e. density, uniformity, texture, smoothness, growth habit and color), and functional use. The most common way of assessing turfgrass quality is a visual rating system that is based on the turfgrass evaluator's judgement.

General Considerations

Most visual ratings collected on NTEP trials are based on a 1 to 9 rating scale. One is the poorest or lowest and 9 is the best or highest rating. However, a few characteristics, such as winter kill or percent living ground cover, are rated on a percentage basis, again by using the evaluator's judgement. Most disease ratings found in NTEP reports will use the 1-9 scale, 9=no disease except where the evaluator made a judgement of the percentage of disease in each plot. Percent disease data will be found in separate tables and will normally not be included with disease data using the 1-9 scale.

Turfgrass Quality

Turfgrass Quality is based on 9 being outstanding or ideal turf and 1 being poorest or dead. A rating of 6 or above is generally considered acceptable. A quality rating value of 9 is reserved for a perfect or ideal grass, but it also can reflect an absolutely outstanding treatment plot. The NTEP requires quality ratings on a monthly basis. Quality ratings take into account the aesthetic and functional aspects of the turf. Quality ratings are not based on color alone, but on a combination of color, density, uniformity, texture, and disease or environmental stress.

Turfgrass quality ratings are grouped and presented by region, management level, a particular stress (shade, traffic, etc.) and in some cases, by individual location (starting with 2001 data, data from each location will be posted separately as well on the NTEP web site, *http://www.ntep.org*). Also available now is a summary table (Appendix) in the back of this report. This summary table includes various statistical measures not previously compiled for NTEP reports. For an explanation of this table and these changes, please go to the NTEP web site at *http://www.ntep.org/pdf/grandmean.mem.pdf*.

Other Ratings

More detailed information on the ratings of specific characteristics can be found on the NTEP web site at *http://www.ntep.org/reports/ratings.htm*.

2007 NATIONAL SEASHORE PASPALUM TEST

LOCATIONS SUBMITTING DATA FOR 2009

<u>State</u>	Location	<u>Code</u>
Arkansas	Fayetteville (Cold Tolerance)	AR1
Arizona	Tucson	AZ1
California	Riverside	CA3
Florida	Gainesville	FL1
Florida	Jay	FL3
Georgia	Griffin	GA1
Louisiana	Baton Rouge	LA1
New Mexico	Las Cruces (Saline Irrigation)	NM1

2007 NATIONAL SEASHORE PASPALUM TEST

Entries and Sponsors

Entry No.	Name	Туре	Sponsor
*1	Salam	vegetative	Standard entry
*2	Sea Isle 1	vegetative	Standard entry
3	SRX 9HSCP	seeded	Seed Research/
4	UGA 7	vegetative	Univ. of Georgia
5	UGA 22	vegetative	Univ. of Georgia
6	UGA 31	vegetative	Univ. of Georgia

* COMMERCIALLY AVAILABLE IN THE USA IN 2010.

2009 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN THE 2007 NATIONAL SEASHORE PASPALUM TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
AR1	SILT LOAM AND SILT	6.6-7.0	151-270	151-240	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT DORMANCY
AZ1	SANDY LOAM	7.6-8.5	0-60	151-240	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
CA3	SANDY LOAM	7.1-7.5	-	-	-	FULL SUN	0.6-1.0	TO PREVENT STRESS
FL1	SAND	6.6-7.0	-	-	1.1-2.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
FL3	-	-	-	-	-	-	-	-
GA1	SANDY LOAM	5.6-6.0	0-60	241-375	-	FULL SUN	0.0-0.5	TO PREVENT STRESS
LA1	SILTY CLAY AND CLAY	6.1-6.5	151-270	241-375	3.1-4.0	FULL SUN	0.0-0.5	TO PREVENT DORMANCY
NM1	LOAMY SAND	7.6-8.5	-	-	5.1-6.0	FULL SUN	0.6-1.0	TO PREVENT STRESS

TABLE B.

LOCATIONS AND DATA COLLECTED IN 2009

LOCATION	JANUARY QUALITY RATING	FEBRUARY QUALITY RATING	MARCH QUALITY RATING	APRIL QUALITY RATING	MAY QUALITY RATING	JUNE QUALITY RATING	JULY QUALITY RATING	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE
AR1					Х	Х	х	х	Х				Х	Х	
AZ1				Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
CA3			Х	Х	Х	Х	х	х		Х	Х		Х	Х	Х
FL1	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
FL3				Х	Х	Х		Х	Х	Х	Х		Х		
GA1							х	х	Х	х	Х		Х	Х	
LA1			Х	Х	Х	Х	Х	Х	Х	Х			Х	Х	Х
NM1				Х	Х	Х	Х	Х	Х	Х			Х	Х	

TABLE B. (CONT'D)

LOCATIONS AND DATA COLLECTED IN 2009

				PERCENT	PERCENT	PERCENT		PERCENT	FALL	FALL	FALL	FALL				
	SPRING	SUMMER	FALL	COVER	COVER	COVER	WINTER	WINTER	COLOR	COLOR	COLOR	COLOR	MOLE	DOLLA	R SPOT	RATINGS
LOCATION	DENSITY	DENSITY	DENSITY	SPRING	SUMMER	FALL	COLOR	KILL	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	CRICKET	MARCH	APRIL	OCTOBER
AR1		Х			Х			Х		Х						
AZ1	Х	Х	Х	Х	Х	Х	Х		Х	Х	Х	Х				
CA3	Х	Х					Х					Х				
FL1	х	х	х	х					х	х	х	х	х	х	х	х
			^	^					Λ			^	^	^	^	^
FL3	Х	Х	Х							Х	Х					
GA1			Х	Х					Х	Х	Х					
LA1	х	х	х								х					
	~	~	~						V	v						
NM1									X	Х	Х					

TABLE 1. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS

AT TUCSON, AZ 1/ 2009 DATA

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
UGA 7	7.0	7.7	8.0	8.0	7.3	7.7	7.0	7.0	7.0	7.4
UGA 31	6.3	7.3	7.0	6.7	7.7	7.3	7.7	7.7	7.3	7.2
UGA 22	5.0	6.3	7.0	6.0	7.3	8.3	8.0	7.0	6.7	6.9
* SEA ISLE 1	5.7	7.0	7.3	6.0	7.0	6.3	7.0	6.3	6.0	6.5
* SALAM	5.0	6.3	6.0	6.7	6.7	6.3	7.0	5.7	5.3	6.1
SRX 9HSCP	5.7	6.3	6.3	7.3	6.0	6.7	6.0	5.0	5.7	6.1
LSD VALUE	1.5	1.6	1.7	1.6	1.8	1.6	1.4	1.5	1.6	0.7
C.V. (%)	12.5	10.7	11.7	11.3	11.4	10.8	9.5	11.9	12.6	5.7

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

TABLE 2. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS AT RIVERSIDE, CA 1/ 2009 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	MAR	APR	MAY	JUN	JUL	AUG	ОСТ	NOV	MEAN
SRX 9HSCP	5.7	7.3	8.3	6.7	6.7	8.0	8.0	6.7	7.2
UGA 22	4.7	6.7	8.0	6.3	7.3	9.0	8.0	5.7	7.0
SEA ISLE 1	4.7	6.7	7.7	6.7	6.3	8.0	7.7	6.3	6.8
UGA 7	4.0	6.3	7.0	7.0	8.0	8.3	7.3	5.7	6.7
SALAM	5.3	6.7	7.7	6.0	6.3	8.0	6.7	6.3	6.6
UGA 31	3.7	6.0	6.0	5.3	7.0	8.0	7.0	6.0	6.1
LSD VALUE	0.9	0.8	2.1	0.9	1.1	0.4	1.6	1.8	0.6
C.V. (%)	10.4	6.0	12.9	7.6	8.2	2.9	9.7	12.6	4.6

* COMMERCIALLY AVAILABLE IN THE USA IN 2010.

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 3.

MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS

AT GAINESVILLE, FL 1/ 2009 DATA

2009 DAT

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
SRX 9HSCP	5.0	2.0	5.0	5.3	6.0	6.7	6.3	7.3	6.3	6.7	6.3	6.0	5.8
UGA 31	5.3	2.0	5.0	5.3	6.3	6.7	7.3	6.7	6.0	6.3	6.0	6.0	5.8
UGA 22	4.3	1.7	4.7	5.3	6.7	6.3	7.0	6.7	5.7	7.3	6.3	6.0	5.7
SEA ISLE 1	5.0	2.0	4.3	5.3	6.0	6.7	6.7	6.3	5.7	6.3	6.0	6.0	5.5
SALAM	5.3	2.7	4.3	4.7	5.3	6.0	6.3	6.0	5.0	6.3	6.0	6.3	5.4
UGA 7	4.3	1.7	4.3	4.0	5.3	6.0	6.3	5.0	4.7	5.3	5.0	5.7	4.8
LSD VALUE	0.6	0.9	1.1	1.3	1.8	1.3	1.2	2.2	2.7	2.0	1.4	1.2	1.0
C.V. (%)	6.1	20.4	10.2	12.6	13.3	8.9	8.2	15.5	20.4	13.9	10.5	8.1	8.0

TABLE 4. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS AT JAY, FL 1/

2009 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	APR	MAY	JUN	AUG	SEP	OCT	NOV	MEAN
UGA 22	3.3	5.0	6.7	7.0	7.3	7.7	5.7	6.1
SALAM	2.7	4.0	6.7	7.0	8.0	8.0	5.3	6.0
SEA ISLE 1	2.7	4.7	6.7	7.0	7.7	7.7	5.3	6.0
UGA 31	3.0	3.7	6.7	7.0	7.3	7.7	5.3	5.8
SRX 9HSCP	2.7	3.3	5.3	6.7	7.7	7.0	5.3	5.4
UGA 7	2.7	3.3	6.0	7.0	6.7	7.0	5.3	5.4
LSD VALUE	1.4	2.7	2.5	0.6	0.7	2.6	1.5	1.3
C.V. (%)	20.4	29.2	16.6	3.4	4.7	14.0	10.5	9.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS

AT GRIFFIN, GA 1/

2009 DATA

NAME JUL AUG SEP OCT NOV MEAN UGA 31 7.7 8.3 7.7 7.0 7.7 7.7 UGA 22 7.7 8.0 8.0 7.0 7.3 7.6 SALAM 7.3 7.7 7.0 7.3 7.3 7.3 SRX 9HSCP 7.5 8.0 7.0 7.0 7.0 7.3 SEA ISLE 1 7.0 7.7 7.0 7.0 7.3 7.2 UGA 7 6.7 7.3 7.0 7.3 7.3 7.1 LSD VALUE 1.5 0.9 0.5 1.1 1.5 0.5 8.9 4.9 3.4 6.3 7.9 2.8 C.V. (%)

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS AT BATON ROUGE, LA 1/ 2009 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
SEA ISLE 1	7.0	7.0	5.3	4.7	6.0	7.3	7.0	6.7	6.4
SALAM	6.3	7.0	6.0	5.0	6.0	7.0	6.7	6.7	6.3
UGA 22	6.3	6.7	5.7	5.0	6.0	7.0	6.7	6.7	6.3
UGA 31	7.0	7.0	6.0	5.0	6.7	6.7	6.3	6.0	6.3
UGA 7	7.0	7.0	6.0	5.0	6.3	6.3	6.0	6.3	6.3
SRX 9HSCP	5.7	6.0	5.3	4.7	6.3	7.0	7.0	6.7	6.1
LSD VALUE	0.7	0.4	1.0	0.8	1.0	1.0	0.9	1.8	0.2
C.V. (%)	6.0	3.5	7.6	7.2	7.0	6.3	6.6	10.9	1.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

6

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF SEASHORE PASPALUM CULTIVARS GROWN UNDER COLD STRESS AT FAYETTEVILLE, AR 1/ 2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

				PERCENT	PERCENT	FALL						
	GENETIC	SPRING	DENSITY	COVER	WINTER	COLOR		G	UALITY	RATINGS		
NAME	COLOR	GREENUP	SUMMER	SUMMER	KILL	OCTOBER	MAY	JUN	JUL	AUG	SEP	MEAN
UGA 31	8.0	4.0	7.0	96.3	20.0	6.3	5.0	6.0	7.3	7.7	7.7	6.7
UGA 7	7.3	4.3	7.0	97.3	10.0	6.3	5.0	6.0	7.3	7.3	7.7	6.7
UGA 22	6.3	6.0	6.7	98.3	13.3	6.3	4.3	5.7	6.7	8.0	7.7	6.5
SEA ISLE 1	6.3	4.0	6.7	96.3	21.7	6.0	4.7	5.3	6.0	7.3	7.0	6.1
SRX 9HSCP	6.3	4.7	6.7	96.0	18.3	6.0	4.0	5.3	6.3	7.3	7.7	6.1
SALAM	6.7	5.3	5.7	95.0	23.3	6.3	3.7	5.0	6.0	7.3	7.0	5.8
LSD VALUE	0.6	1.6	1.2	4.9	24.3	1.3	2.2	2.6	1.1	0.8	0.6	1.1
C.V. (%)	4.6	16.3	8.6	2.1	56.6	8.1	20.8	18.5	8.1	4.9	4.0	8.1

TABLE 8.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ GROWN UNDER SALT STRESS AT LAS CRUCES, NM */ 2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

	GENETIC	SPRING	FALL COLOR	FALL COLOR	FALL COLOR				QUALITY	RATINGS			
NAME	COLOR	GREENUP	SEPTEMBER	OCTOBER	NOVEMBER	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
UGA 7	8.0	5.0	7.7	7.0	3.7	6.7	7.3	8.0	8.3	7.3	7.3	7.0	7.4
SEA ISLE 1	7.3	4.3	8.0	6.3	3.7	6.3	7.0	7.0	6.3	6.7	6.7	6.3	6.6
SRX 9HSCP	7.3	3.7	7.7	7.0	3.7	6.3	6.3	6.7	6.3	6.0	6.0	6.3	6.3
UGA 31	7.7	4.3	7.7	7.3	4.0	6.3	7.0	6.7	6.0	6.0	5.7	6.7	6.3
UGA 22	7.3	4.3	7.7	7.0	3.7	6.7	7.0	6.3	6.0	5.7	5.3	6.3	6.2
SALAM	7.3	4.0	6.3	6.3	3.0	5.3	6.0	6.0	5.3	5.0	3.7	4.0	5.0
LSD VALUE	2.1	0.9	1.3	1.8	1.3	1.0	2.4	1.6	1.8	1.9	2.1	2.3	1.6
C.V. (%)	11.2	10.2	8.4	11.0	15.7	8.1	14.7	11.3	14.2	14.5	18.3	18.3	12.1

*/ THE FOLLOWING IS INFORMATION ON SALINITY AT THIS SITE: WATER QUALITY: PH 7.9, TOTAL DISSOLVED SOLIDS 1800, SAR 2.06 SOIL QUALITY (MEASURED IN JUNE, NOV.; 0-4 INCH DEPTH): PH 7.5, 7.9; EC (dS/m) 5.0, 4.9; SAR 4.9, 3.7 SOIL QUALITY (MEASURED IN JUNE, NOV.; 4-8 INCH DEPTH): PH 7.9, 8.2; EC (dS/m) 2.5, 2.3; SAR 4.0, 3.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 9. GENETIC COLOR RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

NAME	AZ1	CA3	FL1	FL3	GA1	LA1	MEAN
UGA 31 UGA 7 SEA ISLE 1 UGA 22 SALAM SRX 9HSCP	7.7 6.7 6.0 6.3 5.7	7.3 8.0 6.3 6.7 6.0 6.3	7.7 6.7 6.0 5.3 6.7	7.7 7.0 7.0 7.0 7.0 6.3	8.0 7.7 8.0 8.7 8.0 7.5	6.7 7.0 6.3 6.7 6.0 6.0	7.5 7.2 6.8 6.8 6.4 6.4
LSD VALUE C.V. (%)	0.8 8.1	1.0 9.2	1.3 12.0	1.6 13.9	1.2 9.1	0.9 9.0	0.5 10.4

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

TABLE 10. SPRING GREENUP RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	AZ1	CA3	FL1	GA1	LA1	MEAN
SALAM SEA ISLE 1 SRX 9HSCP UGA 22 UGA 31 UGA 7	7.0 7.3 6.7 7.0 7.7 7.7	4.0 3.7 4.3 4.0 3.7 4.0	3.3 3.7 3.7 2.7 3.7 3.3	6.7 7.7 7.0 7.7 7.0 6.3	6.0 4.7 5.3 5.3 4.3 4.7	5.4 5.4 5.3 5.3 5.2
LSD VALUE C.V. (%)	1.2 10.3	1.1 17.9	0.9 17.0	1.5 13.4	1.3 15.5	0.5 14.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 11. LEAF TEXTURE RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

NAME	AZ1	CA3	FL1	LA1	MEAN
UGA 31 UGA 22 UGA 7 SEA ISLE 1 SRX 9HSCP SALAM	7.7 6.7 7.0 6.7 6.3 6.0	9.0 8.3 7.7 7.7 8.3 7.7	7.7 8.0 7.3 7.3 7.3 6.7	7.0 6.7 6.7 6.3 6.3	7.8 7.4 7.2 7.1 7.1 6.7
LSD VALUE C.V. (%)	1.0 9.3	1.1 8.2	0.8 7.1	0.8 8.0	0.5 8.2

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

TABLE 12. SPRING DENSITY RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	CA3	FL1	FL3	LA1	MEAN
UGA 22 SRX 9HSCP	7.0	7.3	6.3 5.7	3.3 2.7	6.3 6.7	6.1 6.0
SEA ISLE 1 SALAM UGA 31	7.3 6.3 7.7	7.3 7.3 6.0	6.0 5.3 6.0	3.0 3.3 3.0	6.0 6.7 6.3	5.9 5.8 5.8
UGA 7	7.0	7.3	5.3	2.7	6.3	5.7
LSD VALUE C.V. (%)	1.3 11.6	0.8 6.5	1.5 16.3	1.0 20.8	0.8 8.2	0.5 11.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 13. SUMMER DENSITY RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

NAME	AZ1	CA3	FL1	FL3	LA1	MEAN
UGA 31	8.3	8.3	7.7	7.3	6.0	7.5
UGA 22	7.3	7.7	7.7	6.7	6.3	7.1
UGA 7	8.0	9.0	6.3	7.0	5.3	7.1
SEA ISLE 1	6.7	8.0	7.7	7.3	5.7	7.1
SRX 9HSCP	7.3	7.3	7.0	6.0	6.3	6.8
SALAM	6.3 0.8	7.3	7.0	7.0 0.9	6.0 0.8	6.7 0.4
LSD VALUE	0.8	1.0	1.0	0.9	0.8	0.
C.V. (%)	7.2	7.8	8.6	8.4	7.9	8.

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

TABLE 14. FALL DENSITY RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	FL1	FL3	GA1	LA1	MEAN
UGA 22	8.7	6.7	8.0	7	6.7	7.4
UGA 31	8.3	6.3	7.3	7	6.3	7.1
SALAM	7.0	6.0	8.0	7	7.0	7.0
SRX 9HSCP	7.0	7.0	7.7	7	6.3	7.0
SEA ISLE 1	7.0	6.0	7.3	7	6.7	6.8
UGA 7	7.0	6.0	6.7	7	6.7	6.7
LSD VALUE	1.4	1.1	2.0	0	0.8	0.6
C.V. (%)	11.8	10.5	16.6	0	8.0	11.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 15. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

NAME	AZ1	FL1	GA1	MEAN
UGA 31	51.7	60.0	86.7	66.1
UGA 7	56.7	53.3	83.3	64.4
SEA ISLE 1	40.0	50.0	93.0	61.0
SALAM	38.3	58.3	83.3	60.0
SRX 9HSCP	38.3	56.7	80.0	58.3
UGA 22	31.7	43.3	90.0	55.0
LSD VALUE	39.9	14.1	11.9	14.6
C.V. (%)	58.0	16.3	8.6	25.9

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

TABLE 16. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	AZ1
UGA 31	95.3
UGA 7	94.7
SEA ISLE 1	94.3
SALAM	91.7
UGA 22	91.0
SRX 9HSCP	88.3
LSD VALUE	11.2
C.V. (%)	7.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 17. PERCENT LIVING GROUND COVER (FALL) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	AZ1
SALAM	60.0
UGA 7	50.0
UGA 22	48.3
UGA 31	46.7
SBX 9HSCP	43.3
SEA ISLE 1	43.3
LSD VALUE	29.1
C.V. (%)	37.4

TABLE 18. WINTER COLOR RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	CA3	MEAN
SALAM UGA 31 SEA ISLE 1 UGA 22 UGA 7 SBX 9HSCP	5.3 5.7 5.3 4.3 5.3 4.0	4.0 3.0 3.3 4.0 3.0 3.3	4.7 4.3 4.2 4.2 3.7
LSD VALUE C.V. (%)	2.2 27.9	1.4 25.6	1.3 27.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 19. FALL COLOR (SEPTEMBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

NAME	AZ1	FL1	GA1	MEAN
UGA 31	7.3	7.0	8.0	7.4
UGA 7	7.0	6.0	7.3	6.8
SEA ISLE 1	6.7	5.7	7.7	6.7
SALAM	6.3	6.0	7.3	6.6
SRX 9HSCP	6.0	6.3	7.0	6.4
UGA 22	6.3	6.0	7.0	6.4
LSD VALUE	1.2	1.3	0.7	0.6
C.V. (%)	11.3	12.7	5.8	10.1

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

TABLE 20. FALL COLOR (OCTOBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	FL3	GA1	MEAN
UGA 31	7.0	7.3	8.0	7.3	7.4
SALAM	6.3	6.7	8.7	7.3	7.3
SEA ISLE 1	6.3	7.0	8.3	7.0	7.2
UGA 22	6.3	7.0	8.3	7.0	7.2
UGA 7	6.0	7.0	7.7	7.3	7.0
SRX 9HSCP	5.0	7.3	7.0	7.0	6.6
LSD VALUE	1.3	0.9	1.7	0.7	0.6
C.V. (%)	13.2	8.2	12.8	5.9	10.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 21. FALL COLOR (NOVEMBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

NAME	AZ1	FL1	FL3	GA1	LA1	MEAN
UGA 31 SALAM SEA ISLE 1 UGA 7 UGA 22 SRX 9HSCP	6.3 6.3 6.3 5.7 5.3	7.3 6.3 6.0 6.0 6.7 6.3	5.3 6.0 5.3 5.3 5.7 4.3	7.7 7.3 7.0 7.3 7.0 7.0	6.0 6.3 6.0 5.7 5.3 5.3	6.5 6.1 6.1 6.1 5.7
LSD VALUE C.V. (%)	1.3 13.5	1.0 9.7	0.8 9.9	1.0 8.3	0.8 8.2	0.4 10.1

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

TABLE 22. FALL COLOR (DECEMBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	CA3	FL1	MEAN
UGA 31	5.7	6.3	7.0	6.3
SALAM	5.3	6.7	6.7	6.2
SEA ISLE 1	5.3	6.7	5.7	5.9
UGA 22	4.3	6.0	7.3	5.9
UGA 7 SRX 9HSCP	4.3 5.3 4.0	7.0 5.7	5.3 5.7	5.9 5.1
		-		
LSD VALUE	2.2	1.2	0.8	0.9
C.V. (%)	27.9	11.7	8.4	16.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

TABLE 23. MOLE CRICKET RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ 2009 DATA

MOLE CRICKET RATINGS 1-9; 9=NO DAMAGE 2/

NAME	FL1
UGA 7 SEA ISLE 1 SALAM UGA 22 UGA 31 SBX 9HSCP	7.7 6.7 6.0 6.0 6.0
LSD VALUE C.V. (%)	2.5 24.1

TABLE 24. DOLLAR SPOT RATINGS OF SEASHORE PASPALUM CULTIVARS AT GAINESVILLE, FL 1/

2009 DATA

NAME	MAY	JUNE	JULY	MEAN
SALAM	6.3	3.7	6.0	5.3
SEA ISLE 1	6.7	6.0	7.0	6.6
SRX 9HSCP	6.0	5.7	6.7	6.1
UGA 22	5.7	3.3	6.0	5.0
UGA 31	6.7	5.3	7.0	6.3
UGA 7	5.3	4.3	4.3	4.7
LSD VALUE	1.6	2.6	1.8	1.9
C.V. (%)	11.8	25.8	14.5	15.5

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).