

NATIONAL TURFGRASS EVALUATION PROGRAM

The National Turfgrass Evaluation Program (NTEP) is designed to develop and coordinate uniform evaluation trials of turfgrass varieties and promising selections in the United States and Canada. Test results can be used by national companies and plant breeders to determine the broad picture of the adaptation of a cultivar. Results can also be used to determine if a cultivar is well adapted to a local area or level of turf maintenance.

Briefly, the NTEP is a self-supporting, non-profit program, sponsored by the Beltsville Agricultural Research Center and the National Turfgrass Federation, Inc. Program policy is made by a policy committee consisting of one member from each of the four (4) Regional Turfgrass Research Committees in the United States, one member from the Lawn Seed Division of the American Seed Trade Association, one member from the United States Golf Association (USGA) Green Section, one member from the Golf Course Superintendents Assoc. of America (GCSAA), one member for the Turfgrass Producers International (TPI), one member from the Turfgrass Breeders Association and an executive director. The program does not make variety recommendations. However, the data from tests can be used by extension specialists and others for making recommendations.

The policy committee is responsible for determining program policy including, (1) requirements for submission of entries, (2) scheduling tests, (3) evaluation methods, (4) selecting standard or control test entries, (5) setting entry fees, (6) coordinating tests in their respective regions, (7) establishing guidelines for publication and data distribution and (8) scheduling committee meetings.

Executive Director - Kevin N. Morris, National Turfgrass Evaluation Program, Inc.

CURRENT POLICY COMMITTEE MEMBERS:

Dr. Steve Johnson, Peak Plant Genetics LLC
Mr. Steve Tubbs, Turf Merchants, Inc.
Dr. Jeff Nus, USGA Green Section
Dr. Michael Richardson, University of Arkansas
Dr. David Kopec, University of Arizona
Mr. Warren Bell, Biograss Sod Farms
Dr. Clark Throssell, Golf Course Superintendents Assoc. of America
Dr. Brian Horgan, University of Minnesota
Mr. Duane Klundt, Scotts Turf-Seed, Inc.
Dr. Scott Ebdon, University of Massachusetts

FOR ADDITIONAL REPORTS OR INFORMATION CONTACT:

Kevin Morris, Executive Director
National Turfgrass Evaluation Program
Beltsville Agricultural Research Center-West
Building 003, Room 218
Beltsville, Maryland 20705
kmorris@ntep.org
www.ntep.org

CONTENTS

2007 National Bermudagrass Test - 2008 data

LOCATIONS SUBMITTING DATA FOR 2008.....1

NATIONAL BERMUDAGRASS TEST, 2007 Entries and Sponsors.....2

Table A - 2008 Locations, Site Descriptions and Management
Practices in the 2007 National Bermudagrass Test.....3

Table B - Locations and Data Collected in 2008.....4

Table 1A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars
Grown at Seven Locations in the U.S. for AMMI Group 1.....7

Table 1B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded)
Cultivars Grown at Seven Locations in the U.S. for AMMI Group 1.....8

Table 1C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative)
Cultivars Grown at Seven Locations in the U.S. for AMMI Group 1.....8

Table 2A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars
Grown at Three Locations in the U.S. for AMMI Group 2.....9

Table 2B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded)
Cultivars Grown at Three Locations in the U.S. for AMMI Group 2.....10

Table 2C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative)
Cultivars Grown at Three Locations in the U.S. for AMMI Group 2.....10

Table 3A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars
Grown at Two Locations in the U.S. for AMMI Group 3.....11

Table 3B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded)
Cultivars Grown at Two Locations in the U.S. for AMMI Group 3.....12

Table 3C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative)
Cultivars Grown at Two Locations in the U.S. for AMMI Group 3.....12

Table 4A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars
Grown at One Location in the U.S. for AMMI Group 4.....13

Table 4B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded)
Cultivars Grown at One Location in the U.S. for AMMI Group 4.....14

Table 4C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative)
Cultivars Grown at One Location in the U.S. for AMMI Group 4.....14

Table 5A - Mean Turfgrass Quality and Other Ratings of Bermudagrass
Cultivars Grown under Traffic Stress at Gainesville, FL.....15

Table 5B - Mean Turfgrass Quality and Other Ratings of Bermudagrass (Seeded)
Cultivars Grown under Traffic Stress at Gainesville, FL.....17

CONTENTS (continued)

Table 5C - Mean Turfgrass Quality and Other Ratings of Bermudagrass (Vegetative) Cultivars Grown under Traffic Stress at Gainesville, FL.....	19
Table 6A - Mean Turfgrass Quality and Other Ratings of Bermudagrass Cultivars Grown under Saline Stress at Las Cruces, NM.....	20
Table 6B - Mean Turfgrass Quality and Other Ratings of Bermudagrass (Seeded) Cultivars Grown under Saline Stress at Las Cruces, NM.....	21
Table 6C - Mean Turfgrass Quality and Other Ratings of Bermudagrass (Vegetative) Cultivars Grown under Saline Stress at Las Cruces, NM.....	21
Table 7A - Genetic Color Ratings of Bermudagrass Cultivars.....	22
Table 7B - Genetic Color Ratings of Bermudagrass (Seeded) Cultivars.....	23
Table 7C - Genetic Color Ratings of Bermudagrass (Vegetative) Cultivars.....	23
Table 8A - Spring Greenup Ratings of Bermudagrass Cultivars.....	24
Table 8B - Spring Greenup Ratings of Bermudagrass (Seeded) Cultivars.....	25
Table 8C - Spring Greenup Ratings of Bermudagrass (Vegetative) Cultivars.....	25
Table 9A - Leaf Texture Ratings of Bermudagrass Cultivars.....	26
Table 9B - Leaf Texture Ratings of Bermudagrass (Seeded) Cultivars.....	27
Table 9C - Leaf Texture Ratings of Bermudagrass (Vegetative) Cultivars.....	27
Table 10A- Spring Density Ratings of Bermudagrass Cultivars.....	28
Table 10B- Spring Density Ratings of Bermudagrass (Seeded) Cultivars.....	29
Table 10C- Spring Density Ratings of Bermudagrass (Vegetative) Cultivars.....	29
Table 11A- Summer Density Ratings of Bermudagrass Cultivars.....	30
Table 11B- Summer Density Ratings of Bermudagrass (Seeded) Cultivars.....	31
Table 11C- Summer Density Ratings of Bermudagrass (Vegetative) Cultivars.....	31
Table 12A- Fall Density Ratings of Bermudagrass Cultivars.....	32
Table 12B- Fall Density Ratings of Bermudagrass (Seeded) Cultivars.....	33
Table 12C- Fall Density Ratings of Bermudagrass (Vegetative) Cultivars.....	33
Table 13A- Percent Living Ground Cover (Spring) Ratings of Bermudagrass Cultivars.....	34

CONTENTS (continued)

Table 13B-	Percent Living Ground Cover (Spring) Ratings of Bermudagrass (Seeded) Cultivars.....	35
Table 13C-	Percent Living Ground Cover (Spring) Ratings of Bermudagrass (Vegetative) Cultivars.....	35
Table 14A-	Percent Living Ground Cover (Summer) Ratings of Bermudagrass Cultivars.....	36
Table 14B-	Percent Living Ground Cover (Summer) Ratings of Bermudagrass (Seeded) Cultivars.....	37
Table 14C-	Percent Living Ground Cover (Summer) Ratings of Bermudagrass (Vegetative) Cultivars.....	37
Table 15A-	Percent Living Ground Cover (Fall) Ratings of Bermudagrass Cultivars.....	38
Table 15B-	Percent Living Ground Cover (Fall) Ratings of Bermudagrass (Seeded) Cultivars.....	39
Table 15C-	Percent Living Ground Cover (Fall) Ratings of Bermudagrass (Vegetative) Cultivars.....	39
Table 16A-	Frost Tolerance Ratings of Bermudagrass Cultivars.....	40
Table 16B-	Frost Tolerance Ratings of Bermudagrass (Seeded) Cultivars.....	41
Table 16C-	Frost Tolerance Ratings of Bermudagrass (Vegetative) Cultivars.....	41
Table 17A-	Fall Color (September) Ratings of Bermudagrass Cultivars.....	42
Table 17B-	Fall Color (September) Ratings of Bermudagrass (Seeded) Cultivars...	43
Table 17C-	Fall Color (September) Ratings of Bermudagrass (Vegetative) Cultivars.....	43
Table 18A-	Fall Color (October) Ratings of Bermudagrass Cultivars.....	44
Table 18B-	Fall Color (October) Ratings of Bermudagrass (Seeded) Cultivars.....	45
Table 18C-	Fall Color (October) Ratings of Bermudagrass (Vegetative) Cultivars.....	45
Table 19A-	Fall Color (November) Ratings of Bermudagrass Cultivars.....	46
Table 19B-	Fall Color (November) Ratings of Bermudagrass (Seeded) Cultivars....	47
Table 19C-	Fall Color (November) Ratings of Bermudagrass (Vegetative) Cultivars.....	47
Table 20A-	Fall Color (December) Ratings of Bermudagrass Cultivars.....	48
Table 20B-	Fall Color (December) Ratings of Bermudagrass (Seeded) Cultivars....	49

CONTENTS (continued)

Table 20C-	Fall Color (December) Ratings of Bermudagrass (Vegetative) Cultivars.....	49
Table 21A-	Seedhead Ratings of Bermudagrass Cultivars.....	50
Table 21B-	Seedhead Ratings of Bermudagrass (Seeded) Cultivars.....	51
Table 21C-	Seedhead Ratings of Bermudagrass (Vegetative) Cultivars.....	51
Table 22A-	Percent Seedhead Ratings of Bermudagrass Cultivars.....	52
Table 22B-	Percent Seedhead Ratings of Bermudagrass (Seeded) Cultivars.....	53
Table 22C-	Percent Seedhead Ratings of Bermudagrass (Vegetative) Cultivars.....	53
Table 23A-	Seedhead Ratings of Bermudagrass Cultivars at Baton Rouge, LA.....	54
Table 23B-	Seedhead Ratings of Bermudagrass (Seeded) Cultivars at Baton Rouge, LA.....	55
Table 23C-	Seedhead Ratings of Bermudagrass (Vegetative) Cultivars at Baton Rouge, LA.....	55
Table 24A-	Seedhead Ratings of Bermudagrass Cultivars at College Station, TX.....	56
Table 24B-	Seedhead Ratings of Bermudagrass (Seeded) Cultivars at College Station, TX.....	57
Table 24C-	Seedhead Ratings of Bermudagrass (Vegetative) Cultivars at College Station, TX.....	57
Table 25A-	Percent Spring Greenup Ratings of Bermudagrass Cultivars.....	58
Table 25B-	Percent Spring Greenup Ratings of Bermudagrass (Seeded) Cultivars...	59
Table 25C-	Percent Spring Greenup Ratings of Bermudagrass (Vegetative) Cultivars.....	59
Table 26A-	Percent Spring Greenup Ratings of Bermudagrass Cultivars at Knoxville, TN.....	60
Table 26B-	Percent Spring Greenup Ratings of Bermudagrass (Seeded) Cultivars at Knoxville, TN.....	61
Table 26C-	Percent Spring Greenup Ratings of Bermudagrass (Vegetative) Cultivars at Knoxville, TN.....	61
Table 27A-	Color Ratings of Bermudagrass Cultivars at Knoxville, TN.....	62
Table 27B-	Color Ratings of Bermudagrass (Seeded) Cultivars at Knoxville, TN.....	63

CONTENTS (continued)

Table 27C- Color Ratings of Bermudagrass (Vegetative) Cultivars at Knoxville, TN.....	63
Table 28A- Percent Establishment Ratings of Bermudagrass Cultivars at Gainesville, FL.....	64
Table 28B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Gainesville, FL.....	65
Table 28C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Gainesville, FL.....	65
Table 29A- Percent Establishment Ratings of Bermudagrass Cultivars at Jay, FL.....	66
Table 29B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Jay, FL.....	67
Table 29C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Jay, FL.....	67

A Guide to NTEP Turfgrass Ratings

Introduction

The quality and scientific merit of NTEP data is extremely important. However, the evaluation of turfgrass species and cultivars is a difficult and complex issue. Furthermore, turfgrass evaluation is generally a subjective process based on visual estimates of factors, like genetic color, stand density, leaf texture, uniformity and quality. These factors can not be measured in the same way as other agricultural crops. Turfgrass quality is not a measure of yield or nutritive value. Turfgrass quality is a measure of aesthetics (i.e. density, uniformity, texture, smoothness, growth habit and color), and functional use. The most common way of assessing turfgrass quality is a visual rating system that is based on the turfgrass evaluator's judgement.

General Considerations

Most visual ratings collected on NTEP trials are based on a 1 to 9 rating scale. One is the poorest or lowest and 9 is the best or highest rating. However, a few characteristics, such as winter kill or percent living ground cover, are rated on a percentage basis, again by using the evaluator's judgement. Most disease ratings found in NTEP reports will use the 1-9 scale, 9=no disease except where the evaluator made a judgement of the percentage of disease in each plot. Percent disease data will be found in separate tables and will normally not be included with disease data using the 1-9 scale.

Turfgrass Quality

Turfgrass Quality is based on 9 being outstanding or ideal turf and 1 being poorest or dead. A rating of 6 or above is generally considered acceptable. A quality rating value of 9 is reserved for a perfect or ideal grass, but it also can reflect an absolutely outstanding treatment plot. The NTEP requires quality ratings on a monthly basis. Quality ratings take into account the aesthetic and functional aspects of the turf. Quality ratings are not based on color alone, but on a combination of color, density, uniformity, texture, and disease or environmental stress.

Turfgrass quality ratings are grouped and presented by region, management level, a particular stress (shade, traffic, etc.) and in some cases, by individual location (starting with 2001 data, data from each location will be posted separately as well on the NTEP web site, <http://www.ntep.org>). Also available now is a summary table (Appendix) in the back of this report. This summary table includes various statistical measures not previously compiled for NTEP reports. For an explanation of this table and these changes, please go to the NTEP web site at <http://www.ntep.org/pdf/grandmean.mem.pdf>.

Other Ratings

More detailed information on the ratings of specific characteristics can be found on the NTEP web site at <http://www.ntep.org/reports/ratings.htm>.

2007 NATIONAL BERMUDAGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2008

<u>State</u>	<u>Location</u>	<u>Code</u>
Arizona	Tucson	AZ1
California	Riverside	CA3
Florida	Gainesville	FL1
Florida	Gainesville (Traffic)	FL2
Florida	Jay	FL3
Georgia	Griffin	GA1
Kentucky	Lexington	KY1
Louisiana	Baton Rouge	LA1
Mississippi	Miss. St.	MS1
New Mexico	Las Cruces	NM1
North Carolina	Raleigh	NC1
Oklahoma	Stillwater	OK1
Tennessee	Knoxville	TN1
Texas	Dallas	TX1
Texas	College Station	TX2
Virginia	Blacksburg	VA1

2007 NATIONAL BERMUDAGRASS TEST

Entries and Sponsors

Entry No.	Name	Type	Sponsor
* 1	Riviera	seeded	Standard entry
* 2	Princess 77	seeded	Standard entry
* 3	NuMex-Sahara	seeded	Standard entry
4	SWI-1070	seeded	Seeds West
5	SWI-1081	seeded	Seeds West
6	SWI-1083	seeded	Seeds West
7	SWI-1113	seeded	Seeds West
8	SWI-1117	seeded	Seeds West
9	SWI-1122	seeded	Seeds West
*10	Midlawn	vegetative	Standard entry
*11	Tifway	vegetative	Standard entry
12	Premier	vegetative	Standard entry
13	SWI-1057	seeded	Seeds West
14	BAR 7CD5	seeded	Barenbrug USA
15	PST-R6FLT	seeded	Pure-Seed Testing, Inc.
*16	Sunspart	seeded	LESCO John Deere Landscapes
*17	Patriot	vegetative	Oklahoma Ag. Expt. Station
18	OKC 1119	vegetative	Oklahoma Ag. Expt. Station
19	OKC 1134	vegetative	Oklahoma Ag. Expt. Station
20	RAD-CD1	seeded	Desert Sun Marketing, Inc.
21	OKS 2004-2	seeded	Oklahoma Ag. Expt. Station
22	PSG 91215	seeded	Seed Research/Pickseed
23	PSG 94524	seeded	Pickseed USA
24	IS-01-201	seeded	DLF International Seeds
25	Pyramid 2 (IS-CD10)	seeded	DLF International Seeds
*26	Hollywood (J-720)	seeded	Jacklin Seed by SimplotR
*27	Yukon	seeded	Seed Research of Oregon
*28	Veracruz	seeded	Seed Research/Pickseed
29	PSG 9BAN	seeded	Seed Research of Oregon
30	PSG PROK	seeded	Seed Research/Pickseed
31	PSG 9Y2OK	seeded	Seed Research of Oregon

* COMMERCIALY AVAILABLE IN THE USA IN 2009.

TABLE A.

2008 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN
THE 2007 NATIONAL BERMUDAGRASS TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
AZ1	SANDY LOAM	7.6-8.5	0-60	151-240	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
CA3	SANDY LOAM	7.1-7.5	-	-	-	FULL SUN	0.6-1.0	TO PREVENT STRESS
FL1	SAND	6.6-7.0	-	-	1.1-2.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
FL2	SAND	6.6-7.0	-	-	1.1-2.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
FL3	-	-	-	-	-	-	-	-
GA1	SANDY LOAM	4.6-5.5	61-150	241-375	-	FULL SUN	0.6-1.0	TO PREVENT STRESS
KY1	SILT LOAM AND SILT	6.1-6.5	61-150	241-375	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT DORMANCY
LA1	SILTY CLAY AND CLAY	6.1-6.5	151-270	241-375	4.1-5.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
MS1	SANDY LOAM	6.1-6.5	271-450	241-375	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
NC1	SILTY CLAY AND CLAY	6.1-6.5	61-150	0-150	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
NM1	LOAMY SAND	7.6-8.5	-	-	5.1-6.0	FULL SUN	1.6-2.0	TO PREVENT STRESS
OK1	LOAM	7.1-7.5	61-150	241-375	3.1-4.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
TN1	SILT LOAM AND SILT	6.1-6.5	0-60	0-150	5.1-6.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
TX1	SILTY CLAY AND CLAY	7.6-8.5	151-270	241-375	3.1-4.0	FULL SUN	1.6-2.0	TO PREVENT DORMANCY
TX2	SANDY CLAY	7.6-8.5	0-60	0-150	4.1-5.0	FULL SUN	1.1-1.5	TO PREVENT DORMANCY
VA1	SILTY CLAY AND CLAY	4.6-5.5	0-60	151-240	2.1-3.0	FULL SUN	0.6-1.0	ONLY DURING SEVERE STRESS

TABLE B.

LOCATIONS AND DATA COLLECTED IN 2008

LOCATION	JANUARY QUALITY RATING	FEBRUARY QUALITY RATING	MARCH QUALITY RATING	APRIL QUALITY RATING	MAY QUALITY RATING	JUNE QUALITY RATING	JULY QUALITY RATING	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE
AZ1					X	X	X	X	X	X	X	X	X	X	X
CA3	X	X		X	X			X	X	X	X	X			
FL1						X	X	X	X	X	X	X	X		X
FL2						X	X	X	X				X		
FL3				X		X	X	X	X	X	X		X		
GA1															
KY1						X	X	X	X	X			X	X	X
LA1			X	X	X	X	X	X	X	X			X	X	X
MS1				X	X	X	X	X	X	X	X		X	X	X
NC1				X	X	X	X	X	X	X			X	X	X
NM1							X	X	X	X			X	X	
OK1				X	X	X	X	X					X	X	X
TN1				X	X	X	X	X	X	X	X		X		
TX1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TX2					X	X	X	X	X	X	X		X	X	X
VA1						X	X	X		X			X		

TABLE B. (CONT'D)

LOCATIONS AND DATA COLLECTED IN 2008

LOCATION	SPRING DENSITY	SUMMER DENSITY	FALL DENSITY	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FROST TOLERANCE	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	SEEDHEAD RATINGS
AZ1	X	X	X	X	X	X		X	X	X	X	X
CA3	X											
FL1	X	X	X	X						X	X	X
FL2	X	X	X	X								
FL3		X	X						X	X		
GA1			X			X						
KY1				X	X	X	X					
LA1		X		X						X		
MS1		X		X						X		X
NC1		X							X	X		X
NM1				X	X	X			X	X		
OK1			X	X	X							
TN1				X	X	X				X	X	
TX1	X	X	X					X	X	X	X	
TX2		X		X					X			
VA1				X	X							

TABLE B. (CONT'D)

LOCATIONS AND DATA COLLECTED IN 2008

LOCATION	PERCENT SEEDHEAD	SEEDHEAD RATINGS		SEEDHEAD RATINGS		PERCENT SPRING GREENUP	PERCENT ESTABLISHMENT		PERCENT ESTABLISHMENT RATINGS								
		MIDDLE SUMMER	LATE SUMMER	MAY	NOVEMBER		JANUARY	AUGUST	NOV 2007	DEC 2007	JAN 2008	FEB 2008	MAR 2008	APR 2008	MAY 2008	JUN 2008	JUL 2008
AZ1																	
CA3																	
FL1										X	X	X	X	X	X	X	X
FL2										X	X	X	X	X	X	X	X
FL3								X	X								
GA1																	
KY1																	
LA1		X	X														
MS1																	
NC1																	
NM1																	
OK1																	
* TN1	X																
TX1																	
TX2					X	X											
VA1																	X

* MORE PERCENT SPRING GREENUP AND COLOR DATA IN TABLE 26 AND 27.

TABLE 1A.

TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
GROWN AT SEVEN LOCATIONS IN THE U.S. FOR AMMI GROUP 1 **/
2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/								
NAME	VA1	NC1	MS1	TN1	LA1	TX2	OK1	MEAN
OKC 1119	6.6	8.7	7.1	7.1	7.4	6.5	6.7	7.1
OKC 1134	6.3	8.2	6.8	6.9	7.0	6.2	6.3	6.8
* TIFWAY	6.1	8.2	6.8	6.9	6.7	5.8	6.4	6.7
* PREMIER	6.0	8.0	6.7	6.8	6.6	5.8	6.2	6.6
* PATRIOT	6.1	7.6	6.4	6.6	6.8	6.1	5.9	6.5
SWI-1113	5.8	6.7	6.2	6.7	6.2	5.7	5.6	6.1
OKS 2004-2	5.9	6.6	6.1	6.6	6.3	5.8	5.5	6.1
* RIVIERA	5.8	6.7	6.0	6.5	6.2	5.7	5.5	6.1
SWI-1070	5.7	6.5	6.1	6.6	6.0	5.6	5.5	6.0
* MIDLAWN	5.8	6.7	5.8	6.2	6.4	5.7	5.3	6.0
PSG 9Y20K	5.6	6.4	5.9	6.5	5.9	5.4	5.4	5.9
SWI-1122	5.5	6.3	5.9	6.4	5.8	5.4	5.3	5.8
SWI-1057	5.5	6.1	5.9	6.5	5.8	5.4	5.3	5.8
PSG 9BAN	5.5	6.2	5.7	6.3	5.9	5.5	5.2	5.8
RAD-CD1	5.4	6.3	5.8	6.4	5.8	5.3	5.3	5.8
* PRINCESS 77	5.5	6.0	5.8	6.5	5.8	5.4	5.2	5.7
SWI-1083	5.5	6.0	5.7	6.4	5.9	5.5	5.1	5.7
* VERACRUZ	5.4	6.2	5.8	6.4	5.7	5.3	5.3	5.7
IS-01-201	5.4	6.3	5.7	6.2	5.8	5.2	5.2	5.7
* HOLLYWOOD (J-720)	5.4	6.1	5.7	6.3	5.7	5.3	5.2	5.7
* YUKON	5.5	5.8	5.6	6.3	5.9	5.5	5.0	5.7
SWI-1081	5.5	5.6	5.6	6.4	5.7	5.4	5.0	5.6
PYRAMID 2 (IS-CD10)	5.2	6.2	5.7	6.1	5.6	5.1	5.1	5.6
PST-R6FLT	5.2	5.9	5.5	6.1	5.6	5.1	5.0	5.5
BAR 7CD5	5.5	5.1	5.3	6.3	5.7	5.5	4.7	5.5
PSG PROK	5.2	5.8	5.5	6.1	5.5	5.1	4.9	5.5
PSG 91215	5.1	5.7	5.3	6.0	5.4	5.0	4.8	5.3
SWI-1117	5.0	5.4	5.2	6.0	5.3	5.0	4.7	5.2
PSG 94524	5.0	5.3	5.2	5.9	5.3	4.9	4.6	5.2
* SUNSPORT	5.0	5.3	5.1	5.9	5.3	5.0	4.5	5.2
* NUMEX-SAHARA	5.0	5.1	5.0	5.8	5.3	4.9	4.4	5.1
LSD VALUE	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
C.V. (%)	7.1	6.2	6.7	6.2	6.6	7.2	7.4	6.7

* COMMERCIALY AVAILABLE IN THE USA IN 2009.

** ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 1B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 GROWN AT SEVEN LOCATIONS IN THE U.S. FOR AMMI GROUP 1 */
 2008 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	VA1	NC1	MS1	TN1	LA1	TX2	OK1	MEAN
SWI-1113	5.8	6.7	6.2	6.7	6.2	5.7	5.6	6.1
OKS 2004-2	5.9	6.6	6.1	6.6	6.3	5.8	5.5	6.1
RIVIERA	5.8	6.7	6.0	6.5	6.2	5.7	5.5	6.1
SWI-1070	5.7	6.5	6.1	6.6	6.0	5.6	5.5	6.0
PSG 9Y20K	5.6	6.4	5.9	6.5	5.9	5.4	5.4	5.9
SWI-1122	5.5	6.3	5.9	6.4	5.8	5.4	5.3	5.8
SWI-1057	5.5	6.1	5.9	6.5	5.8	5.4	5.3	5.8
PSG 9BAN	5.5	6.2	5.7	6.3	5.9	5.5	5.2	5.8
RAD-CD1	5.4	6.3	5.8	6.4	5.8	5.3	5.3	5.8
PRINCESS 77	5.5	6.0	5.8	6.5	5.8	5.4	5.2	5.7
SWI-1083	5.5	6.0	5.7	6.4	5.9	5.5	5.1	5.7
VERACRUZ	5.4	6.2	5.8	6.4	5.7	5.3	5.3	5.7
IS-01-201	5.4	6.3	5.7	6.2	5.8	5.2	5.2	5.7
HOLLYWOOD (J-720)	5.4	6.1	5.7	6.3	5.7	5.3	5.2	5.7
YUKON	5.5	5.8	5.6	6.3	5.9	5.5	5.0	5.7
SWI-1081	5.5	5.6	5.6	6.4	5.7	5.4	5.0	5.6
PYRAMID 2 (IS-CD10)	5.2	6.2	5.7	6.1	5.6	5.1	5.1	5.6
PST-R6FLT	5.2	5.9	5.5	6.1	5.6	5.1	5.0	5.5
BAR 7CD5	5.5	5.1	5.3	6.3	5.7	5.5	4.7	5.5
PSG PROK	5.2	5.8	5.5	6.1	5.5	5.1	4.9	5.5
PSG 91215	5.1	5.7	5.3	6.0	5.4	5.0	4.8	5.3
SWI-1117	5.0	5.4	5.2	6.0	5.3	5.0	4.7	5.2
PSG 94524	5.0	5.3	5.2	5.9	5.3	4.9	4.6	5.2
SUNSPORT	5.0	5.3	5.1	5.9	5.3	5.0	4.5	5.2
NUMEX-SAHARA	5.0	5.1	5.0	5.8	5.3	4.9	4.4	5.1
LSD VALUE	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
C.V. (%)	7.3	6.6	6.9	6.2	6.8	7.4	7.7	7.0

TABLE 1C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 GROWN AT SEVEN LOCATIONS IN THE U.S. FOR AMMI GROUP 1 */
 2008 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	VA1	NC1	MS1	TN1	LA1	TX2	OK1	MEAN
OKC 1119	6.6	8.7	7.1	7.1	7.4	6.5	6.7	7.1
OKC 1134	6.3	8.2	6.8	6.9	7.0	6.2	6.3	6.8
TIFWAY	6.1	8.2	6.8	6.9	6.7	5.8	6.4	6.7
PREMIER	6.0	8.0	6.7	6.8	6.6	5.8	6.2	6.6
PATRIOT	6.1	7.6	6.4	6.6	6.8	6.1	5.9	6.5
MIDLAWN	5.8	6.7	5.8	6.2	6.4	5.7	5.3	6.0
LSD VALUE	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
C.V. (%)	6.4	5.0	5.9	5.8	5.8	6.5	6.4	5.9

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2A. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
 GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 2 */
 2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL1	KY1	TX1	MEAN
TIFWAY	6.7	8.6	5.4	6.9
PREMIER	6.4	8.3	5.3	6.7
OKC 1119	6.0	8.3	5.4	6.6
OKC 1134	5.8	7.9	5.2	6.3
SWI-1070	6.3	7.1	5.3	6.2
SWI-1113	6.2	7.2	5.3	6.2
SWI-1057	6.2	6.9	5.2	6.1
VERACRUZ	6.2	7.0	5.1	6.1
PSG 9Y2OK	6.1	7.0	5.1	6.1
SWI-1122	6.1	6.9	5.1	6.0
RAD-CD1	6.0	6.9	5.0	6.0
PRINCESS 77	6.1	6.7	5.1	6.0
OKS 2004-2	5.7	6.8	5.1	5.9
HOLLYWOOD (J-720)	5.9	6.7	5.0	5.8
RIVIERA	5.7	6.8	5.1	5.8
PYRAMID 2 (IS-CD10)	5.8	6.8	4.8	5.8
IS-01-201	5.7	6.7	4.8	5.7
PATRIOT	5.2	7.1	4.9	5.7
SWI-1083	5.6	6.4	5.0	5.7
PSG 9BAN	5.6	6.5	4.9	5.7
SWI-1081	5.6	6.1	5.0	5.6
PST-R6FLT	5.6	6.4	4.7	5.6
PSG PROK	5.5	6.3	4.7	5.5
YUKON	5.3	6.0	4.9	5.4
PSG 91215	5.3	6.1	4.6	5.3
SWI-1117	5.4	5.9	4.6	5.3
PSG 94524	5.3	5.9	4.6	5.2
BAR 7CD5	5.2	5.4	4.9	5.2
MIDLAWN	4.6	6.2	4.5	5.1
SUNSPORT	5.1	5.7	4.5	5.1
NUMEX-SAHARA	4.8	5.4	4.4	4.9
LSD VALUE	0.6	0.6	0.6	0.6
C.V. (%)	6.9	5.8	7.9	6.8

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDING) CULTIVARS 1/
GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 2 */
2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/ NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/			MEAN
	FL1	KY1	TX1	
SWI-1070	6.3	7.1	5.3	6.2
SWI-1113	6.2	7.2	5.3	6.2
SWI-1057	6.2	6.9	5.2	6.1
VERACRUZ	6.2	7.0	5.1	6.1
PSG 9Y2OK	6.1	7.0	5.1	6.1
SWI-1122	6.1	6.9	5.1	6.0
RAD-CD1	6.0	6.9	5.0	6.0
PRINCESS 77	6.1	6.7	5.1	6.0
OKS 2004-2	5.7	6.8	5.1	5.9
HOLLYWOOD (J-720)	5.9	6.7	5.0	5.8
RIVIERA	5.7	6.8	5.1	5.8
PYRAMID 2 (IS-CD10)	5.8	6.8	4.8	5.8
IS-01-201	5.7	6.7	4.8	5.7
SWI-1083	5.6	6.4	5.0	5.7
PSG 9BAN	5.6	6.5	4.9	5.7
SWI-1081	5.6	6.1	5.0	5.6
PST-R6FLT	5.6	6.4	4.7	5.6
PSG PROK	5.5	6.3	4.7	5.5
YUKON	5.3	6.0	4.9	5.4
PSG 91215	5.3	6.1	4.6	5.3
SWI-1117	5.4	5.9	4.6	5.3
PSG 94524	5.3	5.9	4.6	5.2
BAR 7CD5	5.2	5.4	4.9	5.2
SUNSPORT	5.1	5.7	4.5	5.1
NUMEX-SAHARA	4.8	5.4	4.4	4.9
LSD VALUE	0.6	0.6	0.6	0.6
C.V. (%)	6.9	6.1	8.0	6.9

TABLE 2C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 2 */
2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/ NAME	TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/			MEAN
	FL1	KY1	TX1	
TIFWAY	6.7	8.6	5.4	6.9
PREMIER	6.4	8.3	5.3	6.7
OKC 1119	6.0	8.3	5.4	6.6
OKC 1134	5.8	7.9	5.2	6.3
PATRIOT	5.2	7.1	4.9	5.7
MIDLAWN	4.6	6.2	4.5	5.1
LSD VALUE	0.6	0.6	0.6	0.6
C.V. (%)	6.8	5.1	7.7	6.3

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3A.

TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
 GROWN AT TWO LOCATIONS IN THE U.S. FOR AMMI GROUP 3 */
 2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL3	AZ1	MEAN
SWI-1070	5.4	6.4	5.9
SWI-1057	5.3	6.4	5.9
SWI-1113	5.3	6.4	5.9
TIFWAY	5.3	6.4	5.9
PRINCESS 77	5.3	6.3	5.8
VERACRUZ	5.3	6.3	5.8
PSG 9Y20K	5.2	6.3	5.8
SWI-1122	5.2	6.3	5.7
PREMIER	5.1	6.3	5.7
RAD-CD1	5.1	6.2	5.6
SWI-1081	5.1	6.1	5.6
HOLLYWOOD (J-720)	5.0	6.1	5.6
OKS 2004-2	5.0	6.1	5.5
SWI-1083	5.0	6.0	5.5
OKC 1119	4.9	6.0	5.4
RIVIERA	4.9	6.0	5.4
BAR 7CD5	4.9	5.9	5.4
PSG 9BAN	4.9	5.9	5.4
PYRAMID 2 (IS-CD10)	4.8	5.9	5.4
OKC 1134	4.8	5.9	5.3
IS-01-201	4.8	5.9	5.3
YUKON	4.8	5.8	5.3
PST-R6FLT	4.8	5.8	5.3
PSG PROK	4.7	5.8	5.2
SWI-1117	4.7	5.7	5.2
PSG 94524	4.6	5.7	5.2
PSG 91215	4.6	5.6	5.1
SUNSPORT	4.5	5.5	5.0
PATRIOT	4.4	5.5	4.9
NUMEX-SAHARA	4.4	5.4	4.9
MIDLAWN	4.1	5.1	4.6
LSD VALUE	0.6	0.6	0.6
C.V. (%)	8.0	6.6	7.2

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
GROWN AT TWO LOCATIONS IN THE U.S. FOR AMMI GROUP 3 */
2008 DATA
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL3	AZ1	MEAN
SWI-1070	5.4	6.4	5.9
SWI-1057	5.3	6.4	5.9
SWI-1113	5.3	6.4	5.9
PRINCESS 77	5.3	6.3	5.8
VERACRUZ	5.3	6.3	5.8
PSG 9Y20K	5.2	6.3	5.8
SWI-1122	5.2	6.3	5.7
RAD-CD1	5.1	6.2	5.6
SWI-1081	5.1	6.1	5.6
HOLLYWOOD (J-720)	5.0	6.1	5.6
OKS 2004-2	5.0	6.1	5.5
SWI-1083	5.0	6.0	5.5
RIVIERA	4.9	6.0	5.4
BAR 7CD5	4.9	5.9	5.4
PSG 9BAN	4.9	5.9	5.4
PYRAMID 2 (IS-CD10)	4.8	5.9	5.4
IS-01-201	4.8	5.9	5.3
YUKON	4.8	5.8	5.3
PST-R6FLT	4.8	5.8	5.3
PSG PROK	4.7	5.8	5.2
SWI-1117	4.7	5.7	5.2
PSG 94524	4.6	5.7	5.2
PSG 91215	4.6	5.6	5.1
SUNSPORT	4.5	5.5	5.0
NUMEX-SAHARA	4.4	5.4	4.9
LSD VALUE	0.6	0.6	0.6
C.V. (%)	8.0	6.6	7.2

TABLE 3C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
GROWN AT TWO LOCATIONS IN THE U.S. FOR AMMI GROUP 3 */
2008 DATA
TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL3	AZ1	MEAN
TIFWAY	5.3	6.4	5.9
PREMIER	5.1	6.3	5.7
OKC 1119	4.9	6.0	5.4
OKC 1134	4.8	5.9	5.3
PATRIOT	4.4	5.5	4.9
MIDLAWN	4.1	5.1	4.6
LSD VALUE	0.6	0.6	0.6
C.V. (%)	8.2	6.7	7.4

- * ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF
- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4A. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 4 */
 2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CA3
BAR 7CD5	6.7
SWI-1113	6.5
SWI-1081	6.5
SWI-1070	6.5
OKS 2004-2	6.5
PRINCESS 77	6.5
SWI-1057	6.4
YUKON	6.4
SWI-1083	6.4
PSG 9Y20K	6.4
RIVIERA	6.3
SWI-1122	6.3
OKC 1119	6.3
VERACRUZ	6.3
PSG 9BAN	6.3
HOLLYWOOD (J-720)	6.2
RAD-CD1	6.2
OKC 1134	6.2
TIFWAY	6.2
PREMIER	6.1
PATRIOT	6.1
SWI-1117	6.0
IS-01-201	6.0
PST-R6FLT	6.0
PSG PROK	6.0
PSG 94524	6.0
MIDLAWN	5.9
SUNSPORT	5.9
NUMEX-SAHARA	5.9
PYRAMID 2 (IS-CD10)	5.9
PSG 91215	5.9
LSD VALUE	0.6
C.V. (%)	6.3

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 4 */
 2008 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CA3
BAR 7CD5	6.7
SWI-1113	6.5
SWI-1081	6.5
SWI-1070	6.5
OKS 2004-2	6.5
PRINCESS 77	6.5
SWI-1057	6.4
YUKON	6.4
SWI-1083	6.4
PSG 9Y2OK	6.4
RIVIERA	6.3
SWI-1122	6.3
VERACRUZ	6.3
PSG 9BAN	6.3
HOLLYWOOD (J-720)	6.2
RAD-CD1	6.2
SWI-1117	6.0
IS-01-201	6.0
PST-R6FLT	6.0
PSG PROK	6.0
PSG 94524	6.0
SUNSPORT	5.9
NUMEX-SAHARA	5.9
PYRAMID 2 (IS-CD10)	5.9
PSG 91215	5.9
LSD VALUE	0.6
C.V. (%)	6.3

TABLE 4C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 4 */
 2008 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	CA3
OKC 1119	6.3
OKC 1134	6.2
TIFWAY	6.2
PREMIER	6.1
PATRIOT	6.1
MIDLAWN	5.9
LSD VALUE	0.6
C.V. (%)	6.4

- * ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF
- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5A.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
GROWN UNDER TRAFFIC STRESS AT GAINESVILLE, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	QUALITY RATINGS				MEAN
						JUN	JUL	AUG	SEP	
TIFWAY	8.3	7.3	7.0	7.3	60.0	6.7	7.3	7.0	7.3	7.1
PRINCESS 77	8.0	7.7	6.7	7.0	83.3	7.0	6.3	6.3	6.7	6.6
SWI-1057	7.7	7.7	6.3	6.7	80.0	7.0	6.0	6.3	6.0	6.3
SWI-1113	8.0	7.3	6.3	6.0	80.0	7.0	6.0	6.3	6.0	6.3
VERACRUZ	7.0	7.3	6.3	6.7	63.3	6.0	6.3	6.3	6.3	6.3
PSG 9Y20K	6.7	7.0	6.0	5.7	86.7	7.0	5.7	6.0	5.3	6.0
OKS 2004-2	7.3	7.3	5.7	6.0	76.7	6.3	6.7	5.7	5.0	5.9
PSG 9BAN	7.7	5.7	5.7	5.7	73.3	6.3	5.3	5.7	5.7	5.8
RIVIERA	7.3	7.0	6.0	5.7	60.0	6.3	6.0	6.0	5.0	5.8
SWI-1070	7.0	7.0	5.7	5.7	83.3	7.7	5.0	5.3	5.0	5.8
OKC 1119	7.7	6.7	5.7	4.7	50.0	4.7	6.7	5.7	5.0	5.5
RAD-CD1	6.3	6.3	6.0	5.7	80.0	5.7	5.3	5.7	5.3	5.5
SWI-1081	7.3	5.0	6.0	4.7	63.3	5.7	5.3	5.7	5.0	5.4
HOLLYWOOD (J-720)	7.0	6.3	5.0	4.7	70.0	6.7	5.0	4.7	4.7	5.3
IS-01-201	7.0	5.7	5.7	5.3	43.3	5.3	5.0	5.7	5.3	5.3
SWI-1083	7.0	5.7	5.7	4.7	73.3	5.7	5.7	5.3	4.3	5.3
OKC 1134	7.3	7.3	5.3	4.3	60.0	6.0	6.0	4.7	4.0	5.2
PREMIER	7.7	7.0	5.3	5.3	76.7	5.7	4.7	5.3	5.0	5.2
PST-R6FLT	7.3	6.3	5.0	4.3	73.3	6.0	5.3	4.7	4.7	5.2
YUKON	8.0	7.0	5.3	3.7	73.3	5.7	5.7	5.3	4.0	5.2
PSG PROK	6.7	5.7	5.0	4.7	83.3	5.0	5.3	4.7	4.7	4.9
BAR 7CD5	8.0	4.7	5.3	5.7	46.7	4.0	4.7	5.3	5.3	4.8
MIDLAWN	6.3	5.7	5.3	5.0	40.0	5.0	4.3	5.0	4.7	4.8
PYRAMID 2 (IS-CD10)	6.7	6.3	5.0	4.0	76.7	5.3	4.7	5.0	4.3	4.8
PSG 94524	6.3	5.3	5.0	5.3	76.7	5.0	4.3	4.7	4.7	4.7
SWI-1117	6.7	5.3	5.0	3.7	73.3	6.0	4.3	4.3	4.0	4.7
SUNSPORT	6.0	5.3	4.3	4.3	80.0	5.3	4.3	4.7	4.0	4.6
SWI-1122	7.3	6.0	4.7	4.0	60.0	5.7	4.3	4.7	3.7	4.6
PSG 91215	6.7	5.3	4.0	4.0	80.0	5.7	4.3	3.7	3.7	4.3
NUMEX-SAHARA	6.3	4.0	4.0	2.3	66.7	5.0	3.3	3.7	2.3	3.6
PATRIOT	8.0	7.3	2.3	1.3	53.3	5.7	4.3	2.0	1.7	3.4
LSD VALUE	1.1	1.1	1.4	1.3	28.4	1.8	0.9	1.4	1.2	0.8
C.V. (%)	8.6	10.7	15.0	17.0	20.8	15.4	10.9	15.8	15.6	10.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5A. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
GROWN UNDER TRAFFIC STRESS AT GAINESVILLE, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT ESTABLISHMENT RATINGS								
	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008
TIFWAY	5.0	13.3	20.0	21.7	26.7	60.0	70.0	93.0	99
PRINCESS 77	5.0	9.3	18.3	25.0	26.7	83.3	88.3	96.3	99
SWI-1057	6.0	9.3	20.0	25.0	30.0	80.0	81.7	95.0	99
SWI-1113	9.3	13.3	25.0	30.0	33.3	80.0	88.3	97.7	99
VERACRUZ	3.0	7.0	11.7	16.7	16.7	63.3	68.3	90.0	99
PSG 9Y20K	9.3	18.3	26.7	33.3	33.3	86.7	90.0	97.7	99
OKS 2004-2	4.0	8.7	16.7	20.0	25.0	76.7	80.0	96.0	99
PSG 9BAN	4.0	11.0	18.3	21.7	25.0	73.3	80.0	96.3	99
RIVIERA	3.0	9.3	16.0	21.7	20.0	60.0	76.7	93.3	99
SWI-1070	7.7	12.7	23.3	28.3	33.3	83.3	90.0	99.0	99
OKC 1119	5.0	10.0	18.3	16.7	20.0	50.0	58.3	90.0	99
RAD-CD1	10.7	16.7	30.0	40.0	40.0	80.0	83.3	90.0	99
SWI-1081	3.0	7.7	13.3	13.3	16.7	63.3	75.0	88.0	99
HOLLYWOOD (J-720)	4.0	8.3	8.3	18.3	20.0	70.0	80.0	96.0	99
IS-01-201	2.0	6.0	9.3	11.7	13.3	43.3	60.0	86.7	99
SWI-1083	9.3	11.7	18.3	25.0	23.3	73.3	76.7	94.7	99
OKC 1134	5.0	13.3	21.7	25.0	25.0	60.0	68.3	90.0	99
PREMIER	5.0	11.7	23.3	26.7	30.0	76.7	63.3	91.7	99
PST-R6FLT	6.0	11.0	20.0	23.3	20.0	73.3	71.7	91.3	99
YUKON	8.3	13.3	20.0	26.7	30.0	73.3	75.0	90.0	99
PSG PROK	10.0	18.3	28.3	36.7	43.3	83.3	88.3	99.0	99
BAR 7CD5	2.0	5.0	9.3	10.0	13.3	46.7	48.3	78.3	99
MIDLAWN	5.0	10.0	18.3	11.7	16.7	40.0	46.7	86.7	99
PYRAMID 2 (IS-CD10)	9.0	12.7	21.7	30.0	33.3	76.7	78.3	95.0	99
PSG 94524	10.0	13.3	25.0	28.3	31.7	76.7	88.3	97.7	99
SWI-1117	10.7	15.0	25.0	30.0	33.3	73.3	76.7	93.3	99
SUNSPORT	13.0	20.0	31.7	33.3	30.0	80.0	81.7	94.7	99
SWI-1122	4.0	7.3	15.0	20.0	21.7	60.0	73.3	91.3	99
PSG 91215	8.3	13.3	21.7	31.7	30.0	80.0	88.3	97.7	99
NUMEX-SAHARA	6.0	9.3	18.3	21.7	21.7	66.7	75.0	93.0	99
PATRIOT	5.0	13.3	20.0	18.3	23.3	53.3	70.0	93.3	99
LSD VALUE	2.7	6.5	12.0	11.5	15.1	28.4	20.6	11.7	0
C.V. (%)	27.5	31.0	31.7	27.9	30.7	20.8	15.1	5.9	0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5B.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
GROWN UNDER TRAFFIC STRESS AT GAINESVILLE, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER SPRING	QUALITY RATINGS				MEAN
						JUN	JUL	AUG	SEP	
PRINCESS 77	8.0	7.7	6.7	7.0	83.3	7.0	6.3	6.3	6.7	6.6
SWI-1057	7.7	7.7	6.3	6.7	80.0	7.0	6.0	6.3	6.0	6.3
SWI-1113	8.0	7.3	6.3	6.0	80.0	7.0	6.0	6.3	6.0	6.3
VERACRUZ	7.0	7.3	6.3	6.7	63.3	6.0	6.3	6.3	6.3	6.3
PSG 9Y20K	6.7	7.0	6.0	5.7	86.7	7.0	5.7	6.0	5.3	6.0
OKS 2004-2	7.3	7.3	5.7	6.0	76.7	6.3	6.7	5.7	5.0	5.9
PSG 9BAN	7.7	5.7	5.7	5.7	73.3	6.3	5.3	5.7	5.7	5.8
RIVIERA	7.3	7.0	6.0	5.7	60.0	6.3	6.0	6.0	5.0	5.8
SWI-1070	7.0	7.0	5.7	5.7	83.3	7.7	5.0	5.3	5.0	5.8
RAD-CD1	6.3	6.3	6.0	5.7	80.0	5.7	5.3	5.7	5.3	5.5
SWI-1081	7.3	5.0	6.0	4.7	63.3	5.7	5.3	5.7	5.0	5.4
HOLLYWOOD (J-720)	7.0	6.3	5.0	4.7	70.0	6.7	5.0	4.7	4.7	5.3
IS-01-201	7.0	5.7	5.7	5.3	43.3	5.3	5.0	5.7	5.3	5.3
SWI-1083	7.0	5.7	5.7	4.7	73.3	5.7	5.7	5.3	4.3	5.3
PST-R6FLT	7.3	6.3	5.0	4.3	73.3	6.0	5.3	4.7	4.7	5.2
YUKON	8.0	7.0	5.3	3.7	73.3	5.7	5.7	5.3	4.0	5.2
PSG PROK	6.7	5.7	5.0	4.7	83.3	5.0	5.3	4.7	4.7	4.9
BAR 7CD5	8.0	4.7	5.3	5.7	46.7	4.0	4.7	5.3	5.3	4.8
PYRAMID 2 (IS-CD10)	6.7	6.3	5.0	4.0	76.7	5.3	4.7	5.0	4.3	4.8
PSG 94524	6.3	5.3	5.0	5.3	76.7	5.0	4.3	4.7	4.7	4.7
SWI-1117	6.7	5.3	5.0	3.7	73.3	6.0	4.3	4.3	4.0	4.7
SUNSPORT	6.0	5.3	4.3	4.3	80.0	5.3	4.3	4.7	4.0	4.6
SWI-1122	7.3	6.0	4.7	4.0	60.0	5.7	4.3	4.7	3.7	4.6
PSG 91215	6.7	5.3	4.0	4.0	80.0	5.7	4.3	3.7	3.7	4.3
NUMEX-SAHARA	6.3	4.0	4.0	2.3	66.7	5.0	3.3	3.7	2.3	3.6
LSD VALUE	1.2	1.1	1.8	1.3	35.3	1.9	1.0	1.8	1.1	0.9
C.V. (%)	8.9	11.2	15.9	15.6	20.5	15.7	11.3	16.9	14.3	10.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5B. (CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
GROWN UNDER TRAFFIC STRESS AT GAINESVILLE, FL 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT ESTABLISHMENT RATINGS								
	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008
PRINCESS 77	5.0	9.3	18.3	25.0	26.7	83.3	88.3	96.3	99
SWI-1057	6.0	9.3	20.0	25.0	30.0	80.0	81.7	95.0	99
SWI-1113	9.3	13.3	25.0	30.0	33.3	80.0	88.3	97.7	99
VERACRUZ	3.0	7.0	11.7	16.7	16.7	63.3	68.3	90.0	99
PSG 9Y20K	9.3	18.3	26.7	33.3	33.3	86.7	90.0	97.7	99
OKS 2004-2	4.0	8.7	16.7	20.0	25.0	76.7	80.0	96.0	99
PSG 9BAN	4.0	11.0	18.3	21.7	25.0	73.3	80.0	96.3	99
RIVIERA	3.0	9.3	16.0	21.7	20.0	60.0	76.7	93.3	99
SWI-1070	7.7	12.7	23.3	28.3	33.3	83.3	90.0	99.0	99
RAD-CD1	10.7	16.7	30.0	40.0	40.0	80.0	83.3	90.0	99
SWI-1081	3.0	7.7	13.3	13.3	16.7	63.3	75.0	88.0	99
HOLLYWOOD (J-720)	4.0	8.3	8.3	18.3	20.0	70.0	80.0	96.0	99
IS-01-201	2.0	6.0	9.3	11.7	13.3	43.3	60.0	86.7	99
SWI-1083	9.3	11.7	18.3	25.0	23.3	73.3	76.7	94.7	99
PST-R6FLT	6.0	11.0	20.0	23.3	20.0	73.3	71.7	91.3	99
YUKON	8.3	13.3	20.0	26.7	30.0	73.3	75.0	90.0	99
PSG PROK	10.0	18.3	28.3	36.7	43.3	83.3	88.3	99.0	99
BAR 7CD5	2.0	5.0	9.3	10.0	13.3	46.7	48.3	78.3	99
PYRAMID 2 (IS-CD10)	9.0	12.7	21.7	30.0	33.3	76.7	78.3	95.0	99
PSG 94524	10.0	13.3	25.0	28.3	31.7	76.7	88.3	97.7	99
SWI-1117	10.7	15.0	25.0	30.0	33.3	73.3	76.7	93.3	99
SUNSPORT	13.0	20.0	31.7	33.3	30.0	80.0	81.7	94.7	99
SWI-1122	4.0	7.3	15.0	20.0	21.7	60.0	73.3	91.3	99
PSG 91215	8.3	13.3	21.7	31.7	30.0	80.0	88.3	97.7	99
NUMEX-SAHARA	6.0	9.3	18.3	21.7	21.7	66.7	75.0	93.0	99
LSD VALUE	3.1	7.1	12.6	12.9	15.5	35.3	22.9	10.7	0
C.V. (%)	29.1	34.0	34.1	29.1	30.9	20.5	14.3	5.7	0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5C. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS GROWN UNDER TRAFFIC STRESS AT GAINESVILLE, FL 1/ 2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	DENSITY SPRING	DENSITY SUMMER	DENSITY FALL	PERCENT COVER					MEAN
					SPRING	JUN	JUL	AUG	SEP	
TIFWAY	8.3	7.3	7.0	7.3	60.0	6.7	7.3	7.0	7.3	7.1
OKC 1119	7.7	6.7	5.7	4.7	50.0	4.7	6.7	5.7	5.0	5.5
OKC 1134	7.3	7.3	5.3	4.3	60.0	6.0	6.0	4.7	4.0	5.2
PREMIER	7.7	7.0	5.3	5.3	76.7	5.7	4.7	5.3	5.0	5.2
MIDLAWN	6.3	5.7	5.3	5.0	40.0	5.0	4.3	5.0	4.7	4.8
PATRIOT	8.0	7.3	2.3	1.3	53.3	5.7	4.3	2.0	1.7	3.4
LSD VALUE	1.0	1.0	0.9	2.1	22.2	1.4	1.0	0.7	1.8	0.7
C.V. (%)	7.1	7.8	10.6	24.4	19.6	12.0	10.2	8.8	21.6	8.2

TABLE 5C. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS GROWN UNDER TRAFFIC STRESS AT GAINESVILLE, FL 1/ 2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	PERCENT ESTABLISHMENT RATINGS								
	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008
TIFWAY	5	13.3	20.0	21.7	26.7	60.0	70.0	93.0	99
OKC 1119	5	10.0	18.3	16.7	20.0	50.0	58.3	90.0	99
OKC 1134	5	13.3	21.7	25.0	25.0	60.0	68.3	90.0	99
PREMIER	5	11.7	23.3	26.7	30.0	76.7	63.3	91.7	99
MIDLAWN	5	10.0	18.3	11.7	16.7	40.0	46.7	86.7	99
PATRIOT	5	13.3	20.0	18.3	23.3	53.3	70.0	93.3	99
LSD VALUE	0	3.7	6.5	6.5	12.3	22.2	28.0	15.2	0
C.V. (%)	0	14.6	14.0	17.7	24.0	19.6	19.9	6.7	0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6A.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS CULTIVARS
GROWN UNDER SALINE STRESS AT LAS CRUCES, NM 1/
2008 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	QUALITY RATINGS				MEAN
								JUL	AUG	SEP	OCT	
OKC 1119	8.0	5.3	64.7	92.3	96.0	7.3	5.7	8.3	7.7	7.7	4.0	6.9
OKC 1134	7.3	4.3	45.3	84.0	96.7	7.7	5.7	7.3	8.3	8.0	4.0	6.9
SWI-1122	8.0	4.7	69.3	98.0	94.3	6.7	5.0	7.3	7.7	7.7	3.3	6.5
YUKON	7.7	3.7	43.7	88.0	98.0	7.3	5.3	7.7	7.7	7.3	3.3	6.5
PRINCESS 77	7.0	3.7	36.7	83.3	93.3	7.0	5.0	6.7	7.3	7.7	3.3	6.3
PSG PROK	8.0	4.7	60.7	97.3	96.7	7.3	5.0	7.7	7.0	8.0	2.7	6.3
SWI-1113	7.3	4.7	61.7	87.3	89.7	6.3	4.7	7.3	7.7	7.0	3.0	6.3
TIFWAY	7.0	2.3	19.0	78.7	93.3	7.0	5.3	7.7	7.3	6.7	3.3	6.3
VERACRUZ	7.3	4.7	58.7	88.3	95.7	7.0	5.0	7.3	7.3	7.3	3.3	6.3
PSG 9Y20K	8.0	5.3	74.7	97.7	95.7	6.7	5.0	8.0	6.7	7.3	2.7	6.2
SWI-1070	7.7	5.0	68.0	94.3	94.0	6.7	5.0	7.0	7.3	7.3	2.7	6.1
PSG 9BAN	7.3	4.0	53.3	90.3	97.3	7.7	5.0	7.3	7.0	7.0	2.3	5.9
RAD-CD1	8.0	4.7	77.7	98.7	96.0	7.0	5.0	7.3	6.7	6.7	3.0	5.9
RIVIERA	6.7	3.3	40.3	80.7	96.7	7.0	5.0	6.7	7.3	6.7	2.3	5.8
PATRIOT	5.3	2.3	12.7	51.7	90.0	7.0	4.7	6.7	6.7	6.3	3.0	5.7
BAR 7CD5	6.7	3.3	32.7	66.3	84.0	6.7	5.3	5.3	7.0	6.7	3.3	5.6
SWI-1081	7.0	4.0	48.7	85.0	92.0	6.3	4.3	6.7	6.7	6.3	2.7	5.6
PSG 91215	5.7	3.3	28.0	64.7	96.0	7.0	4.7	6.3	6.0	6.7	3.0	5.5
HOLLYWOOD (J-720)	6.7	4.0	46.7	80.7	92.0	6.7	4.7	6.7	6.0	6.0	3.0	5.4
PYRAMID 2 (IS-CD10)	6.7	3.7	45.0	80.7	87.3	6.3	3.7	7.0	6.3	5.7	2.0	5.3
SUNSPORT	6.3	3.7	51.7	83.3	95.0	6.3	4.3	6.7	5.3	6.0	3.0	5.3
SWI-1057	6.7	3.7	31.3	77.0	90.0	6.7	4.7	5.7	7.0	6.0	2.7	5.3
SWI-1083	7.0	5.3	64.0	88.3	89.7	6.0	4.0	7.3	6.0	5.3	2.7	5.3
SWI-1117	6.3	4.0	48.0	77.7	88.7	6.3	4.7	6.3	5.7	5.7	3.3	5.3
OKS 2004-2	5.7	3.3	41.0	69.0	96.7	7.3	4.7	5.7	6.3	6.0	2.7	5.2
NUMEX-SAHARA	6.7	4.0	53.0	92.0	88.3	6.0	4.3	6.0	5.7	5.3	2.7	4.9
IS-01-201	5.0	2.7	32.3	50.3	88.3	5.7	3.3	5.7	5.7	5.7	2.3	4.8
MIDLAWN	6.3	3.3	36.7	81.7	83.3	5.3	4.0	6.3	5.3	5.0	2.3	4.8
PSG 94524	5.7	3.7	46.0	70.7	76.3	6.0	3.7	5.7	5.3	5.7	2.3	4.8
PST-R6FLT	4.7	2.7	23.3	53.7	79.3	6.0	4.0	4.7	5.0	4.7	2.7	4.3
PREMIER	4.7	3.0	27.7	52.7	82.0	5.7	4.3	5.0	4.0	5.0	2.7	4.2
LSD VALUE	2.1	1.5	28.5	32.3	19.1	1.0	1.2	1.3	1.2	1.2	1.5	0.8
C.V. (%)	16.1	21.1	34.4	20.2	8.5	8.6	13.1	11.4	11.3	11.5	22.0	8.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6B.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
GROWN UNDER SALINE STRESS AT LAS CRUCES, NM 1/
2008 DATA
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	QUALITY RATINGS				MEAN
								JUL	AUG	SEP	OCT	
SWI-1122	8.0	4.7	69.3	98.0	94.3	6.7	5.0	7.3	7.7	7.7	3.3	6.5
YUKON	7.7	3.7	43.7	88.0	98.0	7.3	5.3	7.7	7.7	7.3	3.3	6.5
PRINCESS 77	7.0	3.7	36.7	83.3	93.3	7.0	5.0	6.7	7.3	7.7	3.3	6.3
PSG PROK	8.0	4.7	60.7	97.3	96.7	7.3	5.0	7.7	7.0	8.0	2.7	6.3
SWI-1113	7.3	4.7	61.7	87.3	89.7	6.3	4.7	7.3	7.7	7.0	3.0	6.3
VERACRUZ	7.3	4.7	58.7	88.3	95.7	7.0	5.0	7.3	7.3	7.3	3.3	6.3
PSG 9Y20K	8.0	5.3	74.7	97.7	95.7	6.7	5.0	8.0	6.7	7.3	2.7	6.2
SWI-1070	7.7	5.0	68.0	94.3	94.0	6.7	5.0	7.0	7.3	7.3	2.7	6.1
PSG 9BAN	7.3	4.0	53.3	90.3	97.3	7.7	5.0	7.3	7.0	7.0	2.3	5.9
RAD-CD1	8.0	4.7	77.7	98.7	96.0	7.0	5.0	7.3	6.7	6.7	3.0	5.9
RIVIERA	6.7	3.3	40.3	80.7	96.7	7.0	5.0	6.7	7.3	6.7	2.3	5.8
BAR 7CD5	6.7	3.3	32.7	66.3	84.0	6.7	5.3	5.3	7.0	6.7	3.3	5.6
SWI-1081	7.0	4.0	48.7	85.0	92.0	6.3	4.3	6.7	6.7	6.3	2.7	5.6
PSG 91215	5.7	3.3	28.0	64.7	96.0	7.0	4.7	6.3	6.0	6.7	3.0	5.5
HOLLYWOOD (J-720)	6.7	4.0	46.7	80.7	92.0	6.7	4.7	6.7	6.0	6.0	3.0	5.4
PYRAMID 2 (IS-CD10)	6.7	3.7	45.0	80.7	87.3	6.3	3.7	7.0	6.3	5.7	2.0	5.3
SUNSPORT	6.3	3.7	51.7	83.3	95.0	6.3	4.3	6.7	5.3	6.0	3.0	5.3
SWI-1057	6.7	3.7	31.3	77.0	90.0	6.7	4.7	5.7	7.0	6.0	2.7	5.3
SWI-1083	7.0	5.3	64.0	88.3	89.7	6.0	4.0	7.3	6.0	5.3	2.7	5.3
SWI-1117	6.3	4.0	48.0	77.7	88.7	6.3	4.7	6.3	5.7	5.7	3.3	5.3
OKS 2004-2	5.7	3.3	41.0	69.0	96.7	7.3	4.7	5.7	6.3	6.0	2.7	5.2
NUMEX-SAHARA	6.7	4.0	53.0	92.0	88.3	6.0	4.3	6.0	5.7	5.3	2.7	4.9
IS-01-201	5.0	2.7	32.3	50.3	88.3	5.7	3.3	5.7	5.7	5.7	2.3	4.8
PSG 94524	5.7	3.7	46.0	70.7	76.3	6.0	3.7	5.7	5.3	5.7	2.3	4.8
PST-R6FLT	4.7	2.7	23.3	53.7	79.3	6.0	4.0	4.7	5.0	4.7	2.7	4.3
LSD VALUE	2.6	1.8	34.5	41.3	22.4	1.1	1.3	1.4	1.4	1.3	1.6	0.9
C.V. (%)	17.3	21.8	34.3	21.5	9.1	8.6	13.7	11.7	11.9	12.0	20.7	9.0

TABLE 6C.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS
GROWN UNDER SALINE STRESS AT LAS CRUCES, NM 1/
2008 DATA
TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	QUALITY RATINGS				MEAN
								JUL	AUG	SEP	OCT	
OKC 1119	8.0	5.3	64.7	92.3	96.0	7.3	5.7	8.3	7.7	7.7	4.0	6.9
OKC 1134	7.3	4.3	45.3	84.0	96.7	7.7	5.7	7.3	8.3	8.0	4.0	6.9
TIFWAY	7.0	2.3	19.0	78.7	93.3	7.0	5.3	7.7	7.3	6.7	3.3	6.3
PATRIOT	5.3	2.3	12.7	51.7	90.0	7.0	4.7	6.7	6.7	6.3	3.0	5.7
MIDLAWN	6.3	3.3	36.7	81.7	83.3	5.3	4.0	6.3	5.3	5.0	2.3	4.8
PREMIER	4.7	3.0	27.7	52.7	82.0	5.7	4.3	5.0	4.0	5.0	2.7	4.2
LSD VALUE	0.7	0.9	10.5	12.1	9.3	0.9	1.0	1.3	1.0	1.1	1.7	0.6
C.V. (%)	6.7	15.6	17.9	9.5	5.4	7.7	10.9	10.5	8.7	9.7	25.1	6.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7A.

GENETIC COLOR RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	AZ1	FL1	FL3	KY1	LA1	MS1	NC1	OK1	TN1	TX1	TX2	VA1	MEAN
PATRIOT	7.0	8.0	6.3	8.7	7.7	6.0	8.3	8.7	8.0	8.0	8.0	8.0	7.7
PREMIER	6.7	8.3	7.3	7.3	7.7	7.0	7.7	8.3	5.7	7.3	6.7	8.0	7.3
TIFWAY	6.0	8.3	6.0	7.3	6.7	6.3	8.0	8.7	7.7	7.3	7.3	8.0	7.3
OKC 1119	6.7	8.3	7.0	8.3	8.0	6.0	7.3	7.0	5.0	7.0	7.3	7.7	7.1
YUKON	6.7	8.3	6.0	5.7	7.0	6.0	7.3	8.0	8.0	8.0	7.0	7.3	7.1
OKC 1134	6.7	8.0	5.7	9.0	7.3	6.0	7.3	7.0	6.0	7.3	7.3	7.3	7.1
SWI-1057	6.7	8.3	5.7	7.0	6.7	6.7	6.3	9.0	7.3	6.7	6.7	7.0	7.0
SWI-1113	7.0	8.3	5.7	7.0	7.0	7.0	7.3	8.3	7.0	5.3	6.7	7.3	7.0
BAR 7CD5	7.0	7.7	5.7	5.7	7.0	6.0	6.3	8.7	6.7	7.7	7.3	7.7	6.9
PRINCESS 77	6.7	8.3	5.0	7.0	6.7	6.3	7.0	8.7	6.3	6.7	6.0	7.0	6.8
SWI-1083	6.3	8.0	7.0	7.0	6.3	6.0	6.3	8.0	7.3	5.7	6.3	7.3	6.8
PSG 9BAN	6.3	7.0	6.3	6.7	6.3	6.0	7.0	8.7	6.7	5.3	6.7	7.7	6.7
IS-01-201	6.0	7.7	5.7	6.7	6.3	6.3	6.0	8.7	7.3	5.7	6.0	7.0	6.6
PSG 9Y20K	6.7	7.7	6.0	6.0	6.3	6.0	6.3	8.3	7.0	5.7	6.3	7.0	6.6
PST-R6FLT	6.0	7.3	6.3	7.3	6.0	6.0	6.0	8.0	6.3	6.7	6.7	6.7	6.6
OKS 2004-2	6.0	7.7	6.0	7.0	7.0	6.0	7.0	8.0	5.7	5.3	6.7	6.7	6.6
SWI-1122	6.7	7.0	6.7	7.0	7.0	6.0	6.0	7.3	7.0	5.3	6.0	7.0	6.6
SWI-1081	6.3	7.7	7.0	6.3	7.0	6.0	6.0	7.7	6.0	5.3	6.3	7.0	6.6
HOLLYWOOD (J-720)	6.3	7.7	5.3	6.7	6.0	6.0	6.7	8.0	7.0	5.3	6.3	7.0	6.5
SWI-1070	6.3	7.7	6.0	7.0	6.0	6.0	6.3	7.7	6.7	5.0	6.7	7.0	6.5
PYRAMID 2 (IS-CD10)	5.7	6.7	6.3	7.0	6.0	6.0	6.7	8.3	5.7	6.0	6.3	7.3	6.5
VERACRUZ	6.3	7.3	5.3	7.0	6.3	6.0	6.3	8.3	6.7	5.0	6.3	6.7	6.5
PSG PROK	6.0	7.3	6.0	6.7	5.7	6.0	5.7	8.7	5.7	5.7	5.7	7.7	6.4
RIVIERA	6.3	7.7	5.7	7.7	6.7	6.0	6.3	7.0	5.0	5.7	6.0	6.7	6.4
PSG 91215	5.7	7.0	5.0	6.7	6.3	6.3	6.7	8.0	4.3	5.7	6.0	7.7	6.3
SWI-1117	5.7	7.0	5.7	7.3	5.7	6.0	5.7	8.0	5.0	6.0	6.0	7.3	6.3
RAD-CD1	6.0	7.3	5.3	6.7	6.0	6.0	6.0	9.0	4.3	5.3	6.0	7.0	6.3
PSG 94524	5.7	6.7	5.0	6.7	5.3	6.3	5.7	8.3	5.0	6.3	5.3	7.7	6.2
NUMEX-SAHARA	5.3	6.3	5.3	6.7	6.3	6.0	5.3	7.7	6.0	5.3	6.3	7.3	6.2
SUNSPORT	5.7	6.7	5.0	6.3	6.0	6.0	5.3	7.7	6.7	5.0	6.3	7.0	6.1
MIDLAWN	5.7	6.0	5.3	5.7	6.3	6.0	6.0	6.7	6.0	5.0	7.0	7.7	6.1
LSD VALUE	0.8	0.9	1.9	1.3	1.1	0.4	0.9	1.1	2.3	1.3	1.0	0.8	0.4
C.V. (%)	8.3	7.8	20.2	11.5	10.3	4.1	8.3	8.7	22.2	13.7	10.0	6.5	11.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7B.

GENETIC COLOR RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/												
	AZ1	FL1	FL3	KY1	LA1	MS1	NC1	OK1	TN1	TX1	TX2	VA1	MEAN
YUKON	6.7	8.3	6.0	5.7	7.0	6.0	7.3	8.0	8.0	8.0	7.0	7.3	7.1
SWI-1057	6.7	8.3	5.7	7.0	6.7	6.7	6.3	9.0	7.3	6.7	6.7	7.0	7.0
SWI-1113	7.0	8.3	5.7	7.0	7.0	7.0	7.3	8.3	7.0	5.3	6.7	7.3	7.0
BAR 7CD5	7.0	7.7	5.7	5.7	7.0	6.0	6.3	8.7	6.7	7.7	7.3	7.7	6.9
PRINCESS 77	6.7	8.3	5.0	7.0	6.7	6.3	7.0	8.7	6.3	6.7	6.0	7.0	6.8
SWI-1083	6.3	8.0	7.0	7.0	6.3	6.0	6.3	8.0	7.3	5.7	6.3	7.3	6.8
PSG 9BAN	6.3	7.0	6.3	6.7	6.3	6.0	7.0	8.7	6.7	5.3	6.7	7.7	6.7
IS-01-201	6.0	7.7	5.7	6.7	6.3	6.3	6.0	8.7	7.3	5.7	6.0	7.0	6.6
PSG 9Y20K	6.7	7.7	6.0	6.0	6.3	6.0	6.3	8.3	7.0	5.7	6.3	7.0	6.6
PST-R6FLT	6.0	7.3	6.3	7.3	6.0	6.0	6.0	8.0	6.3	6.7	6.7	6.7	6.6
OKS 2004-2	6.0	7.7	6.0	7.0	7.0	6.0	7.0	8.0	5.7	5.3	6.7	6.7	6.6
SWI-1122	6.7	7.0	6.7	7.0	7.0	6.0	6.0	7.3	7.0	5.3	6.0	7.0	6.6
SWI-1081	6.3	7.7	7.0	6.3	7.0	6.0	6.0	7.7	6.0	5.3	6.3	7.0	6.6
HOLLYWOOD (J-720)	6.3	7.7	5.3	6.7	6.0	6.0	6.7	8.0	7.0	5.3	6.3	7.0	6.5
SWI-1070	6.3	7.7	6.0	7.0	6.0	6.0	6.3	7.7	6.7	5.0	6.7	7.0	6.5
PYRAMID 2 (IS-CD10)	5.7	6.7	6.3	7.0	6.0	6.0	6.7	8.3	5.7	6.0	6.3	7.3	6.5
VERACRUZ	6.3	7.3	5.3	7.0	6.3	6.0	6.3	8.3	6.7	5.0	6.3	6.7	6.5
PSG PROK	6.0	7.3	6.0	6.7	5.7	6.0	5.7	8.7	5.7	5.7	5.7	7.7	6.4
RIVIERA	6.3	7.7	5.7	7.7	6.7	6.0	6.3	7.0	5.0	5.7	6.0	6.7	6.4
PSG 91215	5.7	7.0	5.0	6.7	6.3	6.3	6.7	8.0	4.3	5.7	6.0	7.7	6.3
SWI-1117	5.7	7.0	5.7	7.3	5.7	6.0	5.7	8.0	5.0	6.0	6.0	7.3	6.3
RAD-CD1	6.0	7.3	5.3	6.7	6.0	6.0	6.0	9.0	4.3	5.3	6.0	7.0	6.3
PSG 94524	5.7	6.7	5.0	6.7	5.3	6.3	5.7	8.3	5.0	6.3	5.3	7.7	6.2
NUMEX-SAHARA	5.3	6.3	5.3	6.7	6.3	6.0	5.3	7.7	6.0	5.3	6.3	7.3	6.2
SUNSPORT	5.7	6.7	5.0	6.3	6.0	6.0	5.3	7.7	6.7	5.0	6.3	7.0	6.1
LSD VALUE	0.9	1.0	1.9	1.3	0.9	0.4	0.8	1.1	2.4	1.4	1.1	0.8	0.4
C.V. (%)	8.5	8.3	20.6	12.2	8.5	4.2	8.2	8.5	23.7	14.7	10.3	6.8	12.0

TABLE 7C.

GENETIC COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/												
	AZ1	FL1	FL3	KY1	LA1	MS1	NC1	OK1	TN1	TX1	TX2	VA1	MEAN
PATRIOT	7.0	8.0	6.3	8.7	7.7	6.0	8.3	8.7	8.0	8.0	8.0	8.0	7.7
PREMIER	6.7	8.3	7.3	7.3	7.7	7.0	7.7	8.3	5.7	7.3	6.7	8.0	7.3
TIFWAY	6.0	8.3	6.0	7.3	6.7	6.3	8.0	8.7	7.7	7.3	7.3	8.0	7.3
OKC 1119	6.7	8.3	7.0	8.3	8.0	6.0	7.3	7.0	5.0	7.0	7.3	7.7	7.1
OKC 1134	6.7	8.0	5.7	9.0	7.3	6.0	7.3	7.0	6.0	7.3	7.3	7.3	7.1
MIDLAWN	5.7	6.0	5.3	5.7	6.3	6.0	6.0	6.7	6.0	5.0	7.0	7.7	6.1
LSD VALUE	0.8	0.7	1.9	1.1	1.7	0.4	1.0	1.2	1.6	1.1	1.0	0.7	0.3
C.V. (%)	7.3	5.2	18.8	8.6	14.5	3.8	8.4	9.7	15.2	10.1	8.6	5.2	10.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8A. SPRING GREENUP RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	AZ1	KY1	LA1	MS1	NC1	OK1	TX1	TX2	MEAN
OKC 1119	7.0	7.3	6.7	6.3	7.0	6.7	3.3	6.3	6.3
OKC 1134	7.3	5.0	6.3	6.7	5.3	5.7	2.7	6.3	5.7
RIVIERA	7.0	8.3	5.3	6.3	7.7	6.0	1.0	3.7	5.7
OKS 2004-2	7.0	8.3	5.0	6.0	7.0	6.0	1.3	4.3	5.6
TIFWAY	6.3	4.3	7.0	6.7	6.3	5.0	3.3	5.3	5.5
PREMIER	7.0	7.3	5.3	6.0	6.0	4.3	2.3	4.3	5.3
MIDLAWN	6.0	7.7	4.0	5.3	5.7	5.3	2.7	5.3	5.3
PSG 9Y20K	8.3	8.0	4.0	4.3	6.3	4.7	1.3	3.7	5.1
BAR 7CD5	7.7	7.7	4.0	4.7	5.0	3.7	2.0	5.3	5.0
HOLLYWOOD (J-720)	7.0	8.0	4.0	5.0	6.3	5.0	1.0	3.7	5.0
YUKON	7.5	8.0	5.3	4.7	5.7	2.3	2.7	3.3	4.9
SWI-1070	7.3	5.7	4.7	5.0	6.0	5.0	1.0	4.7	4.9
SWI-1083	8.0	6.0	4.3	4.7	6.3	4.0	1.3	4.7	4.9
PATRIOT	7.5	5.7	5.3	5.7	3.3	4.3	1.7	5.7	4.9
RAD-CD1	7.0	8.3	4.0	4.7	5.7	4.3	1.0	3.3	4.8
SWI-1081	7.7	5.7	4.3	5.0	6.0	4.3	1.0	4.3	4.8
SWI-1122	8.0	6.7	3.7	4.7	6.0	4.3	1.3	3.7	4.8
SWI-1113	8.0	4.7	4.3	4.3	6.3	3.7	1.3	4.7	4.7
PSG 9BAN	7.0	6.0	4.0	4.3	6.3	4.3	1.3	3.7	4.6
PST-R6FLT	7.3	5.7	4.0	4.3	6.3	3.7	2.0	3.7	4.6
PYRAMID 2 (IS-CD10)	6.3	6.0	4.0	4.0	6.3	4.7	1.0	3.3	4.5
SWI-1057	7.3	3.7	3.7	4.7	5.7	3.3	2.0	5.0	4.4
PSG PROK	7.0	5.7	3.7	4.0	6.0	4.0	1.0	3.7	4.4
IS-01-201	6.7	5.7	3.3	3.7	5.7	4.3	1.0	4.3	4.3
PSG 91215	6.7	7.0	4.0	3.7	5.7	3.0	1.0	3.7	4.3
PRINCESS 77	7.7	2.0	4.0	5.0	6.0	4.0	1.3	4.0	4.3
VERACRUZ	7.0	4.7	3.7	4.0	5.3	3.7	1.0	3.7	4.1
SWI-1117	7.5	2.7	3.7	4.0	5.7	3.7	1.3	3.3	4.0
PSG 94524	7.7	4.0	3.7	3.0	6.3	3.0	1.0	3.0	4.0
SUNSPORT	7.0	3.7	3.3	3.0	5.3	2.7	1.3	3.3	3.7
NUMEX-SAHARA	6.7	2.3	2.7	3.3	5.3	2.3	1.7	3.0	3.4
LSD VALUE	1.5	2.2	0.9	0.9	1.0	0.9	1.0	1.2	0.4
C.V. (%)	12.3	23.5	12.6	12.2	10.2	13.4	38.5	17.6	16.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8B. SPRING GREENUP RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/								MEAN
	AZ1	KY1	LA1	MS1	NC1	OK1	TX1	TX2	
RIVIERA	7.0	8.3	5.3	6.3	7.7	6.0	1.0	3.7	5.7
OKS 2004-2	7.0	8.3	5.0	6.0	7.0	6.0	1.3	4.3	5.6
PSG 9Y20K	8.3	8.0	4.0	4.3	6.3	4.7	1.3	3.7	5.1
BAR 7CD5	7.7	7.7	4.0	4.7	5.0	3.7	2.0	5.3	5.0
HOLLYWOOD (J-720)	7.0	8.0	4.0	5.0	6.3	5.0	1.0	3.7	5.0
YUKON	7.5	8.0	5.3	4.7	5.7	2.3	2.7	3.3	4.9
SWI-1070	7.3	5.7	4.7	5.0	6.0	5.0	1.0	4.7	4.9
SWI-1083	8.0	6.0	4.3	4.7	6.3	4.0	1.3	4.7	4.9
RAD-CD1	7.0	8.3	4.0	4.7	5.7	4.3	1.0	3.3	4.8
SWI-1081	7.7	5.7	4.3	5.0	6.0	4.3	1.0	4.3	4.8
SWI-1122	8.0	6.7	3.7	4.7	6.0	4.3	1.3	3.7	4.8
SWI-1113	8.0	4.7	4.3	4.3	6.3	3.7	1.3	4.7	4.7
PSG 9BAN	7.0	6.0	4.0	4.3	6.3	4.3	1.3	3.7	4.6
PST-R6FLT	7.3	5.7	4.0	4.3	6.3	3.7	2.0	3.7	4.6
PYRAMID 2 (IS-CD10)	6.3	6.0	4.0	4.0	6.3	4.7	1.0	3.3	4.5
SWI-1057	7.3	3.7	3.7	4.7	5.7	3.3	2.0	5.0	4.4
PSG PROK	7.0	5.7	3.7	4.0	6.0	4.0	1.0	3.7	4.4
IS-01-201	6.7	5.7	3.3	3.7	5.7	4.3	1.0	4.3	4.3
PSG 91215	6.7	7.0	4.0	3.7	5.7	3.0	1.0	3.7	4.3
PRINCESS 77	7.7	2.0	4.0	5.0	6.0	4.0	1.3	4.0	4.3
VERACRUZ	7.0	4.7	3.7	4.0	5.3	3.7	1.0	3.7	4.1
SWI-1117	7.5	2.7	3.7	4.0	5.7	3.7	1.3	3.3	4.0
PSG 94524	7.7	4.0	3.7	3.0	6.3	3.0	1.0	3.0	4.0
SUNSPORT	7.0	3.7	3.3	3.0	5.3	2.7	1.3	3.3	3.7
NUMEX-SAHARA	6.7	2.3	2.7	3.3	5.3	2.3	1.7	3.0	3.4
LSD VALUE	1.4	2.1	0.9	0.9	1.0	0.9	0.8	1.2	0.4
C.V. (%)	11.6	22.5	14.0	13.3	10.0	14.4	35.7	19.3	16.4

TABLE 8C. SPRING GREENUP RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/								MEAN
	AZ1	KY1	LA1	MS1	NC1	OK1	TX1	TX2	
OKC 1119	7.0	7.3	6.7	6.3	7.0	6.7	3.3	6.3	6.3
OKC 1134	7.3	5.0	6.3	6.7	5.3	5.7	2.7	6.3	5.7
TIFWAY	6.3	4.3	7.0	6.7	6.3	5.0	3.3	5.3	5.5
PREMIER	7.0	7.3	5.3	6.0	6.0	4.3	2.3	4.3	5.3
MIDLAWN	6.0	7.7	4.0	5.3	5.7	5.3	2.7	5.3	5.3
PATRIOT	7.5	5.7	5.3	5.7	3.3	4.3	1.7	5.7	4.9
LSD VALUE	1.7	2.7	0.8	0.8	1.0	0.8	1.6	1.1	0.5
C.V. (%)	15.1	26.8	8.2	8.6	11.1	10.1	37.5	12.7	16.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9A. LEAF TEXTURE RATINGS OF BERMU DAGRASS CULTIVARS 1/
2008 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	AZ1	FL1	KY1	LA1	MS1	NC1	OK1	TX1	TX2	MEAN
OKC 1119	8.3	7.0	8.7	8.0	8.0	9.0	8.0	6.7	8.0	8.0
PREMIER	8.0	7.0	9.0	7.3	7.3	8.7	8.0	7.0	7.7	7.8
OKC 1134	8.0	7.0	9.0	7.0	7.3	8.3	8.0	7.0	7.7	7.7
TIFWAY	7.7	7.3	9.0	6.3	7.3	9.0	7.7	6.7	7.3	7.6
MIDLAWN	7.3	6.7	8.3	6.0	7.0	9.0	5.7	6.0	6.3	6.9
PATRIOT	7.0	6.3	7.7	6.0	7.0	8.3	6.0	6.3	7.0	6.9
PRINCESS 77	6.7	6.3	6.0	5.7	6.3	7.3	7.0	6.0	6.3	6.4
RIVIERA	6.7	6.0	6.7	5.7	6.7	6.7	7.0	6.0	6.0	6.4
SWI - 1070	6.7	6.3	6.7	5.7	6.0	7.0	6.3	6.0	6.3	6.3
SWI - 1113	6.7	6.3	6.7	5.7	6.0	7.3	6.3	6.0	5.7	6.3
OKS 2004-2	6.0	6.7	7.0	6.7	6.0	7.0	6.0	6.0	5.0	6.3
HOLLYWOOD (J-720)	6.0	6.3	6.3	6.0	6.3	6.3	7.0	6.0	5.7	6.2
VERACRUZ	7.0	6.7	6.7	5.7	6.0	7.0	6.3	5.0	5.3	6.2
IS-01-201	6.3	6.7	6.0	6.0	6.0	6.7	6.0	6.0	5.7	6.1
SWI - 1057	6.3	6.7	7.0	5.3	6.7	6.0	6.3	5.3	5.3	6.1
PYRAMID 2 (IS-CD10)	6.0	6.3	6.7	5.3	6.0	6.3	6.3	6.0	5.7	6.1
YUKON	6.7	6.0	5.7	5.0	6.3	6.7	6.3	5.0	6.0	6.0
SWI - 1083	5.7	5.7	7.0	5.7	6.0	6.0	6.3	5.7	5.7	6.0
PSG 9Y20K	6.3	6.3	6.7	5.7	6.0	6.3	6.0	6.0	3.7	5.9
PSG 9BAN	6.0	6.0	6.0	5.7	6.0	6.0	6.7	5.7	4.3	5.8
RAD-CD1	6.3	6.3	5.7	5.7	6.0	6.3	6.0	6.0	3.7	5.8
PST-R6FLT	6.7	6.0	6.0	6.0	6.0	6.0	5.7	5.3	4.0	5.7
SWI - 1081	6.0	6.0	5.0	5.7	6.0	5.7	6.3	5.7	4.7	5.7
PSG 94524	5.7	5.7	6.3	5.0	5.7	6.0	5.3	5.3	5.7	5.6
SWI - 1122	6.0	6.0	6.7	5.7	5.7	5.3	5.7	5.7	4.0	5.6
SWI - 1117	6.0	6.0	5.3	5.7	5.7	6.3	5.0	5.3	4.0	5.5
PSG PROK	6.0	6.0	5.7	5.0	6.0	5.7	5.7	5.3	3.7	5.4
PSG 91215	5.7	5.7	6.3	5.7	5.7	5.3	5.7	5.0	3.7	5.4
SUNSPORT	5.7	6.0	5.0	6.0	5.3	5.3	5.7	5.3	4.0	5.4
NUMEX-SAHARA	5.7	5.7	5.3	4.0	5.3	5.0	5.7	4.7	4.3	5.1
BAR 7CD5	5.3	5.3	4.3	5.0	5.0	4.7	4.7	4.3	4.7	4.8
LSD VALUE	0.8	0.8	1.7	0.9	0.7	1.2	0.8	0.6	1.8	0.4
C.V. (%)	8.0	7.8	15.7	9.8	7.5	11.2	8.3	7.0	21.2	11.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9B. LEAF TEXTURE RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/									
	AZ1	FL1	KY1	LA1	MS1	NC1	OK1	TX1	TX2	MEAN
PRINCESS 77	6.7	6.3	6.0	5.7	6.3	7.3	7.0	6.0	6.3	6.4
RIVIERA	6.7	6.0	6.7	5.7	6.7	6.7	7.0	6.0	6.0	6.4
SWI-1070	6.7	6.3	6.7	5.7	6.0	7.0	6.3	6.0	6.3	6.3
SWI-1113	6.7	6.3	6.7	5.7	6.0	7.3	6.3	6.0	5.7	6.3
OKS 2004-2	6.0	6.7	7.0	6.7	6.0	7.0	6.0	6.0	5.0	6.3
HOLLYWOOD (J-720)	6.0	6.3	6.3	6.0	6.3	6.3	7.0	6.0	5.7	6.2
VERACRUZ	7.0	6.7	6.7	5.7	6.0	7.0	6.3	5.0	5.3	6.2
IS-01-201	6.3	6.7	6.0	6.0	6.0	6.7	6.0	6.0	5.7	6.1
SWI-1057	6.3	6.7	7.0	5.3	6.7	6.0	6.3	5.3	5.3	6.1
PYRAMID 2 (IS-CD10)	6.0	6.3	6.7	5.3	6.0	6.3	6.3	6.0	5.7	6.1
YUKON	6.7	6.0	5.7	5.0	6.3	6.7	6.3	5.0	6.0	6.0
SWI-1083	5.7	5.7	7.0	5.7	6.0	6.0	6.3	5.7	5.7	6.0
PSG 9Y20K	6.3	6.3	6.7	5.7	6.0	6.3	6.0	6.0	3.7	5.9
PSG 9BAN	6.0	6.0	6.0	5.7	6.0	6.0	6.7	5.7	4.3	5.8
RAD-CD1	6.3	6.3	5.7	5.7	6.0	6.3	6.0	6.0	3.7	5.8
PST-R6FLT	6.7	6.0	6.0	6.0	6.0	6.0	5.7	5.3	4.0	5.7
SWI-1081	6.0	6.0	5.0	5.7	6.0	5.7	6.3	5.7	4.7	5.7
PSG 94524	5.7	5.7	6.3	5.0	5.7	6.0	5.3	5.3	5.7	5.6
SWI-1122	6.0	6.0	6.7	5.7	5.7	5.3	5.7	5.7	4.0	5.6
SWI-1117	6.0	6.0	5.3	5.7	5.7	6.3	5.0	5.3	4.0	5.5
PSG PROK	6.0	6.0	5.7	5.0	6.0	5.7	5.7	5.3	3.7	5.4
PSG 91215	5.7	5.7	6.3	5.7	5.7	5.3	5.7	5.0	3.7	5.4
SUNSPORT	5.7	6.0	5.0	6.0	5.3	5.3	5.7	5.3	4.0	5.4
NUMEX-SAHARA	5.7	5.7	5.3	4.0	5.3	5.0	5.7	4.7	4.3	5.1
BAR 7CD5	5.3	5.3	4.3	5.0	5.0	4.7	4.7	4.3	4.7	4.8
LSD VALUE	0.9	0.8	1.8	0.9	0.7	1.3	0.9	0.6	2.0	0.4
C.V. (%)	8.8	8.2	18.6	10.4	7.3	13.1	9.1	7.2	24.7	12.7

TABLE 9C. LEAF TEXTURE RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/									
	AZ1	FL1	KY1	LA1	MS1	NC1	OK1	TX1	TX2	MEAN
OKC 1119	8.3	7.0	8.7	8.0	8.0	9.0	8.0	6.7	8.0	8.0
PREMIER	8.0	7.0	9.0	7.3	7.3	8.7	8.0	7.0	7.7	7.8
OKC 1134	8.0	7.0	9.0	7.0	7.3	8.3	8.0	7.0	7.7	7.7
TIFWAY	7.7	7.3	9.0	6.3	7.3	9.0	7.7	6.7	7.3	7.6
MIDLAWN	7.3	6.7	8.3	6.0	7.0	9.0	5.7	6.0	6.3	6.9
PATRIOT	7.0	6.3	7.7	6.0	7.0	8.3	6.0	6.3	7.0	6.9
LSD VALUE	0.7	0.7	0.7	0.8	0.9	0.7	0.5	0.7	1.2	0.3
C.V. (%)	5.3	5.9	4.7	7.8	7.9	4.7	4.6	6.2	10.2	6.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10A. SPRING DENSITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	CA3	FL1	TX1	MEAN
OKC 1119	8.0	7.7	8.7	4.7	7.3
SWI-1070	6.7	7.7	7.7	6.7	7.2
PRINCESS 77	7.0	7.3	8.3	5.7	7.1
OKC 1134	7.5	7.0	7.7	5.7	7.0
RAD-CD1	6.3	7.3	7.0	6.7	6.8
RIVIERA	6.0	7.0	7.0	7.3	6.8
SWI-1113	6.3	7.0	7.7	6.0	6.8
TIFWAY	8.0	7.0	8.7	3.3	6.8
VERACRUZ	7.0	7.3	7.3	5.3	6.8
HOLLYWOOD (J-720)	5.3	7.7	7.0	6.7	6.7
IS-01-201	6.0	7.7	6.7	6.0	6.6
OKS 2004-2	6.0	6.3	7.0	7.0	6.6
SWI-1083	5.5	7.0	7.0	6.7	6.5
PSG 9Y20K	6.0	7.0	7.0	6.0	6.5
PST-R6FLT	6.0	6.7	7.0	6.3	6.5
SWI-1057	7.0	6.0	7.3	5.7	6.5
SWI-1122	6.0	7.3	6.7	6.0	6.5
PYRAMID 2 (IS-CD10)	6.0	6.7	6.3	6.7	6.4
YUKON	7.0	6.0	8.0	4.7	6.4
PREMIER	7.3	6.3	8.0	4.0	6.4
PATRIOT	6.0	6.7	6.7	5.3	6.2
SWI-1117	5.5	6.7	6.7	5.7	6.1
SWI-1081	5.3	6.7	6.3	6.0	6.1
PSG 9BAN	5.0	6.7	6.0	6.3	6.0
PSG PROK	5.0	7.0	6.0	6.0	6.0
SUNSPORT	5.0	6.7	5.3	5.7	5.7
BAR 7CD5	5.7	6.7	6.0	4.0	5.6
MIDLAWN	5.3	6.0	6.7	4.0	5.5
PSG 91215	4.7	6.3	5.3	5.0	5.3
PSG 94524	5.0	6.0	5.0	5.0	5.3
NUMEX-SAHARA	4.7	6.7	4.3	4.3	5.0
LSD VALUE	1.1	1.0	1.0	1.2	0.5
C.V. (%)	11.2	9.0	9.5	12.9	10.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10B. SPRING DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	CA3	FL1	TX1	MEAN
SWI-1070	6.7	7.7	7.7	6.7	7.2
PRINCESS 77	7.0	7.3	8.3	5.7	7.1
RAD-CD1	6.3	7.3	7.0	6.7	6.8
RIVIERA	6.0	7.0	7.0	7.3	6.8
SWI-1113	6.3	7.0	7.7	6.0	6.8
VERACRUZ	7.0	7.3	7.3	5.3	6.8
HOLLYWOOD (J-720)	5.3	7.7	7.0	6.7	6.7
IS-01-201	6.0	7.7	6.7	6.0	6.6
OKS 2004-2	6.0	6.3	7.0	7.0	6.6
SWI-1083	5.5	7.0	7.0	6.7	6.5
PSG 9Y20K	6.0	7.0	7.0	6.0	6.5
PST-R6FLT	6.0	6.7	7.0	6.3	6.5
SWI-1057	7.0	6.0	7.3	5.7	6.5
SWI-1122	6.0	7.3	6.7	6.0	6.5
PYRAMID 2 (IS-CD10)	6.0	6.7	6.3	6.7	6.4
YUKON	7.0	6.0	8.0	4.7	6.4
SWI-1117	5.5	6.7	6.7	5.7	6.1
SWI-1081	5.3	6.7	6.3	6.0	6.1
PSG 9BAN	5.0	6.7	6.0	6.3	6.0
PSG PROK	5.0	7.0	6.0	6.0	6.0
SUNSPORT	5.0	6.7	5.3	5.7	5.7
BAR 7CD5	5.7	6.7	6.0	4.0	5.6
PSG 91215	4.7	6.3	5.3	5.0	5.3
PSG 94524	5.0	6.0	5.0	5.0	5.3
NUMEX-SAHARA	4.7	6.7	4.3	4.3	5.0
LSD VALUE	1.1	0.9	1.0	1.2	0.5
C.V. (%)	10.8	8.6	9.7	12.2	10.3

TABLE 10C. SPRING DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	CA3	FL1	TX1	MEAN
OKC 1119	8.0	7.7	8.7	4.7	7.3
OKC 1134	7.5	7.0	7.7	5.7	7.0
TIFWAY	8.0	7.0	8.7	3.3	6.8
PREMIER	7.3	6.3	8.0	4.0	6.4
PATRIOT	6.0	6.7	6.7	5.3	6.2
MIDLAWN	5.3	6.0	6.7	4.0	5.5
LSD VALUE	1.4	1.1	1.1	1.2	0.6
C.V. (%)	12.0	10.4	8.6	16.6	11.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11A. SUMMER DENSITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/								MEAN
	AZ1	FL1	FL3	LA1	MS1	NC1	TX1	TX2	
PREMIER	8.0	7.0	7.0	6.3	7.7	8.3	9.0	6.0	7.4
TIFWAY	8.0	7.7	6.3	7.3	6.7	8.7	8.7	5.3	7.3
OKC 1119	7.7	7.3	5.0	8.0	7.0	8.7	8.7	5.3	7.2
OKC 1134	8.0	6.3	4.7	7.3	7.7	9.0	8.7	6.0	7.2
PRINCESS 77	7.3	6.7	6.7	5.7	6.0	6.7	9.0	6.7	6.8
SWI-1113	7.0	7.0	7.0	6.0	6.3	6.7	8.3	5.7	6.8
PATRIOT	6.7	5.0	4.7	7.0	6.7	8.3	8.7	6.7	6.7
RIVIERA	6.3	6.3	5.7	6.3	6.3	7.7	8.7	6.0	6.7
OKS 2004-2	6.7	6.7	6.0	6.3	6.0	7.3	8.7	5.3	6.6
HOLLYWOOD (J-720)	6.0	7.0	5.0	6.0	6.0	6.7	8.3	7.7	6.6
SWI-1122	6.3	6.0	6.0	6.0	6.0	6.7	8.0	7.3	6.5
IS-01-201	6.7	6.7	5.0	5.7	6.0	7.0	7.7	7.7	6.5
SWI-1057	7.0	6.7	5.7	5.7	6.3	6.3	8.0	6.3	6.5
PSG 9BAN	7.0	6.3	5.0	5.7	6.3	6.7	8.7	6.3	6.5
PYRAMID 2 (IS-CD10)	6.0	6.3	5.7	5.7	6.0	6.7	8.7	6.7	6.5
SWI-1070	7.0	6.7	6.7	5.3	6.3	6.7	8.3	4.7	6.5
PSG 9Y20K	6.3	6.7	5.3	6.0	6.0	6.7	8.0	6.3	6.4
PST-R6FLT	6.0	6.7	4.0	5.3	6.7	6.7	8.3	7.7	6.4
RAD-CD1	6.0	7.0	5.0	5.7	6.0	6.3	8.7	6.0	6.3
SWI-1083	6.0	6.7	5.3	5.3	6.0	6.3	8.3	6.7	6.3
VERACRUZ	6.7	6.3	4.7	5.7	6.0	6.7	8.3	6.0	6.3
MIDLAWN	6.0	6.0	4.7	6.0	5.3	7.7	8.3	5.7	6.2
SWI-1081	6.0	6.0	4.7	6.0	6.3	6.0	8.3	5.7	6.1
SWI-1117	6.0	6.7	4.3	5.0	6.0	6.3	8.3	5.7	6.0
PSG PROK	6.0	5.3	4.0	5.0	6.0	6.3	8.3	7.0	6.0
YUKON	6.7	6.0	4.0	6.0	5.3	5.7	8.3	6.0	6.0
PSG 94524	5.7	5.7	4.3	4.3	6.0	6.3	8.0	7.0	5.9
SUNSPORT	5.7	5.7	4.3	5.0	6.0	6.3	8.0	6.3	5.9
BAR 7CD5	6.0	5.7	4.3	5.7	5.3	5.3	7.3	6.7	5.8
PSG 91215	5.7	6.0	4.3	4.7	5.7	6.3	7.3	6.0	5.8
NUMEX-SAHARA	5.0	5.7	3.7	4.3	5.7	5.7	8.0	6.7	5.6
LSD VALUE	1.3	1.0	1.6	0.8	0.7	1.0	0.9	1.8	0.4
C.V. (%)	12.1	10.2	19.3	8.9	6.7	8.8	6.4	17.4	11.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11B. SUMMER DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/								MEAN
	AZ1	FL1	FL3	LA1	MS1	NC1	TX1	TX2	
PRINCESS 77	7.3	6.7	6.7	5.7	6.0	6.7	9.0	6.7	6.8
SWI-1113	7.0	7.0	7.0	6.0	6.3	6.7	8.3	5.7	6.8
RIVIERA	6.3	6.3	5.7	6.3	6.3	7.7	8.7	6.0	6.7
OKS 2004-2	6.7	6.7	6.0	6.3	6.0	7.3	8.7	5.3	6.6
HOLLYWOOD (J-720)	6.0	7.0	5.0	6.0	6.0	6.7	8.3	7.7	6.6
SWI-1122	6.3	6.0	6.0	6.0	6.0	6.7	8.0	7.3	6.5
IS-01-201	6.7	6.7	5.0	5.7	6.0	7.0	7.7	7.7	6.5
SWI-1057	7.0	6.7	5.7	5.7	6.3	6.3	8.0	6.3	6.5
PSG 9BAN	7.0	6.3	5.0	5.7	6.3	6.7	8.7	6.3	6.5
PYRAMID 2 (IS-CD10)	6.0	6.3	5.7	5.7	6.0	6.7	8.7	6.7	6.5
SWI-1070	7.0	6.7	6.7	5.3	6.3	6.7	8.3	4.7	6.5
PSG 9Y20K	6.3	6.7	5.3	6.0	6.0	6.7	8.0	6.3	6.4
PST-R6FLT	6.0	6.7	4.0	5.3	6.7	6.7	8.3	7.7	6.4
RAD-CD1	6.0	7.0	5.0	5.7	6.0	6.3	8.7	6.0	6.3
SWI-1083	6.0	6.7	5.3	5.3	6.0	6.3	8.3	6.7	6.3
VERACRUZ	6.7	6.3	4.7	5.7	6.0	6.7	8.3	6.0	6.3
SWI-1081	6.0	6.0	4.7	6.0	6.3	6.0	8.3	5.7	6.1
SWI-1117	6.0	6.7	4.3	5.0	6.0	6.3	8.3	5.7	6.0
PSG PROK	6.0	5.3	4.0	5.0	6.0	6.3	8.3	7.0	6.0
YUKON	6.7	6.0	4.0	6.0	5.3	5.7	8.3	6.0	6.0
PSG 94524	5.7	5.7	4.3	4.3	6.0	6.3	8.0	7.0	5.9
SUNSPORT	5.7	5.7	4.3	5.0	6.0	6.3	8.0	6.3	5.9
BAR 7CD5	6.0	5.7	4.3	5.7	5.3	5.3	7.3	6.7	5.8
PSG 91215	5.7	6.0	4.3	4.7	5.7	6.3	7.3	6.0	5.8
NUMEX-SAHARA	5.0	5.7	3.7	4.3	5.7	5.7	8.0	6.7	5.6
LSD VALUE	1.2	1.1	1.5	0.9	0.6	1.0	0.9	1.7	0.4
C.V. (%)	12.0	10.9	18.9	9.8	6.4	9.6	6.4	16.2	11.4

TABLE 11C. SUMMER DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/								MEAN
	AZ1	FL1	FL3	LA1	MS1	NC1	TX1	TX2	
PREMIER	8.0	7.0	7.0	6.3	7.7	8.3	9.0	6.0	7.4
TIFWAY	8.0	7.7	6.3	7.3	6.7	8.7	8.7	5.3	7.3
OKC 1119	7.7	7.3	5.0	8.0	7.0	8.7	8.7	5.3	7.2
OKC 1134	8.0	6.3	4.7	7.3	7.7	9.0	8.7	6.0	7.2
PATRIOT	6.7	5.0	4.7	7.0	6.7	8.3	8.7	6.7	6.7
MIDLAWN	6.0	6.0	4.7	6.0	5.3	7.7	8.3	5.7	6.2
LSD VALUE	1.5	0.7	1.8	0.7	0.8	0.8	0.8	2.1	0.4
C.V. (%)	12.5	6.2	20.5	5.8	7.7	6.2	6.1	22.5	11.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12A. FALL DENSITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	FL1	FL3	GA1	OK1	TX1	MEAN
OKC 1119	9.0	7.3	4.3	8.3	7.0	8.0	7.3
TIFWAY	9.0	7.7	4.7	8.3	6.7	7.7	7.3
OKC 1134	8.0	6.7	5.0	8.0	7.7	7.3	7.1
PREMIER	8.0	4.3	6.3	7.7	7.7	8.0	7.0
PRINCESS 77	7.3	6.0	6.3	7.3	6.7	8.0	6.9
VERACRUZ	8.0	7.0	6.0	6.0	6.7	7.7	6.9
SWI -1070	7.7	6.7	5.7	7.7	6.0	7.3	6.8
SWI -1113	7.7	6.3	6.7	7.7	5.7	7.0	6.8
SWI -1057	7.3	6.7	7.0	6.7	6.0	7.0	6.8
PSG 9Y20K	7.7	6.7	6.3	7.3	5.0	7.0	6.7
RAD-CD1	6.7	6.3	6.7	7.0	5.7	7.3	6.6
PATRIOT	7.0	6.7	4.7	8.3	4.7	8.0	6.6
HOLLYWOOD (J-720)	6.7	5.3	6.7	7.0	5.7	7.7	6.5
YUKON	8.0	5.0	6.7	6.0	5.7	7.7	6.5
SWI -1122	6.7	6.3	6.0	7.7	5.0	7.0	6.4
SWI -1083	6.0	6.0	5.3	7.7	6.3	7.3	6.4
RIVIERA	7.0	6.0	5.0	7.0	6.0	7.3	6.4
IS-01-201	7.0	6.7	5.0	7.3	5.3	6.7	6.3
PST-R6FLT	6.3	6.3	6.0	7.0	5.7	6.7	6.3
OKS 2004-2	7.0	5.0	5.7	7.3	5.7	7.0	6.3
PSG 9BAN	7.0	5.0	5.0	7.0	6.0	7.7	6.3
PYRAMID 2 (IS-CD10)	6.0	6.0	6.3	7.3	5.3	6.7	6.3
SWI -1081	6.3	6.3	5.7	7.0	6.0	6.3	6.3
PSG PROK	6.0	6.0	5.3	7.3	5.0	7.3	6.2
SWI -1117	6.0	6.3	5.3	7.3	4.3	7.3	6.1
PSG 94524	6.0	5.3	6.0	7.0	5.0	6.7	6.0
SUNSPORT	6.0	5.7	5.3	7.0	5.0	6.7	5.9
PSG 91215	5.7	5.0	5.7	7.0	5.0	7.0	5.9
MIDLAWN	7.3	5.0	3.7	8.0	4.3	7.0	5.9
BAR 7CD5	6.0	6.3	5.0	6.0	4.0	6.7	5.7
NUMEX-SAHARA	5.3	4.7	5.0	7.0	4.3	7.0	5.6
LSD VALUE	0.9	1.3	2.0	1.4	0.9	1.0	0.5
C.V. (%)	8.4	13.6	22.5	11.5	10.1	8.4	12.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12B. FALL DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/							
NAME	AZ1	FL1	FL3	GA1	OK1	TX1	MEAN
PRINCESS 77	7.3	6.0	6.3	7.3	6.7	8.0	6.9
VERACRUZ	8.0	7.0	6.0	6.0	6.7	7.7	6.9
SWI-1070	7.7	6.7	5.7	7.7	6.0	7.3	6.8
SWI-1113	7.7	6.3	6.7	7.7	5.7	7.0	6.8
SWI-1057	7.3	6.7	7.0	6.7	6.0	7.0	6.8
PSG 9Y20K	7.7	6.7	6.3	7.3	5.0	7.0	6.7
RAD-CD1	6.7	6.3	6.7	7.0	5.7	7.3	6.6
HOLLYWOOD (J-720)	6.7	5.3	6.7	7.0	5.7	7.7	6.5
YUKON	8.0	5.0	6.7	6.0	5.7	7.7	6.5
SWI-1122	6.7	6.3	6.0	7.7	5.0	7.0	6.4
SWI-1083	6.0	6.0	5.3	7.7	6.3	7.3	6.4
RIVIERA	7.0	6.0	5.0	7.0	6.0	7.3	6.4
IS-01-201	7.0	6.7	5.0	7.3	5.3	6.7	6.3
PST-R6FLT	6.3	6.3	6.0	7.0	5.7	6.7	6.3
OKS 2004-2	7.0	5.0	5.7	7.3	5.7	7.0	6.3
PSG 9BAN	7.0	5.0	5.0	7.0	6.0	7.7	6.3
PYRAMID 2 (IS-CD10)	6.0	6.0	6.3	7.3	5.3	6.7	6.3
SWI-1081	6.3	6.3	5.7	7.0	6.0	6.3	6.3
PSG PROK	6.0	6.0	5.3	7.3	5.0	7.3	6.2
SWI-1117	6.0	6.3	5.3	7.3	4.3	7.3	6.1
PSG 94524	6.0	5.3	6.0	7.0	5.0	6.7	6.0
SUNSPORT	6.0	5.7	5.3	7.0	5.0	6.7	5.9
PSG 91215	5.7	5.0	5.7	7.0	5.0	7.0	5.9
BAR 7CD5	6.0	6.3	5.0	6.0	4.0	6.7	5.7
NUMEX-SAHARA	5.3	4.7	5.0	7.0	4.3	7.0	5.6
LSD VALUE	1.0	1.3	1.8	1.4	0.8	1.1	0.5
C.V. (%)	9.1	13.4	19.1	11.8	9.2	9.2	12.2

TABLE 12C. FALL DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/							
NAME	AZ1	FL1	FL3	GA1	OK1	TX1	MEAN
OKC 1119	9.0	7.3	4.3	8.3	7.0	8.0	7.3
TIFWAY	9.0	7.7	4.7	8.3	6.7	7.7	7.3
OKC 1134	8.0	6.7	5.0	8.0	7.7	7.3	7.1
PREMIER	8.0	4.3	6.3	7.7	7.7	8.0	7.0
PATRIOT	7.0	6.7	4.7	8.3	4.7	8.0	6.6
MIDLAWN	7.3	5.0	3.7	8.0	4.3	7.0	5.9
LSD VALUE	0.8	1.4	2.8	1.4	1.3	0.5	0.6
C.V. (%)	5.9	14.0	36.9	10.5	12.3	4.3	14.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13A. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	AZ1	FL1	KY1	LA1	MS1	OK1	TN1	TX2	VA1	MEAN
SWI-1070	83.3	96.0	92.7	97.7	88.3	93.3	94.3	91.7	73.3	90.1
RIVIERA	81.0	80.0	99.0	94.7	90.0	92.3	94.0	88.3	82.7	89.1
OKS 2004-2	73.3	89.7	99.0	97.7	91.7	94.0	94.7	91.3	65.0	88.5
PSG 9Y2OK	70.0	93.0	99.0	96.3	80.0	86.0	95.0	85.0	86.7	87.9
SWI-1122	81.7	83.3	99.0	94.7	83.3	89.7	94.7	83.3	80.0	87.7
SWI-1083	76.7	89.7	92.7	93.3	80.0	88.7	91.7	97.0	75.0	87.2
RAD-CD1	75.0	93.0	99.0	93.3	83.3	89.3	95.3	83.3	70.0	86.9
HOLLYWOOD (J-720)	78.3	83.3	99.0	97.7	81.7	89.3	95.3	85.0	71.7	86.8
SWI-1113	88.0	89.7	75.0	97.7	80.0	85.3	90.3	87.7	81.7	86.1
PSG PROK	76.7	89.7	92.7	94.7	75.0	85.0	94.7	85.0	78.3	85.7
PSG 9BAN	81.7	80.0	84.7	96.3	81.7	88.7	94.3	83.3	78.3	85.4
SWI-1081	76.3	76.7	89.7	96.0	83.3	90.0	95.0	83.3	65.0	83.9
SWI-1057	76.0	83.0	71.7	96.3	83.3	76.7	95.3	86.7	66.7	81.7
VERACRUZ	86.7	86.7	71.7	94.7	76.7	80.0	93.7	71.7	66.7	80.9
PYRAMID 2 (IS-CD10)	78.3	83.3	91.3	94.7	63.3	89.0	94.3	78.3	54.3	80.8
PREMIER	53.3	92.7	81.3	97.7	93.3	86.7	96.0	66.7	58.3	80.7
PRINCESS 77	82.7	93.0	37.7	93.0	83.3	86.0	93.3	86.7	68.3	80.4
PSG 91215	81.7	93.0	88.0	90.0	58.3	66.7	93.7	85.0	66.7	80.3
OKC 1119	58.3	83.0	68.0	99.0	96.0	96.7	97.3	95.7	28.3	80.3
IS-01-201	73.3	70.0	91.3	95.0	61.7	88.3	93.0	84.7	60.0	79.7
YUKON	56.7	93.0	99.0	93.0	81.7	50.0	94.3	80.0	63.3	79.0
PSG 94524	75.0	93.0	73.3	94.7	56.7	71.0	93.7	81.7	63.3	78.0
BAR 7CD5	78.3	60.0	99.0	93.0	73.3	63.3	93.0	85.0	56.7	78.0
PST-R6FLT	56.7	76.7	68.0	96.3	80.0	72.7	92.7	80.0	76.7	77.7
MIDLAWN	53.3	56.7	76.3	95.0	88.3	95.7	94.7	71.7	56.7	76.5
OKC 1134	55.0	76.7	35.0	97.7	95.3	94.0	97.3	85.0	48.3	76.0
PATRIOT	50.0	80.0	47.3	97.7	88.3	96.3	96.3	86.7	36.7	75.5
TIFWAY	63.3	96.0	38.3	96.3	91.7	92.3	94.7	68.3	26.7	74.2
SWI-1117	62.7	83.0	34.0	97.7	68.3	82.3	89.7	83.3	65.0	74.0
SUNSPORT	51.7	92.7	51.7	93.3	41.7	56.7	90.0	86.7	68.3	70.3
NUMEX-SAHARA	56.7	93.0	20.0	90.0	41.7	46.7	90.3	76.7	68.3	64.8
LSD VALUE	33.7	15.7	30.1	5.4	9.1	13.9	4.7	14.3	22.4	6.4
C.V. (%)	29.6	11.5	24.5	3.5	7.2	10.5	3.1	10.7	21.5	14.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13B. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/										
NAME	AZ1	FL1	KY1	LA1	MS1	OK1	TN1	TX2	VA1	MEAN
SWI-1070	83.3	96.0	92.7	97.7	88.3	93.3	94.3	91.7	73.3	90.1
RIVIERA	81.0	80.0	99.0	94.7	90.0	92.3	94.0	88.3	82.7	89.1
OKS 2004-2	73.3	89.7	99.0	97.7	91.7	94.0	94.7	91.3	65.0	88.5
PSG 9Y2OK	70.0	93.0	99.0	96.3	80.0	86.0	95.0	85.0	86.7	87.9
SWI-1122	81.7	83.3	99.0	94.7	83.3	89.7	94.7	83.3	80.0	87.7
SWI-1083	76.7	89.7	92.7	93.3	80.0	88.7	91.7	97.0	75.0	87.2
RAD-CD1	75.0	93.0	99.0	93.3	83.3	89.3	95.3	83.3	70.0	86.9
HOLLYWOOD (J-720)	78.3	83.3	99.0	97.7	81.7	89.3	95.3	85.0	71.7	86.8
SWI-1113	88.0	89.7	75.0	97.7	80.0	85.3	90.3	87.7	81.7	86.1
PSG PROK	76.7	89.7	92.7	94.7	75.0	85.0	94.7	85.0	78.3	85.7
PSG 9BAN	81.7	80.0	84.7	96.3	81.7	88.7	94.3	83.3	78.3	85.4
SWI-1081	76.3	76.7	89.7	96.0	83.3	90.0	95.0	83.3	65.0	83.9
SWI-1057	76.0	83.0	71.7	96.3	83.3	76.7	95.3	86.7	66.7	81.7
VERACRUZ	86.7	86.7	71.7	94.7	76.7	80.0	93.7	71.7	66.7	80.9
PYRAMID 2 (IS-CD10)	78.3	83.3	91.3	94.7	63.3	89.0	94.3	78.3	54.3	80.8
PRINCESS 77	82.7	93.0	37.7	93.0	83.3	86.0	93.3	86.7	68.3	80.4
PSG 91215	81.7	93.0	88.0	90.0	58.3	66.7	93.7	85.0	66.7	80.3
IS-01-201	73.3	70.0	91.3	95.0	61.7	88.3	93.0	84.7	60.0	79.7
YUKON	56.7	93.0	99.0	93.0	81.7	50.0	94.3	80.0	63.3	79.0
PSG 94524	75.0	93.0	73.3	94.7	56.7	71.0	93.7	81.7	63.3	78.0
BAR 7CD5	78.3	60.0	99.0	93.0	73.3	63.3	93.0	85.0	56.7	78.0
PST-R6FLT	56.7	76.7	68.0	96.3	80.0	72.7	92.7	80.0	76.7	77.7
SWI-1117	62.7	83.0	34.0	97.7	68.3	82.3	89.7	83.3	65.0	74.0
SUNSPORT	51.7	92.7	51.7	93.3	41.7	56.7	90.0	86.7	68.3	70.3
NUMEX-SAHARA	56.7	93.0	20.0	90.0	41.7	46.7	90.3	76.7	68.3	64.8
LSD VALUE	34.2	15.9	22.4	5.8	9.7	15.2	5.1	13.0	23.7	6.1
C.V. (%)	28.6	11.5	17.3	3.8	8.1	11.8	3.4	9.6	21.0	13.9

TABLE 13C. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/										
NAME	AZ1	FL1	KY1	LA1	MS1	OK1	TN1	TX2	VA1	MEAN
PREMIER	53.3	92.7	81.3	97.7	93.3	86.7	96.0	66.7	58.3	80.7
OKC 1119	58.3	83.0	68.0	99.0	96.0	96.7	97.3	95.7	28.3	80.3
MIDLAWN	53.3	56.7	76.3	95.0	88.3	95.7	94.7	71.7	56.7	76.5
OKC 1134	55.0	76.7	35.0	97.7	95.3	94.0	97.3	85.0	48.3	76.0
PATRIOT	50.0	80.0	47.3	97.7	88.3	96.3	96.3	86.7	36.7	75.5
TIFWAY	63.3	96.0	38.3	96.3	91.7	92.3	94.7	68.3	26.7	74.2
LSD VALUE	31.5	15.1	50.8	3.0	6.0	5.6	2.7	19.0	15.7	7.5
C.V. (%)	35.3	11.6	54.7	1.9	4.0	3.7	1.7	14.9	23.0	18.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14A. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	AZ1	KY1	OK1	TN1	VA1	MEAN
RAD-CD1	91.7	99.0	97.3	95.0	96.0	95.8
PSG 9Y20K	91.7	96.7	97.0	95.3	96.0	95.3
PSG PROK	88.3	96.7	97.3	94.7	99.0	95.2
OKS 2004-2	88.3	99.0	97.3	95.0	94.7	94.9
RIVIERA	93.0	93.7	97.3	94.0	96.3	94.9
SWI-1122	93.3	96.7	97.0	93.7	88.0	93.7
PSG 9BAN	88.3	91.7	96.3	95.3	96.0	93.5
SWI-1113	88.3	90.0	97.0	95.3	96.3	93.4
HOLLYWOOD (J-720)	90.0	99.0	97.3	94.0	86.3	93.3
SWI-1083	90.0	92.0	96.3	94.3	91.0	92.7
PYRAMID 2 (IS-CD10)	85.0	96.3	97.7	93.0	91.3	92.7
YUKON	95.0	99.0	90.0	95.0	83.3	92.5
SWI-1070	89.3	96.7	97.0	93.0	83.3	91.9
SUNSPORT	91.7	84.0	95.7	91.0	93.3	91.1
BAR 7CD5	91.7	99.0	90.7	93.7	80.0	91.0
PST-R6FLT	90.0	88.3	92.3	92.7	90.0	90.7
SWI-1057	96.0	88.0	95.7	95.0	78.3	90.6
PREMIER	86.7	91.3	97.0	95.7	81.7	90.5
SWI-1081	94.3	88.7	93.7	91.7	81.7	90.0
PSG 91215	91.7	93.0	95.7	91.3	78.0	89.9
VERACRUZ	97.7	83.0	94.7	94.7	75.0	89.0
MIDLAWN	88.3	81.3	97.7	92.7	83.3	88.7
PSG 94524	90.0	86.3	94.7	93.7	63.3	85.6
OKC 1119	89.3	80.7	99.0	96.3	61.7	85.4
IS-01-201	84.0	90.3	96.7	94.7	60.0	85.1
SWI-1117	87.7	60.0	96.0	93.0	76.7	82.7
PRINCESS 77	90.0	61.7	95.0	95.0	70.0	82.3
OKC 1134	91.7	43.3	98.3	96.3	78.3	81.6
PATRIOT	81.7	60.0	98.0	94.3	73.3	81.5
NUMEX-SAHARA	91.7	65.7	92.3	90.0	56.7	79.3
TIFWAY	90.0	37.3	98.7	95.0	48.3	73.9
LSD VALUE	10.7	28.5	2.4	1.9	25.4	8.0
C.V. (%)	7.3	20.9	1.6	1.3	19.4	12.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14B. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	AZ1	KY1	OK1	TN1	VA1	MEAN
RAD-CD1	91.7	99.0	97.3	95.0	96.0	95.8
PSG 9Y20K	91.7	96.7	97.0	95.3	96.0	95.3
PSG PROK	88.3	96.7	97.3	94.7	99.0	95.2
OKS 2004-2	88.3	99.0	97.3	95.0	94.7	94.9
RIVIERA	93.0	93.7	97.3	94.0	96.3	94.9
SWI-1122	93.3	96.7	97.0	93.7	88.0	93.7
PSG 9BAN	88.3	91.7	96.3	95.3	96.0	93.5
SWI-1113	88.3	90.0	97.0	95.3	96.3	93.4
HOLLYWOOD (J-720)	90.0	99.0	97.3	94.0	86.3	93.3
SWI-1083	90.0	92.0	96.3	94.3	91.0	92.7
PYRAMID 2 (IS-CD10)	85.0	96.3	97.7	93.0	91.3	92.7
YUKON	95.0	99.0	90.0	95.0	83.3	92.5
SWI-1070	89.3	96.7	97.0	93.0	83.3	91.9
SUNSPORT	91.7	84.0	95.7	91.0	93.3	91.1
BAR 7CD5	91.7	99.0	90.7	93.7	80.0	91.0
PST-R6FLT	90.0	88.3	92.3	92.7	90.0	90.7
SWI-1057	96.0	88.0	95.7	95.0	78.3	90.6
SWI-1081	94.3	88.7	93.7	91.7	81.7	90.0
PSG 91215	91.7	93.0	95.7	91.3	78.0	89.9
VERACRUZ	97.7	83.0	94.7	94.7	75.0	89.0
PSG 94524	90.0	86.3	94.7	93.7	63.3	85.6
IS-01-201	84.0	90.3	96.7	94.7	60.0	85.1
SWI-1117	87.7	60.0	96.0	93.0	76.7	82.7
PRINCESS 77	90.0	61.7	95.0	95.0	70.0	82.3
NUMEX-SAHARA	91.7	65.7	92.3	90.0	56.7	79.3
LSD VALUE	10.3	22.7	2.6	1.9	27.3	7.4
C.V. (%)	7.0	15.8	1.7	1.3	20.2	11.4

TABLE 14C. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	AZ1	KY1	OK1	TN1	VA1	MEAN
PREMIER	86.7	91.3	97.0	95.7	81.7	90.5
MIDLAWN	88.3	81.3	97.7	92.7	83.3	88.7
OKC 1119	89.3	80.7	99.0	96.3	61.7	85.4
OKC 1134	91.7	43.3	98.3	96.3	78.3	81.6
PATRIOT	81.7	60.0	98.0	94.3	73.3	81.5
TIFWAY	90.0	37.3	98.7	95.0	48.3	73.9
LSD VALUE	12.1	45.1	1.5	1.9	15.4	9.9
C.V. (%)	8.6	42.7	0.9	1.3	13.5	16.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15A. PERCENT LIVING GROUND COVER (FALL) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/					
NAME	AZ1	GA1	KY1	TN1	MEAN
SWI-1122	93.3	99.0	99.0	97.7	97.3
PSG 9Y20K	94.3	97.7	99.0	97.7	97.2
SWI-1070	93.3	97.7	94.3	98.3	95.9
SWI-1083	92.5	97.7	94.3	96.7	95.3
SWI-1113	86.7	96.3	99.0	98.0	95.0
SWI-1057	97.0	89.7	94.7	97.7	94.8
RIVIERA	90.0	99.0	89.3	98.0	94.1
HOLLYWOOD (J-720)	85.0	97.7	92.0	97.7	93.1
OKS 2004-2	85.0	97.7	91.0	97.7	92.8
PSG 91215	85.0	97.7	91.3	96.0	92.5
PSG 9BAN	88.3	94.7	89.7	97.3	92.5
OKC 1119	85.0	99.0	86.3	99.0	92.3
PSG 94524	85.0	96.3	91.3	96.3	92.3
VERACRUZ	92.7	91.3	88.0	96.7	92.2
RAD-CD1	83.3	93.3	96.0	95.7	92.1
PYRAMID 2 (IS-CD10)	81.7	97.7	93.0	95.3	91.9
IS-01-201	83.3	99.0	88.0	96.7	91.8
SWI-1117	90.0	97.7	78.0	95.7	90.3
PST-R6FLT	83.3	94.7	85.7	96.3	90.0
PRINCESS 77	92.7	91.3	77.7	95.7	89.3
PREMIER	78.3	96.3	83.0	97.3	88.8
PSG PROK	83.3	76.3	92.7	97.7	87.5
SWI-1081	86.7	88.0	78.3	96.7	87.4
MIDLAWN	66.7	99.0	81.7	97.7	86.3
NUMEX-SAHARA	85.0	96.3	68.3	95.3	86.3
TIFWAY	90.0	99.0	55.7	98.3	85.8
SUNSPORT	80.0	88.0	78.3	95.0	85.3
BAR 7CD5	90.0	55.0	80.0	96.7	80.4
PATRIOT	60.0	99.0	63.3	98.3	80.2
YUKON	88.3	53.3	71.0	97.3	77.5
OKC 1134	60.0	99.0	50.0	98.3	76.8
LSD VALUE	14.3	15.4	20.9	1.9	7.4
C.V. (%)	10.3	10.3	15.4	1.2	10.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15B. PERCENT LIVING GROUND COVER (FALL) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	AZ1	GA1	KY1	TN1	MEAN
SWI-1122	93.3	99.0	99.0	97.7	97.3
PSG 9Y2OK	94.3	97.7	99.0	97.7	97.2
SWI-1070	93.3	97.7	94.3	98.3	95.9
SWI-1083	92.5	97.7	94.3	96.7	95.3
SWI-1113	86.7	96.3	99.0	98.0	95.0
SWI-1057	97.0	89.7	94.7	97.7	94.8
RIVIERA	90.0	99.0	89.3	98.0	94.1
HOLLYWOOD (J-720)	85.0	97.7	92.0	97.7	93.1
OKS 2004-2	85.0	97.7	91.0	97.7	92.8
PSG 91215	85.0	97.7	91.3	96.0	92.5
PSG 9BAN	88.3	94.7	89.7	97.3	92.5
PSG 94524	85.0	96.3	91.3	96.3	92.3
VERACRUZ	92.7	91.3	88.0	96.7	92.2
RAD-CD1	83.3	93.3	96.0	95.7	92.1
PYRAMID 2 (IS-CD10)	81.7	97.7	93.0	95.3	91.9
IS-01-201	83.3	99.0	88.0	96.7	91.8
SWI-1117	90.0	97.7	78.0	95.7	90.3
PST-R6FLT	83.3	94.7	85.7	96.3	90.0
PRINCESS 77	92.7	91.3	77.7	95.7	89.3
PSG PROK	83.3	76.3	92.7	97.7	87.5
SWI-1081	86.7	88.0	78.3	96.7	87.4
NUMEX-SAHARA	85.0	96.3	68.3	95.3	86.3
SUNSPORT	80.0	88.0	78.3	95.0	85.3
BAR 7CD5	90.0	55.0	80.0	96.7	80.4
YUKON	88.3	53.3	71.0	97.3	77.5
LSD VALUE	11.9	17.2	20.1	2.0	7.3
C.V. (%)	8.2	11.6	14.2	1.3	9.9

TABLE 15C. PERCENT LIVING GROUND COVER (FALL) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	AZ1	GA1	KY1	TN1	MEAN
OKC 1119	85.0	99.0	86.3	99.0	92.3
PREMIER	78.3	96.3	83.0	97.3	88.8
MIDLAWN	66.7	99.0	81.7	97.7	86.3
TIFWAY	90.0	99.0	55.7	98.3	85.8
PATRIOT	60.0	99.0	63.3	98.3	80.2
OKC 1134	60.0	99.0	50.0	98.3	76.8
LSD VALUE	21.2	1.5	23.8	1.3	8.0
C.V. (%)	18.0	1.0	21.1	0.8	11.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16A. FROST TOLERANCE RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

FROST TOLERANCE RATINGS 1-9; 9=NO INJURY 2/

NAME	KY1
TIFWAY	5.7
BAR 7CD5	5.3
PREMIER	5.3
PRINCESS 77	5.0
YUKON	5.0
SWI-1057	4.7
SWI-1122	4.7
NUMEX-SAHARA	4.3
PSG 9BAN	4.3
PYRAMID 2 (IS-CD10)	4.3
SWI-1113	4.3
VERACRUZ	4.3
HOLLYWOOD (J-720)	4.0
PSG 91215	4.0
PSG 94524	4.0
PSG 9Y20K	4.0
RAD-CD1	4.0
PSG PROK	3.7
PST-R6FLT	3.7
SWI-1117	3.7
IS-01-201	3.3
MIDLAWN	3.3
PATRIOT	3.3
RIVIERA	3.3
SUNSPORT	3.3
SWI-1070	3.3
SWI-1081	3.3
SWI-1083	3.3
OKC 1119	3.0
OKC 1134	3.0
OKS 2004-2	2.7
LSD VALUE	1.2
C.V. (%)	19.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16B. FROST TOLERANCE RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

FROST TOLERANCE RATINGS 1-9; 9=NO INJURY 2/

NAME	KY1
BAR 7CD5	5.3
PRINCESS 77	5.0
YUKON	5.0
SWI -1057	4.7
SWI -1122	4.7
NUMEX-SAHARA	4.3
PSG 9BAN	4.3
PYRAMID 2 (IS-CD10)	4.3
SWI -1113	4.3
VERACRUZ	4.3
HOLLYWOOD (J-720)	4.0
PSG 91215	4.0
PSG 94524	4.0
PSG 9Y20K	4.0
RAD-CD1	4.0
PSG PROK	3.7
PST-R6FLT	3.7
SWI -1117	3.7
IS-01-201	3.3
RIVIERA	3.3
SUNSPORT	3.3
SWI -1070	3.3
SWI -1081	3.3
SWI -1083	3.3
OKS 2004-2	2.7
LSD VALUE	1.1
C.V. (%)	16.6

TABLE 16C. FROST TOLERANCE RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

FROST TOLERANCE RATINGS 1-9; 9=NO INJURY 2/

NAME	KY1
TIFWAY	5.7
PREMIER	5.3
MIDLAWN	3.3
PATRIOT	3.3
OKC 1119	3.0
OKC 1134	3.0
LSD VALUE	1.8
C.V. (%)	28.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17A. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	TX1	MEAN
PSG 9BAN	7.0	6.7	6.8
SWI-1081	7.0	6.3	6.7
OKS 2004-2	6.0	7.0	6.5
TIFWAY	6.0	7.0	6.5
VERACRUZ	6.7	6.3	6.5
YUKON	6.7	6.3	6.5
BAR 7CD5	6.7	6.0	6.3
OKC 1134	6.7	6.0	6.3
PSG 9Y20K	6.7	6.0	6.3
RAD-CD1	6.7	6.0	6.3
SUNSPORT	6.0	6.7	6.3
SWI-1070	6.7	6.0	6.3
SWI-1122	7.0	5.7	6.3
OKC 1119	6.3	6.3	6.3
PRINCESS 77	6.3	6.3	6.3
PSG 94524	6.3	6.3	6.3
RIVIERA	6.3	6.3	6.3
NUMEX-SAHARA	5.7	6.7	6.2
PREMIER	5.3	7.0	6.2
PSG 91215	6.0	6.3	6.2
SWI-1117	6.0	6.3	6.2
IS-01-201	6.0	6.0	6.0
PATRIOT	6.0	6.0	6.0
SWI-1113	6.7	5.3	6.0
PSG PROK	5.7	6.0	5.8
PST-R6FLT	5.7	6.0	5.8
SWI-1057	6.0	5.7	5.8
SWI-1083	5.7	6.0	5.8
HOLLYWOOD (J-720)	5.7	5.7	5.7
PYRAMID 2 (IS-CD10)	5.0	6.3	5.7
MIDLAWN	5.7	5.0	5.3
LSD VALUE	1.5	1.2	1.0
C.V. (%)	14.6	12.6	13.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17B. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	TX1	MEAN
PSG 9BAN	7.0	6.7	6.8
SWI - 1081	7.0	6.3	6.7
OKS 2004-2	6.0	7.0	6.5
VERACRUZ	6.7	6.3	6.5
YUKON	6.7	6.3	6.5
BAR 7CD5	6.7	6.0	6.3
PSG 9Y20K	6.7	6.0	6.3
RAD-CD1	6.7	6.0	6.3
SUNSPORT	6.0	6.7	6.3
SWI - 1070	6.7	6.0	6.3
SWI-1122	7.0	5.7	6.3
PRINCESS 77	6.3	6.3	6.3
PSG 94524	6.3	6.3	6.3
RIVIERA	6.3	6.3	6.3
NUMEX-SAHARA	5.7	6.7	6.2
PSG 91215	6.0	6.3	6.2
SWI-1117	6.0	6.3	6.2
IS-01-201	6.0	6.0	6.0
SWI-1113	6.7	5.3	6.0
PSG PROK	5.7	6.0	5.8
PST-R6FLT	5.7	6.0	5.8
SWI-1057	6.0	5.7	5.8
SWI-1083	5.7	6.0	5.8
HOLLYWOOD (J-720)	5.7	5.7	5.7
PYRAMID 2 (IS-CD10)	5.0	6.3	5.7
LSD VALUE	1.4	1.2	0.9
C.V. (%)	14.3	11.8	13.2

TABLE 17C. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	TX1	MEAN
TIFWAY	6.0	7.0	6.5
OKC 1134	6.7	6.0	6.3
OKC 1119	6.3	6.3	6.3
PREMIER	5.3	7.0	6.2
PATRIOT	6.0	6.0	6.0
MIDLAWN	5.7	5.0	5.3
LSD VALUE	1.5	1.5	1.1
C.V. (%)	15.7	15.2	15.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18A. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL3	NC1	TN1	TX1	TX2	MEAN
PREMIER	6.0	6.3	8.3	7.0	7.3	6.7	6.9
TIFWAY	6.0	7.0	8.0	7.0	7.0	6.7	6.9
OKC 1119	6.3	5.7	7.7	7.0	6.3	8.0	6.8
YUKON	7.3	7.3	6.3	6.3	6.7	6.7	6.8
BAR 7CD5	7.0	7.0	5.7	6.7	6.0	7.3	6.6
PSG 9Y20K	7.7	6.0	6.7	6.7	5.7	6.7	6.6
SWI-1057	6.3	7.3	7.3	7.0	5.3	5.7	6.5
SWI-1113	7.3	5.0	7.7	6.3	5.7	7.0	6.5
HOLLYWOOD (J-720)	7.0	6.0	6.3	6.7	6.0	6.3	6.4
PST-R6FLT	6.7	6.7	6.0	7.0	6.3	5.3	6.3
OKS 2004-2	6.7	6.3	5.3	6.0	7.0	6.7	6.3
PSG 91215	6.3	5.7	6.7	6.0	7.0	6.3	6.3
SWI-1070	6.7	5.7	6.0	7.0	5.7	7.0	6.3
PYRAMID 2 (IS-CD10)	6.3	6.0	6.3	6.3	6.7	6.0	6.3
SWI-1081	6.7	6.0	6.3	7.0	6.3	5.0	6.2
SWI-1122	7.3	6.0	6.7	6.7	5.3	5.3	6.2
PRINCESS 77	7.0	5.0	6.3	7.0	6.3	5.7	6.2
SWI-1083	7.0	5.0	5.7	7.0	6.7	5.7	6.2
PSG PROK	6.7	5.0	7.0	6.3	6.3	5.3	6.1
VERACRUZ	7.0	5.0	7.0	6.3	5.7	5.7	6.1
NUMEX-SAHARA	7.0	4.7	6.3	6.3	6.7	5.3	6.1
PSG 9BAN	6.3	5.0	6.0	7.0	6.3	5.7	6.1
RAD-CD1	6.7	5.0	6.3	6.3	6.3	5.7	6.1
PSG 94524	7.3	5.7	6.3	6.0	5.7	5.0	6.0
PATRIOT	6.3	5.0	5.0	6.0	6.7	6.7	5.9
SUNSPORT	7.3	5.7	6.0	6.0	6.0	4.7	5.9
RIVIERA	7.0	5.3	5.7	6.7	6.0	4.3	5.8
OKC 1134	6.0	5.3	5.0	6.0	5.7	6.7	5.8
IS-01-201	6.0	5.7	5.3	6.3	5.7	5.0	5.7
SWI-1117	7.0	4.7	4.7	6.3	5.7	5.7	5.7
MIDLAWN	5.3	4.0	5.3	6.7	4.7	6.7	5.4
LSD VALUE	1.4	1.7	1.3	0.6	1.2	1.4	0.5
C.V. (%)	12.8	19.0	12.5	6.1	11.7	14.6	13.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18B. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/						MEAN
	AZ1	FL3	NC1	TN1	TX1	TX2	
YUKON	7.3	7.3	6.3	6.3	6.7	6.7	6.8
BAR 7CD5	7.0	7.0	5.7	6.7	6.0	7.3	6.6
PSG 9Y20K	7.7	6.0	6.7	6.7	5.7	6.7	6.6
SWI-1057	6.3	7.3	7.3	7.0	5.3	5.7	6.5
SWI-1113	7.3	5.0	7.7	6.3	5.7	7.0	6.5
HOLLYWOOD (J-720)	7.0	6.0	6.3	6.7	6.0	6.3	6.4
PST-R6FLT	6.7	6.7	6.0	7.0	6.3	5.3	6.3
OKS 2004-2	6.7	6.3	5.3	6.0	7.0	6.7	6.3
PSG 91215	6.3	5.7	6.7	6.0	7.0	6.3	6.3
SWI-1070	6.7	5.7	6.0	7.0	5.7	7.0	6.3
PYRAMID 2 (IS-CD10)	6.3	6.0	6.3	6.3	6.7	6.0	6.3
SWI-1081	6.7	6.0	6.3	7.0	6.3	5.0	6.2
SWI-1122	7.3	6.0	6.7	6.7	5.3	5.3	6.2
PRINCESS 77	7.0	5.0	6.3	7.0	6.3	5.7	6.2
SWI-1083	7.0	5.0	5.7	7.0	6.7	5.7	6.2
PSG PROK	6.7	5.0	7.0	6.3	6.3	5.3	6.1
VERACRUZ	7.0	5.0	7.0	6.3	5.7	5.7	6.1
NUMEX-SAHARA	7.0	4.7	6.3	6.3	6.7	5.3	6.1
PSG 9BAN	6.3	5.0	6.0	7.0	6.3	5.7	6.1
RAD-CD1	6.7	5.0	6.3	6.3	6.3	5.7	6.1
PSG 94524	7.3	5.7	6.3	6.0	5.7	5.0	6.0
SUNSPORT	7.3	5.7	6.0	6.0	6.0	4.7	5.9
RIVIERA	7.0	5.3	5.7	6.7	6.0	4.3	5.8
IS-01-201	6.0	5.7	5.3	6.3	5.7	5.0	5.7
SWI-1117	7.0	4.7	4.7	6.3	5.7	5.7	5.7
LSD VALUE	1.4	1.6	1.3	0.7	1.1	1.4	0.5
C.V. (%)	12.6	17.5	12.6	6.6	11.5	14.8	12.8

TABLE 18C. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/						MEAN
	AZ1	FL3	NC1	TN1	TX1	TX2	
PREMIER	6.0	6.3	8.3	7.0	7.3	6.7	6.9
TIFWAY	6.0	7.0	8.0	7.0	7.0	6.7	6.9
OKC 1119	6.3	5.7	7.7	7.0	6.3	8.0	6.8
PATRIOT	6.3	5.0	5.0	6.0	6.7	6.7	5.9
OKC 1134	6.0	5.3	5.0	6.0	5.7	6.7	5.8
MIDLAWN	5.3	4.0	5.3	6.7	4.7	6.7	5.4
LSD VALUE	1.3	2.2	1.3	0.4	1.3	1.6	0.6
C.V. (%)	13.6	24.4	12.5	3.6	12.5	14.1	14.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19A. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	FL3	LA1	MS1	NC1	TN1	TX1	MEAN
TIFWAY	5.7	7.0	7.0	6.7	5.3	5.7	4.7	5.3	5.9
SWI-1057	7.0	6.7	4.3	6.7	5.0	4.7	4.0	5.3	5.5
VERACRUZ	7.0	6.3	4.3	6.0	5.0	5.7	3.3	5.3	5.4
PRINCESS 77	7.3	6.7	4.3	5.7	5.0	4.7	3.0	5.3	5.3
PREMIER	5.7	6.0	4.0	7.0	5.0	6.0	2.3	5.3	5.2
SWI-1122	7.0	6.3	4.3	6.0	5.0	4.3	3.7	4.7	5.2
OKC 1119	6.0	4.7	4.7	7.3	5.0	5.3	3.3	4.3	5.1
BAR 7CD5	6.0	6.3	5.7	6.0	5.0	3.3	2.7	5.7	5.1
PSG 9Y20K	7.3	6.0	3.3	6.0	5.0	4.7	3.3	5.0	5.1
SWI-1070	6.7	6.3	4.3	6.0	5.0	3.7	2.7	6.0	5.1
SWI-1113	6.7	6.0	4.3	6.0	5.0	4.7	3.3	4.3	5.0
YUKON	6.0	5.0	5.0	6.3	5.0	3.7	3.7	5.0	5.0
RAD-CD1	5.3	6.0	4.3	6.0	5.0	4.0	3.0	5.7	4.9
PSG 9BAN	6.3	7.0	3.7	5.7	4.7	4.0	2.7	4.3	4.8
PSG PROK	5.3	6.0	3.7	5.7	5.0	4.3	2.3	6.0	4.8
HOLLYWOOD (J-720)	5.3	5.7	4.3	5.7	4.7	3.7	2.3	5.7	4.7
PSG 91215	6.0	5.3	3.3	5.3	5.0	4.7	2.3	5.3	4.7
PYRAMID 2 (IS-CD10)	6.3	5.3	3.7	6.0	4.7	3.7	2.0	5.7	4.7
SWI-1083	6.3	6.3	4.7	6.0	3.7	3.7	2.0	4.7	4.7
SWI-1081	6.3	5.3	4.0	6.7	5.0	3.7	2.0	4.0	4.6
SUNSPORT	6.3	5.0	4.0	6.0	5.0	3.3	2.0	5.0	4.6
SWI-1117	6.3	5.7	3.3	5.7	5.0	3.0	2.0	5.7	4.6
NUMEX-SAHARA	5.3	4.3	3.0	5.7	5.0	4.3	2.3	6.0	4.5
RIVIERA	6.0	4.7	3.3	6.7	4.7	3.0	2.3	5.0	4.5
PSG 94524	5.7	5.0	3.3	5.3	5.0	4.0	2.0	5.0	4.4
PST-R6FLT	5.7	4.7	3.7	6.0	5.0	4.0	2.3	4.0	4.4
OKS 2004-2	5.7	5.0	3.7	6.7	4.3	3.0	2.0	4.7	4.4
OKC 1134	5.0	4.7	5.0	6.7	3.3	3.0	2.0	4.3	4.3
MIDLAWN	4.0	4.0	3.7	6.3	5.0	3.0	2.7	4.0	4.1
IS-01-201	5.3	5.3	3.0	5.3	4.0	3.3	2.0	4.3	4.1
PATRIOT	4.0	4.0	3.3	7.0	3.0	2.3	2.0	3.0	3.6
LSD VALUE	1.5	1.4	1.3	1.0	0.6	1.0	1.0	1.0	0.4
C.V. (%)	15.8	15.5	19.5	10.2	7.2	14.9	22.4	12.7	14.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19B. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/								MEAN
	AZ1	FL1	FL3	LA1	MS1	NC1	TN1	TX1	
SWI-1057	7.0	6.7	4.3	6.7	5.0	4.7	4.0	5.3	5.5
VERACRUZ	7.0	6.3	4.3	6.0	5.0	5.7	3.3	5.3	5.4
PRINCESS 77	7.3	6.7	4.3	5.7	5.0	4.7	3.0	5.3	5.3
SWI-1122	7.0	6.3	4.3	6.0	5.0	4.3	3.7	4.7	5.2
BAR 7CD5	6.0	6.3	5.7	6.0	5.0	3.3	2.7	5.7	5.1
PSG 9Y2QK	7.3	6.0	3.3	6.0	5.0	4.7	3.3	5.0	5.1
SWI-1070	6.7	6.3	4.3	6.0	5.0	3.7	2.7	6.0	5.1
SWI-1113	6.7	6.0	4.3	6.0	5.0	4.7	3.3	4.3	5.0
YUKON	6.0	5.0	5.0	6.3	5.0	3.7	3.7	5.0	5.0
RAD-CD1	5.3	6.0	4.3	6.0	5.0	4.0	3.0	5.7	4.9
PSG 9BAN	6.3	7.0	3.7	5.7	4.7	4.0	2.7	4.3	4.8
PSG PROK	5.3	6.0	3.7	5.7	5.0	4.3	2.3	6.0	4.8
HOLLYWOOD (J-720)	5.3	5.7	4.3	5.7	4.7	3.7	2.3	5.7	4.7
PSG 91215	6.0	5.3	3.3	5.3	5.0	4.7	2.3	5.3	4.7
PYRAMID 2 (IS-CD10)	6.3	5.3	3.7	6.0	4.7	3.7	2.0	5.7	4.7
SWI-1083	6.3	6.3	4.7	6.0	3.7	3.7	2.0	4.7	4.7
SWI-1081	6.3	5.3	4.0	6.7	5.0	3.7	2.0	4.0	4.6
SUNSPORT	6.3	5.0	4.0	6.0	5.0	3.3	2.0	5.0	4.6
SWI-1117	6.3	5.7	3.3	5.7	5.0	3.0	2.0	5.7	4.6
NUMEX-SAHARA	5.3	4.3	3.0	5.7	5.0	4.3	2.3	6.0	4.5
RIVIERA	6.0	4.7	3.3	6.7	4.7	3.0	2.3	5.0	4.5
PSG 94524	5.7	5.0	3.3	5.3	5.0	4.0	2.0	5.0	4.4
PST-R6FLT	5.7	4.7	3.7	6.0	5.0	4.0	2.3	4.0	4.4
OKS 2004-2	5.7	5.0	3.7	6.7	4.3	3.0	2.0	4.7	4.4
IS-01-201	5.3	5.3	3.0	5.3	4.0	3.3	2.0	4.3	4.1
LSD VALUE	1.6	1.2	1.2	1.0	0.5	0.9	0.9	1.1	0.4
C.V. (%)	15.8	13.3	19.3	10.4	5.9	13.4	21.2	13.0	14.0

TABLE 19C. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/								MEAN
	AZ1	FL1	FL3	LA1	MS1	NC1	TN1	TX1	
TIFWAY	5.7	7.0	7.0	6.7	5.3	5.7	4.7	5.3	5.9
PREMIER	5.7	6.0	4.0	7.0	5.0	6.0	2.3	5.3	5.2
OKC 1119	6.0	4.7	4.7	7.3	5.0	5.3	3.3	4.3	5.1
OKC 1134	5.0	4.7	5.0	6.7	3.3	3.0	2.0	4.3	4.3
MIDLAWN	4.0	4.0	3.7	6.3	5.0	3.0	2.7	4.0	4.1
PATRIOT	4.0	4.0	3.3	7.0	3.0	2.3	2.0	3.0	3.6
LSD VALUE	1.3	1.9	1.5	1.0	0.8	1.3	1.2	0.8	0.4
C.V. (%)	15.5	23.8	19.8	9.1	11.9	19.3	26.3	10.7	16.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20A. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	TX1	MEAN
TIFWAY	4.7	6.0	4.0	4.9
VERACRUZ	4.7	6.0	2.0	4.2
PRINCESS 77	5.0	4.3	2.0	3.8
SWI-1117	4.0	6.0	1.0	3.7
RAD-CD1	4.7	5.0	1.0	3.6
SWI-1122	4.7	5.0	1.0	3.6
PREMIER	3.0	5.3	2.3	3.6
SWI-1057	5.0	4.3	1.3	3.6
SWI-1070	4.0	5.3	1.3	3.6
SWI-1081	4.3	5.3	1.0	3.6
BAR 7CD5	3.7	5.7	1.0	3.4
PSG 91215	4.0	5.0	1.3	3.4
PSG 9BAN	3.7	5.7	1.0	3.4
PSG 9Y20K	4.0	4.7	1.3	3.3
PSG PROK	3.7	4.7	1.3	3.2
IS-01-201	4.3	4.3	1.0	3.2
NUMEX-SAHARA	4.3	4.3	1.0	3.2
OKC 1119	3.7	3.3	2.7	3.2
SUNSPORT	4.0	4.3	1.3	3.2
SWI-1083	3.7	5.0	1.0	3.2
PST-R6FLT	3.3	5.0	1.0	3.1
PYRAMID 2 (IS-CD10)	3.7	4.7	1.0	3.1
SWI-1113	3.7	4.0	1.3	3.0
PSG 94524	3.7	4.0	1.0	2.9
YUKON	3.3	3.0	2.0	2.8
HOLLYWOOD (J-720)	3.3	3.7	1.0	2.7
RIVIERA	4.0	3.0	1.0	2.7
MIDLAWN	2.3	2.3	1.7	2.1
OKC 1134	2.7	2.3	1.3	2.1
OKS 2004-2	3.3	2.0	1.0	2.1
PATRIOT	2.3	1.3	2.0	1.9
LSD VALUE	1.2	1.4	0.9	0.7
C.V. (%)	19.0	19.8	41.0	22.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20B. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	TX1	MEAN
VERACRUZ	4.7	6.0	2.0	4.2
PRINCESS 77	5.0	4.3	2.0	3.8
SWI-1117	4.0	6.0	1.0	3.7
RAD-CD1	4.7	5.0	1.0	3.6
SWI-1122	4.7	5.0	1.0	3.6
SWI-1057	5.0	4.3	1.3	3.6
SWI-1070	4.0	5.3	1.3	3.6
SWI-1081	4.3	5.3	1.0	3.6
BAR 7CD5	3.7	5.7	1.0	3.4
PSG 91215	4.0	5.0	1.3	3.4
PSG 9BAN	3.7	5.7	1.0	3.4
PSG 9Y20K	4.0	4.7	1.3	3.3
PSG PROK	3.7	4.7	1.3	3.2
IS-01-201	4.3	4.3	1.0	3.2
NUMEX-SAHARA	4.3	4.3	1.0	3.2
SUNSPORT	4.0	4.3	1.3	3.2
SWI-1083	3.7	5.0	1.0	3.2
PST-R6FLT	3.3	5.0	1.0	3.1
PYRAMID 2 (IS-CD10)	3.7	4.7	1.0	3.1
SWI-1113	3.7	4.0	1.3	3.0
PSG 94524	3.7	4.0	1.0	2.9
YUKON	3.3	3.0	2.0	2.8
HOLLYWOOD (J-720)	3.3	3.7	1.0	2.7
RIVIERA	4.0	3.0	1.0	2.7
OKS 2004-2	3.3	2.0	1.0	2.1
LSD VALUE	1.2	1.3	0.7	0.6
C.V. (%)	18.5	18.2	38.1	21.3

TABLE 20C. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	TX1	MEAN
TIFWAY	4.7	6.0	4.0	4.9
PREMIER	3.0	5.3	2.3	3.6
OKC 1119	3.7	3.3	2.7	3.2
MIDLAWN	2.3	2.3	1.7	2.1
OKC 1134	2.7	2.3	1.3	2.1
PATRIOT	2.3	1.3	2.0	1.9
LSD VALUE	1.1	1.6	1.5	0.8
C.V. (%)	21.4	28.2	40.4	29.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21A. SEEDHEAD RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA

NAME	SEEDHEAD RATINGS 1-9; 9=NONE 2/				MEAN
	AZ1	FL1	MS1	NC1	
OKC 1119	8.3	9.0	7.3	9.0	8.4
PATRIOT	7.7	8.7	7.7	9.0	8.3
OKC 1134	8.0	8.3	7.3	9.0	8.2
TIFWAY	8.7	8.7	7.3	7.0	7.9
MIDLAWN	8.0	8.0	7.7	7.3	7.8
OKS 2004-2	8.0	7.7	7.0	7.3	7.5
RIVIERA	7.7	7.3	7.0	6.7	7.2
SWI-1070	7.0	8.0	7.0	5.7	6.9
YUKON	7.3	8.0	6.7	5.7	6.9
HOLLYWOOD (J-720)	7.3	7.7	6.7	5.7	6.8
BAR 7CD5	8.7	6.3	6.7	5.3	6.8
SWI-1113	7.7	7.3	7.0	5.0	6.8
RAD-CD1	8.0	7.0	6.3	5.3	6.7
PSG 9Y2OK	7.3	8.0	6.7	4.3	6.6
SWI-1117	8.0	7.3	7.0	4.0	6.6
PREMIER	5.3	4.3	7.7	8.7	6.5
NUMEX-SAHARA	7.3	6.3	7.0	5.3	6.5
PYRAMID 2 (IS-CD10)	7.7	7.0	7.0	4.0	6.4
VERACRUZ	7.7	7.3	6.3	4.3	6.4
SWI-1122	7.7	7.3	6.7	3.7	6.3
IS-01-201	7.7	6.7	6.3	4.3	6.3
PRINCESS 77	8.0	6.7	6.3	4.0	6.3
PSG 9BAN	7.0	7.3	7.0	3.7	6.3
SWI-1083	7.3	6.7	7.0	4.0	6.3
SWI-1081	7.3	6.7	6.7	4.0	6.2
PSG 91215	7.7	5.3	6.7	4.3	6.0
PSG PROK	8.0	6.7	6.3	3.0	6.0
PSG 94524	8.0	5.3	6.3	4.3	6.0
SWI-1057	7.0	7.0	6.0	3.7	5.9
SUNSPORT	7.7	5.7	6.7	3.3	5.8
PST-R6FLT	7.3	4.7	6.7	3.3	5.5
LSD VALUE	1.4	1.3	0.9	1.1	0.6
C.V. (%)	11.2	11.6	7.9	13.0	11.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21B. SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA

NAME	SEEDHEAD RATINGS 1-9; 9=NONE 2/				
	AZ1	FL1	MS1	NC1	MEAN
OKS 2004-2	8.0	7.7	7.0	7.3	7.5
RIVIERA	7.7	7.3	7.0	6.7	7.2
SWI-1070	7.0	8.0	7.0	5.7	6.9
YUKON	7.3	8.0	6.7	5.7	6.9
HOLLYWOOD (J-720)	7.3	7.7	6.7	5.7	6.8
BAR 7CD5	8.7	6.3	6.7	5.3	6.8
SWI-1113	7.7	7.3	7.0	5.0	6.8
RAD-CD1	8.0	7.0	6.3	5.3	6.7
PSG 9Y2OK	7.3	8.0	6.7	4.3	6.6
SWI-1117	8.0	7.3	7.0	4.0	6.6
NUMEX-SAHARA	7.3	6.3	7.0	5.3	6.5
PYRAMID 2 (IS-CD10)	7.7	7.0	7.0	4.0	6.4
VERACRUZ	7.7	7.3	6.3	4.3	6.4
SWI-1122	7.7	7.3	6.7	3.7	6.3
IS-01-201	7.7	6.7	6.3	4.3	6.3
PRINCESS 77	8.0	6.7	6.3	4.0	6.3
PSG 9BAN	7.0	7.3	7.0	3.7	6.3
SWI-1083	7.3	6.7	7.0	4.0	6.3
SWI-1081	7.3	6.7	6.7	4.0	6.2
PSG 91215	7.7	5.3	6.7	4.3	6.0
PSG PROK	8.0	6.7	6.3	3.0	6.0
PSG 94524	8.0	5.3	6.3	4.3	6.0
SWI-1057	7.0	7.0	6.0	3.7	5.9
SUNSPORT	7.7	5.7	6.7	3.3	5.8
PST-R6FLT	7.3	4.7	6.7	3.3	5.5
LSD VALUE	1.3	1.4	0.9	1.1	0.6
C.V. (%)	10.9	12.8	7.9	15.1	11.6

TABLE 21C. SEEDHEAD RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA

NAME	SEEDHEAD RATINGS 1-9; 9=NONE 2/				
	AZ1	FL1	MS1	NC1	MEAN
OKC 1119	8.3	9.0	7.3	9.0	8.4
PATRIOT	7.7	8.7	7.7	9.0	8.3
OKC 1134	8.0	8.3	7.3	9.0	8.2
TIFWAY	8.7	8.7	7.3	7.0	7.9
MIDLAWN	8.0	8.0	7.7	7.3	7.8
PREMIER	5.3	4.3	7.7	8.7	6.5
LSD VALUE	1.5	0.8	0.9	1.1	0.6
C.V. (%)	12.3	6.0	7.7	8.0	8.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22A. PERCENT SEEDHEAD RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA 2/

NAME	TN1
SWI-1070	40.0
PSG 91215	38.3
PSG 9BAN	33.3
PST-R6FLT	33.3
RIVIERA	33.3
HOLLYWOOD (J-720)	30.0
IS-01-201	30.0
OKS 2004-2	30.0
PSG PROK	30.0
SWI-1081	28.3
TIFWAY	28.3
PSG 94524	25.0
PSG 9Y20K	25.0
PYRAMID 2 (IS-CD10)	25.0
SUNSPORT	25.0
RAD-CD1	23.3
SWI-1122	23.3
NUMEX-SAHARA	21.7
SWI-1117	21.7
SWI-1057	20.0
SWI-1083	20.0
SWI-1113	20.0
OKC 1134	18.3
PATRIOT	18.3
YUKON	16.7
MIDLAWN	15.0
OKC 1119	15.0
BAR 7CD5	13.3
PREMIER	13.3
VERACRUZ	13.3
PRINCESS 77	11.7
LSD VALUE	10.4
C.V. (%)	27.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22B. PERCENT SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA 2/

NAME	TN1
SWI-1070	40.0
PSG 91215	38.3
PSG 9BAN	33.3
PST-R6FLT	33.3
RIVIERA	33.3
HOLLYWOOD (J-720)	30.0
IS-01-201	30.0
OKS 2004-2	30.0
PSG PROK	30.0
SWI-1081	28.3
PSG 94524	25.0
PSG 9Y20K	25.0
PYRAMID 2 (IS-CD10)	25.0
SUNSPORT	25.0
RAD-CD1	23.3
SWI-1122	23.3
NUMEX-SAHARA	21.7
SWI-1117	21.7
SWI-1057	20.0
SWI-1083	20.0
SWI-1113	20.0
YUKON	16.7
BAR 7CD5	13.3
VERACRUZ	13.3
PRINCESS 77	11.7
LSD VALUE	10.8
C.V. (%)	26.6

TABLE 22C. PERCENT SEEDHEAD RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA 2/

NAME	TN1
TIFWAY	28.3
OKC 1134	18.3
PATRIOT	18.3
MIDLAWN	15.0
OKC 1119	15.0
PREMIER	13.3
LSD VALUE	8.3
C.V. (%)	28.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23A. SEEDHEAD RATINGS OF BERMUDAGRASS CULTIVARS
AT BATON ROUGE, LA 1/
2008 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MIDDLE SUMMER	LATE SUMMER	MEAN
PATRIOT	9.0	9.0	9.0
OKC 1119	9.0	8.7	8.8
OKC 1134	9.0	8.7	8.8
SWI-1122	9.0	8.3	8.7
TIFWAY	8.7	8.7	8.7
MIDLAWN	8.7	8.3	8.5
YUKON	9.0	8.0	8.5
PSG 9Y20K	8.7	8.0	8.3
PSG PROK	8.7	8.0	8.3
PST-R6FLT	9.0	7.7	8.3
SUNSPORT	8.3	8.3	8.3
SWI-1081	9.0	7.7	8.3
SWI-1083	8.7	8.0	8.3
HOLLYWOOD (J-720)	8.7	7.7	8.2
IS-01-201	8.7	7.7	8.2
OKS 2004-2	9.0	7.3	8.2
PREMIER	8.3	8.0	8.2
PSG 94524	9.0	7.3	8.2
PSG 9BAN	9.0	7.3	8.2
RIVIERA	9.0	7.3	8.2
SWI-1070	9.0	7.3	8.2
SWI-1117	9.0	7.3	8.2
VERACRUZ	8.7	7.7	8.2
BAR 7CD5	8.7	7.3	8.0
NUMEX-SAHARA	8.7	7.3	8.0
PRINCESS 77	8.7	7.3	8.0
PSG 91215	8.7	7.3	8.0
PYRAMID 2 (IS-CD10)	8.3	7.7	8.0
SWI-1113	8.3	7.7	8.0
RAD-CD1	8.3	7.3	7.8
SWI-1057	8.3	7.3	7.8
LSD VALUE	1.5	1.7	1.3
C.V. (%)	5.1	8.9	5.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23B. SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
AT BATON ROUGE, LA 1/
2008 DATA
SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MIDDLE SUMMER	LATE SUMMER	MEAN
SWI-1122	9.0	8.3	8.7
YUKON	9.0	8.0	8.5
PSG 9Y20K	8.7	8.0	8.3
PSG PROK	8.7	8.0	8.3
PST-R6FLT	9.0	7.7	8.3
SUNSPORT	8.3	8.3	8.3
SWI-1081	9.0	7.7	8.3
SWI-1083	8.7	8.0	8.3
HOLLYWOOD (J-720)	8.7	7.7	8.2
IS-01-201	8.7	7.7	8.2
OKS 2004-2	9.0	7.3	8.2
PSG 94524	9.0	7.3	8.2
PSG 9BAN	9.0	7.3	8.2
RIVIERA	9.0	7.3	8.2
SWI-1070	9.0	7.3	8.2
SWI-1117	9.0	7.3	8.2
VERACRUZ	8.7	7.7	8.2
BAR 7CD5	8.7	7.3	8.0
NUMEX-SAHARA	8.7	7.3	8.0
PRINCESS 77	8.7	7.3	8.0
PSG 91215	8.7	7.3	8.0
PYRAMID 2 (IS-CD10)	8.3	7.7	8.0
SWI-1113	8.3	7.7	8.0
RAD-CD1	8.3	7.3	7.8
SWI-1057	8.3	7.3	7.8
LSD VALUE	1.5	2.6	1.7
C.V. (%)	5.2	9.2	5.5

TABLE 23C. SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
AT BATON ROUGE, LA 1/
2008 DATA
SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MIDDLE SUMMER	LATE SUMMER	MEAN
PATRIOT	9.0	9.0	9.0
OKC 1119	9.0	8.7	8.8
OKC 1134	9.0	8.7	8.8
TIFWAY	8.7	8.7	8.7
MIDLAWN	8.7	8.3	8.5
PREMIER	8.3	8.0	8.2
LSD VALUE	1.0	1.6	1.1
C.V. (%)	5.0	7.9	5.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24A. SEEDHEAD RATINGS OF BERMUDAGRASS CULTIVARS
AT COLLEGE STATION, TX 1/
2008 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MAY	NOVEMBER	MEAN
MIDLAWN	8.3	8.0	8.2
TIFWAY	7.7	8.0	7.8
YUKON	7.3	7.3	7.3
BAR 7CD5	6.0	7.0	6.5
NUMEX-SAHARA	4.3	5.3	4.8
OKC 1134	3.7	6.0	4.8
SWI-1122	3.7	5.3	4.5
RAD-CD1	3.3	5.0	4.2
PSG 9Y20K	3.3	4.7	4.0
SWI-1057	4.0	4.0	4.0
OKC 1119	1.7	6.0	3.8
HOLLYWOOD (J-720)	3.3	4.0	3.7
PSG 9BAN	3.0	4.3	3.7
PYRAMID 2 (IS-CD10)	3.7	3.7	3.7
SWI-1117	4.0	3.3	3.7
VERACRUZ	3.3	4.0	3.7
PSG 91215	3.3	3.7	3.5
PSG 94524	3.0	4.0	3.5
PSG PROK	3.3	3.7	3.5
RIVIERA	3.3	3.7	3.5
PATRIOT	3.3	3.3	3.3
PREMIER	4.7	2.0	3.3
PRINCESS 77	3.3	3.3	3.3
OKS 2004-2	2.7	3.7	3.2
SWI-1081	2.3	4.0	3.2
SWI-1113	2.7	3.7	3.2
SUNSPORT	2.7	3.3	3.0
IS-01-201	2.3	3.3	2.8
SWI-1070	2.7	3.0	2.8
PST-R6FLT	2.3	2.3	2.3
SWI-1083	2.0	2.7	2.3
LSD VALUE	1.6	1.7	1.3
C.V. (%)	27.5	24.2	20.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24B. SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
AT COLLEGE STATION, TX 1/
2008 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MAY	NOVEMBER	MEAN
YUKON	7.3	7.3	7.3
BAR 7CD5	6.0	7.0	6.5
NUMEX-SAHARA	4.3	5.3	4.8
SWI-1122	3.7	5.3	4.5
RAD-CD1	3.3	5.0	4.2
PSG 9Y20K	3.3	4.7	4.0
SWI-1057	4.0	4.0	4.0
HOLLYWOOD (J-720)	3.3	4.0	3.7
PSG 9BAN	3.0	4.3	3.7
PYRAMID 2 (IS-CD10)	3.7	3.7	3.7
SWI-1117	4.0	3.3	3.7
VERACRUZ	3.3	4.0	3.7
PSG 91215	3.3	3.7	3.5
PSG 94524	3.0	4.0	3.5
PSG PROK	3.3	3.7	3.5
RIVIERA	3.3	3.7	3.5
PRINCESS 77	3.3	3.3	3.3
OKS 2004-2	2.7	3.7	3.2
SWI-1081	2.3	4.0	3.2
SWI-1113	2.7	3.7	3.2
SUNSPORT	2.7	3.3	3.0
IS-01-201	2.3	3.3	2.8
SWI-1070	2.7	3.0	2.8
PST-R6FLT	2.3	2.3	2.3
SWI-1083	2.0	2.7	2.3
LSD VALUE	1.2	1.7	1.0
C.V. (%)	22.6	24.2	17.0

TABLE 24C. SEEDHEAD RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS
AT COLLEGE STATION, TX 1/
2008 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MAY	NOVEMBER	MEAN
MIDLAWN	8.3	8.0	8.2
TIFWAY	7.7	8.0	7.8
OKC 1134	3.7	6.0	4.8
OKC 1119	1.7	6.0	3.8
PATRIOT	3.3	3.3	3.3
PREMIER	4.7	2.0	3.3
LSD VALUE	3.3	2.3	2.5
C.V. (%)	36.1	23.4	26.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25A. PERCENT SPRING GREENUP RATINGS OF BERMUDAGRASS CULTIVARS 1/
2008 DATA 2/

NAME	VA1
RIVIERA	88.3
BAR 7CD5	86.7
PSG 9Y20K	86.7
TIFWAY	86.7
OKC 1134	85.0
OKS 2004-2	83.3
YUKON	83.3
MIDLAWN	81.7
OKC 1119	76.7
SWI-1113	76.7
SWI-1122	76.7
RAD-CD1	73.3
SWI-1117	73.3
PREMIER	71.7
PST-R6FLT	70.0
PATRIOT	66.7
PSG PROK	66.7
SWI-1083	66.7
HOLLYWOOD (J-720)	61.7
SWI-1070	61.7
PSG 9BAN	60.0
PYRAMID 2 (IS-CD10)	55.0
SWI-1081	53.3
SWI-1057	43.3
PRINCESS 77	40.0
PSG 91215	38.3
SUNSPORT	36.7
IS-01-201	36.0
VERACRUZ	35.0
PSG 94524	32.7
NUMEX-SAHARA	16.7
LSD VALUE	27.5
C.V. (%)	26.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25B. PERCENT SPRING GREENUP RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2008 DATA 2/

NAME	VA1
RIVIERA	88.3
BAR 7CD5	86.7
PSG 9Y20K	86.7
OKS 2004-2	83.3
YUKON	83.3
SWI-1113	76.7
SWI-1122	76.7
RAD-CD1	73.3
SWI-1117	73.3
PST-R6FLT	70.0
PSG PROK	66.7
SWI-1083	66.7
HOLLYWOOD (J-720)	61.7
SWI-1070	61.7
PSG 9BAN	60.0
PYRAMID 2 (IS-CD10)	55.0
SWI-1081	53.3
SWI-1057	43.3
PRINCESS 77	40.0
PSG 91215	38.3
SUNSPORT	36.7
IS-01-201	36.0
VERACRUZ	35.0
PSG 94524	32.7
NUMEX-SAHARA	16.7
LSD VALUE	29.9
C.V. (%)	31.0

TABLE 25C. PERCENT SPRING GREENUP RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2008 DATA 2/

NAME	VA1
TIFWAY	86.7
OKC 1134	85.0
MIDLAWN	81.7
OKC 1119	76.7
PREMIER	71.7
PATRIOT	66.7
LSD VALUE	13.4
C.V. (%)	10.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 26A.

PERCENT SPRING GREENUP RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT KNOXVILLE, TN 2/
2008 DATA

NAME	3_27	4_01	4_04	4_08	4_14	4_21	4_29	MEAN
RIVIERA	10.0	20.0	51.7	80.0	89.7	92.7	94.0	62.6
PSG 9Y20K	8.7	14.0	46.7	76.7	88.3	92.7	95.0	60.3
OKS 2004-2	7.7	14.0	43.3	75.0	92.0	93.3	96.3	60.2
OKC 1119	8.7	14.0	45.0	73.3	90.0	92.7	94.7	59.8
HOLLYWOOD (J-720)	8.3	15.7	40.0	73.3	87.7	91.0	94.3	58.6
RAD-CD1	9.3	14.0	40.0	65.0	87.7	90.7	92.7	57.0
YUKON	12.3	19.0	43.3	70.3	80.0	86.3	87.3	57.0
OKC 1134	5.0	11.0	30.0	55.0	85.0	92.0	94.0	53.1
SWI-1122	7.0	9.3	26.7	56.7	78.3	85.3	89.7	50.4
BAR 7CD5	8.3	10.0	25.7	51.7	69.3	80.7	88.3	47.7
PSG PROK	6.7	7.7	23.3	41.7	74.3	86.0	89.3	47.0
PREMIER	5.0	8.3	26.7	41.7	71.7	82.7	90.0	46.6
SWI-1070	5.0	7.0	18.3	37.7	73.3	88.7	91.3	45.9
TIFWAY	6.7	9.0	19.0	40.7	71.7	84.0	88.0	45.6
SWI-1083	5.0	7.0	21.0	40.0	71.0	82.7	88.7	45.0
PYRAMID 2 (IS-CD10)	5.0	6.0	14.7	38.3	70.0	82.7	89.0	43.7
PSG 94524	5.0	8.0	18.3	35.0	69.3	80.0	88.7	43.5
SWI-1117	6.0	7.0	16.7	36.7	66.7	78.3	87.0	42.6
MIDLAWN	3.3	8.7	18.3	33.3	70.0	76.7	86.0	42.3
PSG 91215	3.3	6.0	17.3	31.7	66.7	78.3	87.7	41.6
PSG 9BAN	5.0	6.0	17.7	30.0	61.7	80.0	87.0	41.0
SWI-1081	0.0	5.0	11.0	22.7	71.7	86.7	90.0	41.0
PST-R6FLT	3.3	7.0	16.0	28.3	63.3	78.3	85.0	40.2
PATRIOT	5.0	7.0	12.7	23.3	63.3	73.3	89.3	39.1
SWI-1113	3.3	5.0	10.7	16.7	58.3	74.0	86.0	36.3
NUMEX-SAHARA	5.0	7.0	11.7	22.7	55.0	66.7	80.7	35.5
IS-01-201	0.0	5.0	9.3	21.7	60.0	66.7	82.3	35.0
PRINCESS 77	1.7	5.0	15.3	20.7	50.0	71.0	81.7	35.0
SWI-1057	5.0	5.0	10.7	17.0	51.0	70.0	86.0	35.0
SUNSPORT	3.3	5.0	8.7	17.7	45.0	57.7	70.7	29.7
VERACRUZ	0.0	5.0	8.0	13.3	33.3	45.0	80.3	26.4
LSD VALUE	3.2	3.7	11.7	12.1	13.9	12.0	8.3	6.4
C.V. (%)	37.6	27.1	32.9	19.7	12.8	9.5	5.4	9.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 26B. PERCENT SPRING GREENUP RATINGS OF BERMUDAGRASS (SEEDING) CULTIVARS 1/
AT KNOXVILLE, TN 2/
2008 DATA

NAME	3_27	4_01	4_04	4_08	4_14	4_21	4_29	MEAN
RIVIERA	10.0	20.0	51.7	80.0	89.7	92.7	94.0	62.6
PSG 9Y20K	8.7	14.0	46.7	76.7	88.3	92.7	95.0	60.3
OKS 2004-2	7.7	14.0	43.3	75.0	92.0	93.3	96.3	60.2
HOLLYWOOD (J-720)	8.3	15.7	40.0	73.3	87.7	91.0	94.3	58.6
RAD-CD1	9.3	14.0	40.0	65.0	87.7	90.7	92.7	57.0
YUKON	12.3	19.0	43.3	70.3	80.0	86.3	87.3	57.0
SWI-1122	7.0	9.3	26.7	56.7	78.3	85.3	89.7	50.4
BAR 7CD5	8.3	10.0	25.7	51.7	69.3	80.7	88.3	47.7
PSG PROK	6.7	7.7	23.3	41.7	74.3	86.0	89.3	47.0
SWI-1070	5.0	7.0	18.3	37.7	73.3	88.7	91.3	45.9
SWI-1083	5.0	7.0	21.0	40.0	71.0	82.7	88.7	45.0
PYRAMID 2 (IS-CD10)	5.0	6.0	14.7	38.3	70.0	82.7	89.0	43.7
PSG 94524	5.0	8.0	18.3	35.0	69.3	80.0	88.7	43.5
SWI-1117	6.0	7.0	16.7	36.7	66.7	78.3	87.0	42.6
PSG 91215	3.3	6.0	17.3	31.7	66.7	78.3	87.7	41.6
PSG 9BAN	5.0	6.0	17.7	30.0	61.7	80.0	87.0	41.0
SWI-1081	0.0	5.0	11.0	22.7	71.7	86.7	90.0	41.0
PST-R6FLT	3.3	7.0	16.0	28.3	63.3	78.3	85.0	40.2
SWI-1113	3.3	5.0	10.7	16.7	58.3	74.0	86.0	36.3
NUMEX-SAHARA	5.0	7.0	11.7	22.7	55.0	66.7	80.7	35.5
IS-01-201	0.0	5.0	9.3	21.7	60.0	66.7	82.3	35.0
PRINCESS 77	1.7	5.0	15.3	20.7	50.0	71.0	81.7	35.0
SWI-1057	5.0	5.0	10.7	17.0	51.0	70.0	86.0	35.0
SUNSPORT	3.3	5.0	8.7	17.7	45.0	57.7	70.7	29.7
VERACRUZ	0.0	5.0	8.0	13.3	33.3	45.0	80.3	26.4
LSD VALUE	2.9	3.5	11.1	11.3	13.7	12.9	9.4	6.1
C.V. (%)	35.0	26.3	31.9	18.7	12.9	10.2	6.0	9.1

TABLE 26C. PERCENT SPRING GREENUP RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
AT KNOXVILLE, TN 2/
2008 DATA

NAME	3_27	4_01	4_04	4_08	4_14	4_21	4_29	MEAN
OKC 1119	8.7	14.0	45.0	73.3	90.0	92.7	94.7	59.8
OKC 1134	5.0	11.0	30.0	55.0	85.0	92.0	94.0	53.1
PREMIER	5.0	8.3	26.7	41.7	71.7	82.7	90.0	46.6
TIFWAY	6.7	9.0	19.0	40.7	71.7	84.0	88.0	45.6
MIDLAWN	3.3	8.7	18.3	33.3	70.0	76.7	86.0	42.3
PATRIOT	5.0	7.0	12.7	23.3	63.3	73.3	89.3	39.1
LSD VALUE	6.4	6.0	18.5	17.0	14.8	9.6	2.6	8.4
C.V. (%)	49.5	29.1	37.5	21.3	10.3	6.2	1.7	9.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 27A.

COLOR RATINGS OF BERMUDAGRASS CULTIVARS
AT KNOXVILLE, TN 1/
2008 DATA

COLOR RATINGS 1-9; 9=BEST 2/

NAME	APRIL	MAY	JUNE	JULY	AUGUST	MEAN
PATRIOT	2.3	9.0	8.3	8.0	7.0	6.9
YUKON	5.0	8.0	7.7	8.0	5.0	6.7
HOLLYWOOD (J-720)	4.3	7.3	6.7	7.0	6.7	6.4
TIFWAY	2.7	8.0	7.3	7.7	6.0	6.3
RIVIERA	5.7	6.7	7.0	5.0	6.0	6.1
SWI-1057	2.0	7.7	7.7	7.3	5.3	6.0
OKC 1119	5.0	7.7	5.3	5.0	6.7	5.9
OKC 1134	3.7	8.7	6.0	6.0	5.3	5.9
OKS 2004-2	4.7	7.0	6.3	5.7	6.0	5.9
PSG 9Y20K	5.0	7.0	5.3	7.0	5.0	5.9
SWI-1083	2.7	6.7	7.0	7.3	5.3	5.8
IS-01-201	2.0	7.3	6.7	7.3	5.0	5.7
PREMIER	3.0	7.3	6.3	5.7	6.0	5.7
SWI-1113	2.0	7.7	7.0	7.0	4.7	5.7
BAR 7CD5	3.0	7.7	6.0	6.7	4.7	5.6
PST-R6FLT	2.7	6.7	6.3	6.3	6.0	5.6
SWI-1081	2.3	7.3	6.7	6.0	5.3	5.5
SWI-1122	3.7	6.3	6.0	7.0	4.3	5.5
PSG 91215	2.7	7.7	7.0	4.3	5.3	5.4
PSG 9BAN	2.7	7.0	6.0	6.7	4.7	5.4
VERACRUZ	2.0	8.0	5.3	6.7	5.0	5.4
PRINCESS 77	2.3	7.3	5.0	6.3	5.7	5.3
PSG PROK	3.0	6.3	6.0	5.7	5.7	5.3
SWI-1070	2.7	7.0	5.7	6.7	4.7	5.3
MIDLAWN	3.0	7.0	5.3	6.0	4.7	5.2
NUMEX-SAHARA	2.3	6.7	6.0	6.0	5.0	5.2
PYRAMID 2 (IS-CD10)	2.3	6.7	5.7	5.7	5.0	5.1
PSG 94524	3.0	5.7	6.3	5.0	5.0	5.0
RAD-CD1	4.3	5.7	5.7	4.3	4.7	4.9
SUNSPORT	2.0	5.0	6.0	6.7	5.0	4.9
SWI-1117	2.3	6.0	6.3	5.0	5.0	4.9
LSD VALUE	0.9	1.2	2.5	3.2	2.8	0.8
C.V. (%)	18.2	10.1	16.7	21.2	18.9	8.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 27B. COLOR RATINGS OF BERMUDAGRASS (SEEDING) CULTIVARS
AT KNOXVILLE, TN 1/
2008 DATA
COLOR RATINGS 1-9; 9=BEST 2/

NAME	APRIL	MAY	JUNE	JULY	AUGUST	MEAN
YUKON	5.0	8.0	7.7	8.0	5.0	6.7
HOLLYWOOD (J-720)	4.3	7.3	6.7	7.0	6.7	6.4
RIVIERA	5.7	6.7	7.0	5.0	6.0	6.1
SWI-1057	2.0	7.7	7.7	7.3	5.3	6.0
OKS 2004-2	4.7	7.0	6.3	5.7	6.0	5.9
PSG 9Y20K	5.0	7.0	5.3	7.0	5.0	5.9
SWI-1083	2.7	6.7	7.0	7.3	5.3	5.8
IS-01-201	2.0	7.3	6.7	7.3	5.0	5.7
SWI-1113	2.0	7.7	7.0	7.0	4.7	5.7
BAR 7CD5	3.0	7.7	6.0	6.7	4.7	5.6
PST-R6FLT	2.7	6.7	6.3	6.3	6.0	5.6
SWI-1081	2.3	7.3	6.7	6.0	5.3	5.5
SWI-1122	3.7	6.3	6.0	7.0	4.3	5.5
PSG 91215	2.7	7.7	7.0	4.3	5.3	5.4
PSG 9BAN	2.7	7.0	6.0	6.7	4.7	5.4
VERACRUZ	2.0	8.0	5.3	6.7	5.0	5.4
PRINCESS 77	2.3	7.3	5.0	6.3	5.7	5.3
PSG PROK	3.0	6.3	6.0	5.7	5.7	5.3
SWI-1070	2.7	7.0	5.7	6.7	4.7	5.3
NUMEX-SAHARA	2.3	6.7	6.0	6.0	5.0	5.2
PYRAMID 2 (IS-CD10)	2.3	6.7	5.7	5.7	5.0	5.1
PSG 94524	3.0	5.7	6.3	5.0	5.0	5.0
RAD-CD1	4.3	5.7	5.7	4.3	4.7	4.9
SUNSPORT	2.0	5.0	6.0	6.7	5.0	4.9
SWI-1117	2.3	6.0	6.3	5.0	5.0	4.9
LSD VALUE	0.8	1.3	3.1	3.7	3.2	0.9
C.V. (%)	17.3	10.7	17.2	22.6	18.8	8.5

TABLE 27C. COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS
AT KNOXVILLE, TN 1/
2008 DATA

NAME	APRIL	MAY	JUNE	JULY	AUGUST	MEAN
PATRIOT	2.3	9.0	8.3	8.0	7.0	6.9
TIFWAY	2.7	8.0	7.3	7.7	6.0	6.3
OKC 1119	5.0	7.7	5.3	5.0	6.7	5.9
OKC 1134	3.7	8.7	6.0	6.0	5.3	5.9
PREMIER	3.0	7.3	6.3	5.7	6.0	5.7
MIDLAWN	3.0	7.0	5.3	6.0	4.7	5.2
LSD VALUE	1.4	1.2	1.2	1.8	2.4	0.7
C.V. (%)	22.0	7.8	10.5	14.5	18.3	6.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28A.

PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT GAINESVILLE, FL 2/
2008 DATA

NAME	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008	MEAN
SUNSPORT	15.0	35.0	53.3	55.0	60.0	92.7	96.0	97.7	99	67.1
PSG 9Y2OK	13.3	33.3	50.0	60.0	66.7	93.0	90.0	97.7	99	67.0
RAD-CD1	14.0	30.0	46.7	56.7	63.3	93.0	93.3	97.7	99	66.0
SWI-1070	9.3	23.3	40.0	53.3	60.0	96.0	94.7	97.7	99	63.7
NUMEX-SAHARA	9.3	20.0	38.3	50.0	63.3	93.0	95.0	99.0	99	63.0
SWI-1117	10.0	22.7	48.3	56.7	60.0	83.0	88.3	96.0	99	62.7
PRINCESS 77	7.0	18.3	35.0	53.3	60.0	93.0	95.0	99.0	99	62.2
YUKON	12.3	25.0	43.3	46.7	50.0	93.0	91.7	97.7	99	62.1
PSG 94524	11.3	21.7	36.7	50.0	50.0	93.0	94.7	99.0	99	61.7
PYRAMID 2 (IS-CD10)	9.3	21.7	43.3	46.7	56.7	83.3	88.3	96.3	99	60.5
PSG PROK	9.3	21.7	33.3	53.3	50.0	89.7	90.0	97.7	99	60.4
SWI-1113	7.7	18.3	30.0	50.0	50.0	89.7	91.3	97.7	99	59.3
PSG 91215	7.7	18.3	30.0	40.0	50.0	93.0	95.0	99.0	99	59.1
SWI-1083	8.0	13.3	28.3	46.7	43.3	89.7	91.3	99.0	99	57.6
HOLLYWOOD (J-720)	5.7	14.3	31.7	43.3	46.7	83.3	89.7	96.3	99	56.7
PREMIER	5.0	16.7	28.3	33.3	36.7	92.7	95.0	99.0	99	56.2
SWI-1057	10.3	11.7	25.0	38.3	38.3	83.0	90.0	96.3	99	54.7
TIFWAY	5.0	15.0	25.0	31.7	30.0	96.0	93.3	94.7	99	54.4
OKS 2004-2	6.0	13.3	21.7	33.3	36.7	89.7	88.3	97.7	99	54.0
SWI-1122	5.0	9.3	20.0	31.7	43.3	83.3	93.3	97.7	99	53.6
VERACRUZ	5.0	11.7	20.0	30.0	33.3	86.7	90.0	94.7	99	52.3
PATRIOT	5.0	15.0	21.7	25.0	30.0	80.0	93.3	99.0	99	52.0
PST-R6FLT	6.0	13.3	25.0	31.7	33.3	76.7	86.7	93.0	99	51.6
SWI-1081	4.0	9.3	18.3	28.3	30.0	76.7	91.7	97.7	99	50.6
RIVIERA	4.0	9.3	16.7	30.0	30.0	80.0	85.0	96.0	99	50.0
OKC 1119	5.0	13.3	21.7	23.3	20.0	83.0	86.7	94.7	99	49.6
OKC 1134	5.0	11.7	20.0	20.0	25.0	76.7	90.0	97.7	99	49.4
PSG 9BAN	5.0	11.0	18.3	26.7	26.7	80.0	81.7	93.3	99	49.1
IS-01-201	3.0	6.7	15.0	26.7	33.3	70.0	86.7	94.7	99	48.3
MIDLAWN	5.0	11.7	18.3	18.3	18.3	56.7	81.7	96.3	99	45.0
BAR 7CD5	2.0	6.0	10.0	18.3	16.7	60.0	70.0	91.7	99	41.5
LSD VALUE	2.9	8.8	18.2	17.1	20.3	13.7	9.1	8.0	0	8.2
C.V. (%)	25.2	32.4	35.7	26.6	28.8	9.7	5.7	3.0	0	9.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28B.

PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 AT GAINESVILLE, FL 2/
 2008 DATA

NAME	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008	MEAN
SUNSPORT	15.0	35.0	53.3	55.0	60.0	92.7	96.0	97.7	99	67.1
PSG 9Y2OK	13.3	33.3	50.0	60.0	66.7	93.0	90.0	97.7	99	67.0
RAD-CD1	14.0	30.0	46.7	56.7	63.3	93.0	93.3	97.7	99	66.0
SWI-1070	9.3	23.3	40.0	53.3	60.0	96.0	94.7	97.7	99	63.7
NUMEX-SAHARA	9.3	20.0	38.3	50.0	63.3	93.0	95.0	99.0	99	63.0
SWI-1117	10.0	22.7	48.3	56.7	60.0	83.0	88.3	96.0	99	62.7
PRINCESS 77	7.0	18.3	35.0	53.3	60.0	93.0	95.0	99.0	99	62.2
YUKON	12.3	25.0	43.3	46.7	50.0	93.0	91.7	97.7	99	62.1
PSG 94524	11.3	21.7	36.7	50.0	50.0	93.0	94.7	99.0	99	61.7
PYRAMID 2 (IS-CD10)	9.3	21.7	43.3	46.7	56.7	83.3	88.3	96.3	99	60.5
PSG PROK	9.3	21.7	33.3	53.3	50.0	89.7	90.0	97.7	99	60.4
SWI-1113	7.7	18.3	30.0	50.0	50.0	89.7	91.3	97.7	99	59.3
PSG 91215	7.7	18.3	30.0	40.0	50.0	93.0	95.0	99.0	99	59.1
SWI-1083	8.0	13.3	28.3	46.7	43.3	89.7	91.3	99.0	99	57.6
HOLLYWOOD (J-720)	5.7	14.3	31.7	43.3	46.7	83.3	89.7	96.3	99	56.7
SWI-1057	10.3	11.7	25.0	38.3	38.3	83.0	90.0	96.3	99	54.7
OKS 2004-2	6.0	13.3	21.7	33.3	36.7	89.7	88.3	97.7	99	54.0
SWI-1122	5.0	9.3	20.0	31.7	43.3	83.3	93.3	97.7	99	53.6
VERACRUZ	5.0	11.7	20.0	30.0	33.3	86.7	90.0	94.7	99	52.3
PST-R6FLT	6.0	13.3	25.0	31.7	33.3	76.7	86.7	93.0	99	51.6
SWI-1081	4.0	9.3	18.3	28.3	30.0	76.7	91.7	97.7	99	50.6
RIVIERA	4.0	9.3	16.7	30.0	30.0	80.0	85.0	96.0	99	50.0
PSG 9BAN	5.0	11.0	18.3	26.7	26.7	80.0	81.7	93.3	99	49.1
IS-01-201	3.0	6.7	15.0	26.7	33.3	70.0	86.7	94.7	99	48.3
BAR 7CD5	2.0	6.0	10.0	18.3	16.7	60.0	70.0	91.7	99	41.5
LSD VALUE	3.2	9.6	19.5	19.4	22.8	14.1	9.5	8.2	0	8.9
C.V. (%)	25.5	33.7	35.8	26.1	27.9	9.3	5.9	3.1	0	9.3

TABLE 28C.

PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 AT GAINESVILLE, FL 2/
 2008 DATA

NAME	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008	MEAN
PREMIER	5	16.7	28.3	33.3	36.7	92.7	95.0	99.0	99	56.2
TIFWAY	5	15.0	25.0	31.7	30.0	96.0	93.3	94.7	99	54.4
PATRIOT	5	15.0	21.7	25.0	30.0	80.0	93.3	99.0	99	52.0
OKC 1119	5	13.3	21.7	23.3	20.0	83.0	86.7	94.7	99	49.6
OKC 1134	5	11.7	20.0	20.0	25.0	76.7	90.0	97.7	99	49.4
MIDLAWN	5	11.7	18.3	18.3	18.3	56.7	81.7	96.3	99	45.0
LSD VALUE	0	4.6	3.7	6.3	10.6	17.1	8.4	5.2	0	3.7
C.V. (%)	0	15.6	9.1	13.8	20.5	11.4	4.8	2.5	0	4.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
 AT JAY, FL 2/
 2008 DATA

NAME	JANUARY	AUGUST	MEAN
SWI-1070	18.7	99.0	58.8
NUMEX-SAHARA	20.3	96.0	58.2
PYRAMID 2 (IS-CD10)	17.3	99.0	58.2
SWI-1117	16.7	99.0	57.8
PSG 9Y20K	16.0	99.0	57.5
PRINCESS 77	15.3	99.0	57.2
RAD-CD1	15.0	99.0	57.0
PSG 94524	14.0	99.0	56.5
OKS 2004-2	13.7	99.0	56.3
PSG 9BAN	13.7	99.0	56.3
SWI-1113	13.7	99.0	56.3
SWI-1122	13.7	99.0	56.3
HOLLYWOOD (J-720)	13.3	99.0	56.2
SUNSPORT	12.7	99.0	55.8
PSG PROK	15.3	96.0	55.7
SWI-1083	12.0	99.0	55.5
PSG 91215	11.3	99.0	55.2
SWI-1081	11.0	99.0	55.0
PST-R6FLT	11.3	97.7	54.5
SWI-1057	9.3	99.0	54.2
VERACRUZ	8.7	97.7	53.2
YUKON	7.7	97.7	52.7
PREMIER	7.3	97.7	52.5
OKC 1134	6.0	96.3	51.2
IS-01-201	9.0	93.0	51.0
RIVIERA	8.0	92.7	50.3
TIFWAY	6.0	94.7	50.3
BAR 7CD5	6.0	89.7	47.8
MIDLAWN	5.7	86.7	46.2
PATRIOT	5.7	84.7	45.2
OKC 1119	4.7	68.3	36.5
LSD VALUE	7.8	10.0	6.0
C.V. (%)	37.1	6.0	6.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 AT JAY, FL 2/
 2008 DATA

NAME	JANUARY	AUGUST	MEAN
SWI-1070	18.7	99.0	58.8
NUMEX-SAHARA	20.3	96.0	58.2
PYRAMID 2 (IS-CD10)	17.3	99.0	58.2
SWI-1117	16.7	99.0	57.8
PSG 9Y20K	16.0	99.0	57.5
PRINCESS 77	15.3	99.0	57.2
RAD-CD1	15.0	99.0	57.0
PSG 94524	14.0	99.0	56.5
OKS 2004-2	13.7	99.0	56.3
PSG 9BAN	13.7	99.0	56.3
SWI-1113	13.7	99.0	56.3
SWI-1122	13.7	99.0	56.3
HOLLYWOOD (J-720)	13.3	99.0	56.2
SUNSPORT	12.7	99.0	55.8
PSG PROK	15.3	96.0	55.7
SWI-1083	12.0	99.0	55.5
PSG 91215	11.3	99.0	55.2
SWI-1081	11.0	99.0	55.0
PST-R6FLT	11.3	97.7	54.5
SWI-1057	9.3	99.0	54.2
VERACRUZ	8.7	97.7	53.2
YUKON	7.7	97.7	52.7
IS-01-201	9.0	93.0	51.0
RIVIERA	8.0	92.7	50.3
BAR 7CD5	6.0	89.7	47.8
LSD VALUE	9.7	8.8	6.5
C.V. (%)	34.2	3.6	5.6

TABLE 29C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 AT JAY, FL 2/
 2008 DATA

NAME	JANUARY	AUGUST	MEAN
PREMIER	7.3	97.7	52.5
OKC 1134	6.0	96.3	51.2
TIFWAY	6.0	94.7	50.3
MIDLAWN	5.7	86.7	46.2
PATRIOT	5.7	84.7	45.2
OKC 1119	4.7	68.3	36.5
LSD VALUE	4.2	23.2	11.9
C.V. (%)	29.4	12.7	12.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.