TABLE 2B. 1999 MANAGEMENT - ON-SITE BERMUDAGRASS TEST AT MOBILE, AL (COUNTRY CLUB OF MOBILE)

ESTABLISHMENT		FERTILIZATION			HERBICIDES		
Planting date	18-Jun-98	Date(s)	Product	Rate (lbs./M)	Date(s)	Product	Rate (oz./M)
Problems during	None						
	1 lb. N/M, amend soil with Ca as needed. Topdress & roll until smooth surface was attained	Summer Winter		1 lb. N & 2 lbs. K 1/2 lb. N & 1 lb. K per Month - split into two apps. 14 days apart.	None		
FACTORS OF PLAY							
Date opened for play	Open all year		Calcium & Minors	As needed			
Date closed for play	not closed				INSECTICIDES		
Type of spikes allowed	softspikes						
Uses of green	putting, chipping,				Date(s)	Product	Rate (oz./M)
					None		
MOWING							
		FUNGICIDES					
Initial height	1/4"						
Current height	5/32"	Date(s)	Product	Rate (oz./M)			
Frequency	7 days/week						
Type of mower	walking			As needed - preventative during overseed	OTHER PRODUCTS		
Rollers used	weekly during Summer season						
Groomers used					Date(s)	Product	Rate (oz./M)
CULTIVATION						Primo	2 oz./Acre bi-weekly in July & Aug.
Aerfication - dates	June & Aug.14						
Aerification - type	Core						
Verticutting	bi-weekly during growing season & topdressed lightly between verticutings		NOTES/COMMENTS			Aquafer Wetting agent	
Dates of topdressing	Every other week in season - as needed during Winter		Overseeded plots on Oct. 18 with Poa trivialis at 8 lbs/1000 sq.ft.				
Other cultural practices	Rolled weekly and brushed						

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners