

TABLE A. 1998 MANAGEMENT - ON-SITE BERMUDAGRASS TEST AT BIRMINGHAM, AL (COUNTRY CLUB OF BIRMINGHAM)

ESTABLISHMENT		FERTILIZATION			HERBICIDES		
Planting date	11-Jun-98	Date(s)	Product	Rate (lbs./M)	Date(s)	Product	Rate (oz./M)
Problems during	None						
		August 1998	KNO ₃ , methylene urea	1 lb. N	Three times per year	Bensulide	
		August 1998	P ₂ O ₅	1/2 lb. P			
FACTORS OF PLAY		August 1998	K ₂ O	1 lb. K			
		September 1998	KNO ₃ , methylene urea	1 lb. N			
Date opened for play	not yet opened	September 1998	P ₂ O ₅	1/2 lb. P	INSECTICIDES		
Date closed for play		September 1998	K ₂ O	1 lb. K			
Type of spikes allowed	softspikes	Oct.-Dec. 1998	20-5-20	0.10 lb. N	Date(s)	Product	Rate (oz./M)
Uses of green	will be used for chipping, bunker shots	2-4x/month			None		
MOWING							
Initial height	0.275"						
Current height	0.15"				OTHER PRODUCTS		
Frequency	6 days/week						
Type of mower	walking				Date(s)	Product	Rate (oz./M)
Rollers used	2-3 times/month						
Groomers used	groom every time green is mowed. Blades set .005" below bedknife.				None		
FUNGICIDES							
CULTIVATION		Date(s)	Product	Rate (oz./M)	NOTES/COMMENTS		
Aerification - dates	Sept. 1998 - 5/8" hollow				Since the bermuda has been overseeded with poa trivialis, we have been spraying with our weekly bentgrass fungicide & fertilizer mix. The bermuda was covered this winter when nighttime temps. dropped below 27 degrees F.		
Aerification - type	hydroject - 2x/month, March-November	every 2-3 wks, July - mid-Dec.	Alternate Banol, Alliette, Heritage and Subdue with either Mancozeb or Daconil	labeled preventative rates			
Verticutting	once per week- July-Sept.						
Dates of topdressing	once per week- July-Sept.						
Other cultural practices	None						

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners