

TABLE 10A.2000-01 MANAGEMENT- ON-SITE OVERSEEDING OF BERMUDAGRASS TEST AT CHARLOTTESVILLE, VA (GLENMORE COUNTRY CLUB)

SEEDBED PREPARATION

None, seed spread over the area where aerified 6 weeks before seedings, which provide somewhat of a better seedbed.

MOWING

Initial height 5/8"  
 mowing height during test 5/8"  
 Frequency 3 times per week  
 Type of mower

CULTIVATION

Aerification - dates  
 Aerification - type  
 Verticutting  
 Dates of topdressing  
 Other cultural practices

MAINTENANCE PRACTICES TO ENHANCE SPRING TRANSITION

OTHER INFORMATION

Course closed for overseeding No  
 Landing area No  
 Divoting problem  
 Cart allowed on Test area Yes, carts were allowed  
 Traffic patterns No

NOTES/COMMENTS

FERTILIZATION

Date(s) Product Rate (lbs./M)

Fertigation used for fertilizer applications, fertilizer applied 20 tons/Acre.

Sep-00 4 lbs. N, 13 lbs. P, 13 lbs.K per Arec  
 Oct-00 6.5 lbs. N, 23 lbs. P, 23 lbs.K per Arec  
 Nov-00 2.5 lbs. N, 10 lbs. P, 10 lbs.K per Arec  
 Apr-01 17 lbs. N, 3 lbs. P, 6 lbs.K per Arec  
 May-01 11 lb. N, 2 lb. P, 41 lb. K  
 Jun-01 32 lb. N, 5.5 lb. P, 111 lb. K  
 Jul-01 90 lb. N, 15 lb. P, 30 lb. K

FUNGICIDES

Date(s) Product Rate (oz./M)  
 None

HERBICIDES

Date(s) Product Rate (oz./M)  
 None

INSECTICIDES

Date(s) Product Rate (oz./M)  
 4-Aug-00 Merit WSP 6.4

OTHER PRODUCTS

Date(s) Product Rate (oz./M)  
 25-Jun-01 Primo 0.25  
 16-Jul-01 Primo 0.32  
 8/6, 8/28/00 Primo 0.38

Product and company names mentioned herein may be trademarks and/or registered trademarks of their respective owners



